

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-575
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1994 model-year Ford Motor Company exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: RFM3.8V8G1EK Displacement: 3.8 Liters (229 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Dual Three Way Catalytic Converters (two)
- Dual Heated Oxygen Sensors (two)
- Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection
- On-Board Diagnostic II

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.25	3.4	0.4
100,000	0.31	4.2	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.14	1.3	0.1
100,000	0.18	1.6	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That on January 14, 1993, the Air Resources Board approved the repeal of the currently-effective requirement that each manufacturer certify a minimum of 80 percent of its projected sales of 1994 model-year California-certified passenger cars and light-duty trucks to the phase-in standards for non-methane hydrocarbons (NMHC), or the more stringent standards in section 1960.1(g)(2) of Title 13, California Code of Regulations. If the repeal of such requirement does not become effective by December 31, 1993, the manufacturer shall submit a plan for compliance with the requirement; passenger cars and light-duty trucks not meeting such phase-in or more stringent standards shall be certified only to the extent allowed under the requirement.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.0) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines"), provided production of these vehicle models commences prior to April 1, 1994.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 8th day of September, 1993.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer FORD MOTOR COMPANY Eng. Family RFM3.8V8G1EK

Pass Cars XXX Lt-Duty Trucks Med-Duty Vehicles Fuel Type GASOLINE

Eng. Type V6 Liter (CID) 3.8L (229) Evap. Family RFM1045AYMOA

Emission Control System & Special Features 2TWC(2), 2HO2S(2), EGR, SFI, OBD2
(Use abbreviations per SAE J1930 June 88)

Engine: Front XXX Mid. Rear Drive: FWD RWD XXX 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. (12A650)	EGR Syst. Part No (9D475)	Catalyst Part No. (5F250)
416PR00A/N	MUSTANG CONV	A	3625	8.1	F4ZF - HA	E9SE-AA	F4ZC-EE
416PR00N	MUSTANG 2DR	A	3375*	8.1			
416PR00A	MUSTANG 2DR	A	3500	8.1			
415PR00A/N	MUSTANG CONV	M	3500	8.1	F4ZF - DA	E9SE-AA	F4ZC-EE
415PR00A/N	MUSTANG 2DR	M	3375	8.1			

Certification Standards	
	(50K) (100K)
NMHC:	0.25 0.31
CO:	3.4 4.2
NOx:	0.4 N/A
EVAP:	2.0 N/A

* FORD ELECTES TO CONDUCT TESTS IN NEXT HIGHER ETW.

E.O.# A-10-5751994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETManufacturer FORD MOTOR COMPANY Eng. Family RFM3.8V8G1EKPass Cars XXX Lt-Duty Trucks ___ Med-Duty Vehicles ___ Fuel Type GASOLINEEng. Type V6 Liter (CID) 3.8L (229) Evap. Family RFM1045AYMOAEmission Control System & Special Features 2TWQ(2), 2HO2S(2), EGR, SFI, OBD2
(Use abbreviations per SAE J1930 June 88)Engine: Front XXX Mid. ___ Rear ___ Drive: FWD RWDXXX 4WD-FT ___ 4WD-PT ___

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. (12A650)	EGR Syst. Part No (9D475)	Catalyst Part No. (5F250)
416PR00A/N	MUSTANG CONV	A	3625	8.1	F4ZF - HB F4ZF - HC	E9SE-AA	F4ZC-EE
416PROON	MUSTANG 2DR	A	3375*	8.1			
416PR00A	MUSTANG 2DR	A	3500	8.1			
415PR00A	MUSTANG CONV	M	3625#	8.1	F4ZF - DB F4ZF - DC	E9SE-AA	F4ZC-EE
415PROON	MUSTANG CONV	M	3500#	8.1			
415PR00A/N	MUSTANG 2DR	M	3375	8.1			
Certification Standards (50K) (100K) NMHC: 0.25 0.31 CO: 3.4 4.2 NOx: 0.4 N/A EVAP: 2.0 N/A							
* FORD ELECTES TO CONDUCT TESTS IN NEXT HIGHER ETW.							
# R/C 3.8-7							

ENGINE FAMILY: RFM3.8V8G1EK

20.09.17.02-1

ISSUED: 7/26/93

REVISED: 9/15/93:10/4/93

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer FORD MOTOR COMPANY Eng. Family RFM3.8V8G1EK

Pass Cars XXX Lt-Duty Trucks Med-Duty Vehicles Fuel Type GASOLINE

Eng. Type V6 Liter (CID) 3.8L (229) Evap. Family RFM1045AYMOA

Emission Control System & Special Features 2TWC(2), 2HO2S(2), EGR, SFI, OBD 2
(Use abbreviations per SAE J1930 June 88)

Engine: Front XXX Mid. Rear Drive: FWD RWD XXX 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. (12A650)	EGR Syst. Part No (9D475)	Catalyst Part No. (5F250)
416PRO0A/N	MUSTANG CONV	A	3625	8.1	F4ZF - HB F4ZF - HC	E9SE-AA	F4ZC-EE F4ZC-EH
416PROON	MUSTANG 2DR	A	3375*	8.1			
416PRO0A	MUSTANG 2DR	A	3500	8.1			
415PRO0A	MUSTANG CONV	M	3625#	8.1	F4ZF - DB F4ZF - DC	E9SE-AA	F4ZC-EE F4ZC-EH
415PROON	MUSTANG CONV	M	3500#	8.1			
415PRO0A/N	MUSTANG 2DR	M	3375	8.1			
Certification Standards (50K) (100K) NMHC: 0.25 0.31 CO: 3.4 4.2 NOx: 0.4 N/A EVAP: 2.0 N/A							
* FORD ELECTES TO CONDUCT TESTS IN NEXT HIGHER ETW. # R/C 3.8-7							

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer FORD MOTOR COMPANY Eng. Family RFM3.8V8G1EKPass Cars~~XXX~~ Lt-Duty Trucks___ Med-Duty Vehicles___ Fuel Type GASOLINEEng. Type V6 Liter (CID) 3.8L (229) Evap. Family RFM1045AYMOAEmission Control System & Special Features 2⁽²⁾TWC/2⁽²⁾HO2S/EGR/SFI/OBD2
(Use abbreviations per SAE J1930 June 88)Engine: Front~~XXX~~ Mid. ___ Rear ___ Drive: FWD ___ RWD~~XXX~~ 4WD-FT ___ 4WD-PT ___

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. (12A650)	EGR Syst. Part No (9D475)	Catalyst Part No. (5F250)
416P00A/N	MUSTANG CONV	A	3625	8.1	F4ZF - HB F4ZF - HC	E9SE-AA	F4ZC-EE F4ZC-EH
416P00N	MUSTANG 2DR	A	3375*	8.1			
416P00A	MUSTANG 2DR	A	3500	8.1			
415P00A	MUSTANG CONV	M	3625#	8.1	-F4ZF - DB F4ZF - DC	E9SE-AA	F4ZC-EE F4ZC-EH
415P00N	MUSTANG CONV	M	3500#	8.1			
415P00A/N	MUSTANG 2DR	M	3375	8.1			
416PR10A/N	MUSTANG CONV	A	3625	8.1	F4ZF - HD	E9SE-AA F4SE-AA	F4ZC-EE F4ZC-EH
416PR10N	MUSTANG 2DR	A	3375*	8.1			
416PR10A	MUSTANG 2DR	A	3500	8.1			
415PR10N	MUSTANG CONV	M	3500*	8.1	F4ZF - DD	E9SE-AA F4SE-AA	F4ZC-EE F4ZC-EH
415PR10A	MUSTANG CONV	M	3625	8.1			
415PR10A/N	MUSTANG 2DR	M	3375	8.1			
Certification Standards							
NMHC: 0.25 0.31							
CO: 3.4 4.2							
NOX: 0.4 N/A							
EVAP: 2.0							
* FORD ELECTES TO CONDUCT TESTS IN NEXT HIGHER ETW.							
# R/C 3.8-7							

ENGINE FAMILY: RFM3.8V8G1EK

20.09.17.02-1

ISSUED: 7/26/93

REVISED: 9/15/93:10/4/93:12/1/93:4/29/94