

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-583
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Ford Motor Company 1994 model-year exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Fuel Flexible (M85 Methanol, Gasoline)

Engine Family: RFM3.0V8F2EA Displacement: 3.0 Liters (181 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Dual Three Way Catalytic Converters
- Exhaust Gas Recirculation
- Dual Heated Oxygen Sensors
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are: (The standards in parenthesis are for gasoline.)

<u>Miles</u>	<u>Non-Methane Organic Gases</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>
50,000	0.125 (0.25)	3.4 (3.4)	0.4 (0.4)	0.015 (0.015)
100,000	0.156 (0.31)	4.2 (4.2)	0.6 (0.6)	0.018 (0.018)

Reactivity Adjustment Factor for NMOG Mass Emission (M85 Methanol Fuel): 0.41

The certification exhaust emission values set forth for non-methane organic gases (NMOG) reflect application of the above-mentioned RAF. The TLEV certification exhaust emission values for this engine family in grams per mile are: (The values in parenthesis are for gasoline.)

<u>Miles</u>	<u>Non-Methane Organic Gases</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>
50,000	0.091 (0.12)	1.4 (1.4)	0.1 (0.1)	0.012 (0.001)
100,000	0.110 (0.14)	1.8 (1.7)	0.1 (0.1)	0.015 (0.002)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That on January 14, 1993, the Air Resources Board approved the repeal of the currently-effective requirement that each manufacturer certify a minimum of 80 percent of its projected sales of 1994 model-year California-certified passenger cars and light-duty trucks to the phase-in standards for non-methane hydrocarbons (NMHC), or the more stringent standards in section 1960.1(g)(2) of Title 13, California Code of Regulations. If the repeal of such requirement does not become effective by December 31, 1993, the manufacturer shall submit a plan for compliance with the requirement; passenger cars and light-duty trucks not meeting such phase-in or more stringent standards shall be certified only to the extent allowed under the requirement.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models are certified as TLEVs at the request of Ford Motor Company based on the assumption that the 50-degree Fahrenheit exhaust emission standards in the "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles" will be amended with the result that the data submitted by Ford Motor Company for the listed vehicle models would be sufficient to satisfy the 50-degree Fahrenheit exhaust emission standards for TLEVs. The Air Resources Board approved such amendments at a hearing conducted on January 14, 1993. The certification of the listed vehicle models as TLEVs is CONDITIONAL on such amendments becoming effective by December 31, 1993. If such amendments do not become effective by December 31, 1993, the listed vehicle models shall be deemed certified to the phase-in standards for passenger cars as set forth in section 1960.1 (f)(1) of Title 13, California Code of Regulations (For 50,000 miles: 0.25 g/mi non-methane hydrocarbons or NMHC, 3.4 g/mi carbon monoxide or CO, and 0.4 g/mi oxides of nitrogen. For 100,000 miles: 0.31 g/mi NMHC and 4.2 g/mi CO.)


BE IT FURTHER RESOLVED: That the TLEV hydrocarbon exhaust emission standard to which the listed vehicles are certified is at least twice as stringent as otherwise applicable to gasoline vehicles of the same year and class, and the listed vehicles therefore meet the definition of "low-emission motor vehicle" set forth in Health and Safety Code Sections 39037.05 and 43800.

BE IT FURTHER RESOLVED: That the listed vehicle models shall be clearly labeled as "low-emission motor vehicles" as defined in Health and Safety Code Sections 39037.05 and 43800, and such labeling shall meet the requirements of Health and Safety Code Section 43802(a) at the time of sale.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 22nd day of October, 1993.


R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1 of 1Manufacturer Ford Motor Company Engine Family RFM3.OV8F2EAPassenger Car X (PC) Light-Duty Truck (T1/T2) Medium-Duty Vehicle (M1-M5)Stds Type: TLEV (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh Type: FFV (FFV, HEV)Fuel Type: FLEX FUEL Evap Family * Engine Conf V-6 Liter (CID) 3.0L (181.2)
(M85, Gasoline) *RFM1240AYPOBEngine: Front X Mid Rear Drive: FWD X RWD 4WD-FT 4WD-PT Exhaust ECS & Special Features (including Carb, MFI, etc.) Dual TWC/EGR/Dual HO2S/SFI
(Use abbreviations per SAE J1930, May 91)

Engine Code (Cert Std)	Vehicle Models (If Coded see attachment)	Trans. Type A-Auto M-Manual	Equiv. Test Weight	DPA	Ign. System (ECM/PCM) Part No. (12A650)	EGR System Part No. (9D475)	Catalyst Part No. (5F250)
4-10G-ROOA	TAURUS SEDAN	A	3500	6.8	F4DF - JA	F3DE - AA	F3DC-LA LB/LC

*Incorrect*ENGINE FAMILY: P3.OVFC
ISSUED: 10/12/93
REVISED:

20.09.17.02-1

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1 of 1Manufacturer Ford Motor Company Engine Family RFM3.OV8F2EAPassenger Car X (PC) Light-Duty Truck (T1/T2) Medium-Duty Vehicle (M1-M5)Stds Type: TLEV (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh Type: FFV (FFV, HEV)Fuel Type: FLEX FUEL Evap Family * Engine Conf V-6 Liter (CID) 3.0L (181.2)
*RFM1240AYPOBEngine: Front X Mid Rear Drive: FWD X RWD 4WD-FT 4WD-PT Exhaust ECS & Special Features (including Carb, MFI, etc.) Diesel TWC/EGR/Diesel HO2S/SFI
(Use abbreviations per SAE J1930, May 91)

Engine Code (Cert Std)	Vehicle Models (If Coded see attachment)	Trans. Type A-Auto M-Manual	Equiv. Test Weight	DPA	Ign. System (ECM/PCM) Part No. (12A650)	EGR System Part No. (9D475)	Catalyst Part No. (5F250)
4-10G-R00A	TAURUS SEDAN	A	3500	6.8	F4DF - JA	F3DE - AA	F3DC-FA

ENGINE FAMILY: RFM3.OV8F2EA

20.09.17.02-1

ISSUED: 10/12/93

REVISED: 2/24/94

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Ford Motor Company Engine Family RFM3.OV8F2EA
 Passenger Car X (PC) Light-Duty Truck (T1/T2) Medium-Duty Vehicle (M1-M5)
 Stds Type: TLEV (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh Type: FFV (FFV, HEV)
 Fuel Type: FLEX FUEL Evap Family * Engine Conf V-6 Liter (CID) 3.0L (181.2)
*RFM1240AYPOB
 Engine: Front X Mid Rear Drive: FWD X RWD 4WD-FT 4WD-PT
 Exhaust ECS & Special Features (including Carb, MFI, etc.) Dual TWC/EGR/HO2S/SFL/
 (Use abbreviations per SAE J1930, May 91)

Engine Code (Cert Std)	Vehicle Models (If Coded see attachment)	Trans. Type A-Auto M-Manual	Equiv. Test Weight	DPA	Ign. System (ECM/PCM) Part No. (12A650)	EGR System Part No. (9D475)	Catalyst
							Part No. (5F250)
4-10G-R00A	TAURUS SEDAN	A	3500	6.8	F4DF - JA	F3DE - AA F37E - CA	F3DC-FA