State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-12-29 Relating to Certification of New Motor Vehicles

FIAT AUTO S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Fiat Auto S.p.A. 1994 model-year exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: RAR3.0VHGAEA <u>Displacement</u>: 3.0 Liters (180.6 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Multiport Fuel Injection Heated Oxygen Sensor Three Way Catalytic Converter

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	Total	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.41	7.0	0.4	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Total	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.19	1.5	0.2	

BE IT FURTHER RESOLVED: That the manufacturer is certifying to the 50,000-mile hydrocarbon and carbon monoxide standards pursuant to Section 1960.1(e)(1)(B), Title 13, California Code of Regulations (passenger cars produced by a small-volume manufacturer).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(3.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 00

R. B. Summerfield
Assistant Division Chief Mobile Source Division

e€ June, 1993.

					÷.	•	
1994 AIR	RESOURCES BOARD S	UPPLEMENTAL DA	ATA SHEET	Γ Ε.	0.# <u>A-12-</u>	-29 Page	e_1_ of 1
	FIAT AUTO S.D.A.						1
assenger Car	· x (PC) Light-D	uty Truck	(T1/T2)	Med tum-	-Duty Yehicle	(M1/H2	/M3/M4/M5
	ier 0 (Tier 0/1,						
	remium Unleaded Ga	_					
	3. <u>V-6</u> Lit			•		,	
	<u>×</u> Mid R			- -	RWD 4WO	-FT 41	WD-PT
(use abbr	Special Features eviations per SAE Vehicle Models	1930 MAY91)					
(Cert. Std.)	(if coded see attachment)	A-automatic M-manual	CIM	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.
168TI	Alfa Romeo 164	A4	3875	5.9/ 5.7	605 62702	n/a	60589799
168T1	Alfa Romeo 164	М <i>С</i> .	3750	6.1/ 5.7	"	**	**
168T2	Alfa Romeo 164S	V . —				· ·	1 ,
1 2	ALLA NOMEO 1945	. MS	3750	5.7		"	

•

•

• .

•

.

•

•