State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-249 Relating to Certification of New Motor Vehicles

NISSAN MOTOR COMPANY, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1994 model-year Nissan Motor Company, Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: RNS1.6VJG1EA <u>Displacement</u>: 1.6 Liters (97.5 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Sequential Multiport Fuel Injection Exhaust Gas Recirculation Oxygen Sensor

Three Way Catalytic Converter

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	
50,000	0.25	3.4	0.4	
100,000	0.31	4.2	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
50,000	0.19	1.9	0.2
100,000	0.20	2.1	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That on January 14, 1993, the Air Resources Board approved the repeal of the currently-effective requirement that each manufacturer certify a minimum of 80 percent of its projected sales of 1994 model-year California-certified passenger cars and light-duty trucks to the phase-in standards for non-methane hydrocarbons (NMHC), or the more stringent standards in section 1960.1(g)(2) of Title 13, California Code of Regulations. If the repeal of such requirement does not become effective by December 31, 1993, the manufacturer shall submit a plan for compliance with the requirement; passenger cars and light-duty trucks not meeting such phase-in or more stringent standards shall be certified only to the extent allowed under the requirement.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair Will be notified by copy of this order and attachment.

Executed at El Monte, California this 24 day of June, 1993.

R. B. Summerfield

Assistant Division Chief Mobile Source Division 1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.C. #A-15-249 Page 1 of 4

Manufacturer: MISSAN MCTOR CC., LTD. Engine Family: RMS1.6VJGTEA

Passenger Car PC (FC) Light-Duty Truck (T1/T2)

Medium-Duty Vehicle (MI/M2/M3/M4/N5)

Stds Type : Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV)

Ven. Type (FFV, HEV(type A/B/C)): N.A.

Fuel Type : Gasoline Evap.Family : RNS1030BYH0A

Engine Config. L4 Liter (CID) 1.6 (97.5)

Engine: Front X Hid. Rear Drive: FWD X RWD 4WD-FT 4WD-PT

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) TWC/O2S/EGR/SFI (use abbreviations per SAE 1930 MAY91)

(436 81016	sylacions per Si	JE TOOK BUTOI	ر جانبانگا		; 		· t
		A-automatic		or	Ignition (ECM/PCM) Part No.	System-	Catalyst Part No. **
	SENTRA E 2-DOUR SEDAN		2625		 ECM <u>1</u> / A11-D14 (UNISIA] 	·
	SENTRA E 14-DOOR SEDAN		2750	6.2 6.7 7.2	JECS) JA11 DO6 I(AUTECS)		
	 SENTRA XE 2-DOOR SEDAN	 N5 		6.7		EGR Valve AEY77-45 	
-	SENTRA SE 12-DOOR SEDAN	 	2750	:	A18-D38 (UNISIA JECS)		
	SENTRA XE 14-DOGR SEDAN		 	6.7	JECS) JA18-D43 (AUTECS) (After	1	
	ISENTRA GXE 14-DUOR SEDAN 1	1 [] ·	 	1.2 	R/C No. R16JG1E -04)	! 	

^{**}The figures and numbers in the place of the mark x are variable according to lot number and production date.

1/ With R/C No. R16JG1E-04

Issue Date: 05/14/93

Revision Date: 1/ 03/25/94

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. #A-15-249 Page 2 of 4

Manufacturer: MISSAN MOTOR CC., LTD. Engine Family: RMS1.6VJG1EA

Passenger Car PC (PC) Light-Duty Truck (T1/T2)

Medium-Duty Vehicle (M1/M2/M3/M4/M5)

Stds Type : Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV)

Veh.Type (FFV, HEV(type A/B/C)): N.A.

Fuel Type : Gasoline Evap.Family : RNS1030BYM0A

Engine Config. L4 Liter (CID) 1.6 (97.5)

Engine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT 4WD-FT

Exhaust ECS & Special Features (incl. CARB, NFI, etc.) TWC/02S/EGR/SFI (use abpreviations per SAE 1930 MAY91)

1	extractoris bet or	, , , , , , , , , , , , , , , , , , , ,	<u> </u>				
Code	 Vehicle Models (if coded see attachment)	A-automatic		or	Ignition (ECM/PCM) Part No.	System-	Catalyst; Part No.[**
 - - -	ISENTRA C 12-DOOR SEDAN			6.1	ECM 1/ A11-D14 (UNISIA		
	SENTRA E 14-DOOR SEDAN 1	1		5.6 6.1 6.5	JECS) JA11-DO6 (AUTECS)		
BG16DCX1	ISÉNTRA XE 12-DOUR SEDAN	 - 145 	2625			EGR Valve AEY77-45 	
	SENTRA SE 12-DOOR SEDAN				A18-D38 (UNISIA JECS)		
	ISENTRA XE 14-DOOR SEDAN			6.1	JA18-D43 (AUTECS)		
, , , , , , , , , , , , , , , , , , , ,	ISENTRA GXE 14-DUUR SEDAN	 	2750	6.5	(After R/C No. R16JG1E -04)	 	

The figures and numbers in the place of the mark x are variable according to lot number and production date.

1/ With R/C No. R16JG1E-04

Issue Date: 05/14/93

Revision Date: 1/ 03/25/94

\$17.11.01-3

1994 AIR RESCURCES BOARD SUPPLEMENTAL DATA SHEET E.O. #A-15-249 Page 3 of 4

Hanufacturer: NISSAN MOTOR CC., LTD. Engine Family: RMS1.6VJG1EA

Passenser Car PC (PC) Light-Duty Truck (T1/T2)

Medium-Duty Vchicle (M1/N2/M3/M4/M5)

Stds Type : Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV)

Veh.Type (FFV.HEV(type A/B/C)): N.A.

Fuel Type: Gasoline Evap.Family: RNS1030BYMOA

Engine Config. <u>L4</u> Liter (C1D) <u>1.6 (97.5)</u>

Engine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT 4WD-PT

Exhaust ECS & Special Features (incl. CARB. MFI, etc.) TWC/02S/EGR/SFI (use abbreviations per SAE 1930 MAY91)

Issue Date: 05/14/93
Revision Date:

\$17.11.01-3.1

				or	Ignition (ECH/PCM) Part No.	System-	Catalyst Part No. ee
AG16DCA1	SENTRA E 2-DOUR SEDAN SENTRA E 4-DOUR SEDAN SENTRA XE 2-DOUR SEDAN SENTRA XE 4-DOUR SEDAN SENTRA XE 4-DOUR SEDAN	A.4	2750	6.7	A11-D15 (UNIS1A JECS) JA11-C92 (AUTECS) (Befor	EGR Vaive AEY77-72 	
W/AC	 		 	 	R/C No. R16JG1E -04)		

**The figures and numbers in the place of the mark x are variable according to lot number and production date.

1/ With R/C No. R16JG1E-01

2/ With R/C No. R16JG1E-04

Issue Date: 05/14/93

Revision Date: 1/ 10/29/93 2/ 03/25/94

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. #A-15-249 Page 4 of 4

Manufacturer: MISSAN MOTOR CO., LTD. Engine Family: RMS1.6VJG1EA

Passenger Car PC (PC) Light-Duty Truck (T1/T2)

Hedium-Duty Vehicle $_{--}$ (N1/N2/N3/N4/N5)

Stds Type : Tier 1 (Tier 0/1, AB955, TLEV, LEV, ULEV)

Veh. Type (FFV. HEV(type A/B/C)): N.A.

Fuel Type : Gasoline Evap.Family : RMS103CBYMOA

Engine Config. <u>L4</u> Liter (CID) 1.6 (97.5)

Ensine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT 4WD-FT

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) TWC/02S/EGR/SFI (use abbreviations per SAE 1930 MAY01)

Issue Date : 05/14/93 Revision Date :

Code		A-automatic		or	Ignition (ECM/PCM) Part No.	System-	Catalyst Part No. ***
BG16DCA1	SENTRA E 2-DOUR SEDAN SENTRA E 4-DOOR SEDAN SENTRA XE 2-DOOR SEDAN SENTRA XE 4-DOOR SEDAN SENTRA XE 4-DOOR SEDAN	À 4	2750	6.1 5.6 6.1 6.5 8.1 6.5	JA11-C92 (AUTECS) (Befor	EGR Valve AEY77-72	
 Wout AC				 	(AUTECS) (After R/C No. R16JG1E -04)	 	

**The figures and numbers in the place of the mark x are variable according to lot number and production date.

1/ With R/C No. R16JG1E-01

2/ With R/C No. R16JG1E-04

Issue Date: 05/14/93 Revision Date: 1/(10/29/93) = 2/(03/25/94)