State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-154-1 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1994 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: RHN2.2VJGFFA Displacement: 2.2 Liters (132 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter Heated Oxygen Sensor Exhaust Gas Recirculation Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles_	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.25	3.4	0.4	
100,000	0.31	4.2	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.10	1.5	0.2	
100,000	0.11	1.7	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executive Order A-23-154 signed August 17, 1993, is superseded by Executive Order A-23-154-1.

Executed at El Monte, California this 3 day of January, 1994.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A-23-154-1

-A60 (37820 -P0J-A603)

Page 1.1

Manufacture	er HOND	HONDA		e Family	RHN2.2VJGFFA		
Passenger C	Car X Light-	Duty Truck		Medium-Du	ity Vehicle		
Stds Type: Tier-1		Vehic:	Vehicle Type: Not applicable				
Fuel Type: Gasoline		Evap	Evaporative Family: RHN1100BYM0P			<u> </u>	
Engine Conf	FigI-4	Liter (CI	D)	2,2 (132)	·		
Engine: Fro	ont X Mid	Rear	Drive	: FWD X	RWD 4WD-I	FT 4W	D-PT
Exhaust ECS	S & Special Featu	res	TWC/H	O2S/EGR/SI	FI		
	Vehicle Models	Trans.		1	- O	EGR	Caralnat
	(if coded see	Type:		RLHP (Tire	1.		Catalyst Part No.
	attachment)	A-Auto.		maker)	rart No.	Part No.	rait No.
Std.)	Accord DX Coupe	II Hall		7.6 (GY)	EI	EGR Valve:	UC (18160
-	Accord DX Sedan		3125	6.9 (BS)	Distributor:1/	11L (18011	-P0A-A201
			3123		ECM:37820-POB -A01 (37820	-P0B-A000)	
1	Accord DX Coupe		1		-		ł
1 — — —	Accord DX Sedan		-	7.0 (25)	100 20107		
RNA1/1-87	Accord LX Coupe	Į	3250	7.2 (MI)		i.	
	Accord LX Sedan	М				_	770 (10160
RNB1/1 <u>2</u> / A	Accord LX Wagon		3375	8.4 (GY)	EI Distributor: <u>1</u> / ECM:37820-P0J		UB (18160 -POA-A101
					-A10 (37820		
				ļ	-P0J-A103)	-	UC (18160
2/	Accord DX Coupe		3125	7.6 (GY)	-Distributor:1/		-P0A-A201
RNA3-87	Accord DX Sedan		<u></u>	6.9 (BS)	ECM: 37820-POB		
2/A RNA3/1-87 A	Accord DX Coupe		3250	8.4 (GY)	ન		
	Accord DX Sedan	,		7.6 (BS)			
	Accord LX Coupe	A		7.2 (MI)			
	Accord LX Sedan		,				
	Accord LX Wagon	*	3500	8.4 (GY)	EI Distributor:1/ ECM:37820-POJ		UB (18160 -POA-A101

Note 1/: TD-59U (30105-P12-A013)

EVAP 2.0 g/test

^{2/:} HC 0.25, CO 3.4, NOx 0.4 g/mile (@ 50K) HC 0.31, CO 4.2 g/mile (@ 100k)

^{- *} E0 A-23-154-1 adds this new model.