#### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-314-2 Relating to Certification of New Motor Vehicles

#### KIA MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1994 model-year Kia Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: RKM1.6VJGFEA Displacement: 1.6 Liters (98 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Sequential Multiport Fuel Injection Oxygen Sensor

Three Way Catalytic Converter

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
50,000	0.25	3.4	0. <b>4</b>
100,000	0.31	4.2	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
50,000	0.19	2. <b>4</b>	0.2
100,000	0.22	2.8	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this  $\underline{\mathscr{P}}$ 

\_ day of March, 1994.

R. B. Summerfield Assistant Division Chief Mobile Source Division

### E.O.# A-314-2 Page 1

## 1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Kia M	lotors Corporation	Engine Family	RKM1.6VJGFEA
Evaporative Family	RKM1065BYM01	Engine Type	Otto Spark
		Liters (CID)	1.6 (97.5 CID)
ABBREVIATION			
Ignition System CA-Centrifugal Advance ECU-Electronic Control System EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard  Fuel System TBI, MPI, SMPI DID, IDI, HO2S, O2S CARB-Carburetor	Exhaust Emission C AIR-Air Injection PAIR-Air Injection ECR-Exhaust Gas Re EM-Engine Modifica SPL-Smoke Puff Lim Throttle Delay TOC-Trap Oxidizer, TOP-Trap Oxidizer, OC-Oxidation Catal TWC-Three Way Cata WUOC-Warm Up Oxida WUTWC-Warm Up Three C2S-Oxygen Sensor HO2S-Heated Oxygen TWC+OC-Three Way C Oxidation C TR-Thermal Reactor EHOC-Electrically Oxidation Catal EHTWC-Electrically Way Catalyst	- Pump - Valve circulation tion iter or  Continual Periodical yst only lyst tion Catalyst te Way Catalyst a Sensor catalyst with catalyst Heated alyst Heated Three	Special Features TBI-Throttle Body Injection MPI-Multi Point Electronic Fuel Enjection SMPI-Sequential Fuel Injection DI-Diesel Injection- Direct IDI-Diesel Injection- Prechamber TC-Turbocharger SC-Supercharger CAC-Cahnger Air Cooler CIS-Continuous Fuel Injection
VEHICLE MODEL :	Kia Sephia		
Engine: Front X	Mid Rear		
Drive : FWD X	RWD 4wd I	Full Time	4WD Part Time

Issue Date : May 8, 1993 Revised : Oct. 10, 1993