#### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-10-584 Relating to Certification of New Motor Vehicles

#### FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Ford Motor Company 1995 model-year exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: SFM3.828G1EK <u>Displacement</u>: 3.8 Liters (232 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Dual Three Way Catalytic Converters Dual Heated Oxygen Sensors (two) Exhaust Gas Recirculation Sequential Multiport Fuel Injection On-Board Diagnostic II

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (alternative in-use compliance standards in parentheses) for this engine family in grams per mile are:

Loaded Vehicle	Miles	Non-Methane	Carbon	Nitrogen	
Weight(lbs.)		<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
3751-5750	50,000	0.32 (0.41)	4.4 (6.7)	0.7 (n/a)	
	100,000	0.40 (n/a)	5.5 (n/a)	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight(lbs.)	Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	
3751-5750	50,000	0.08	0.8	0.2	
	100,000	0.10	1.1	n/a	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That, based on a separate compliance plan submitted by the vehicle manufacturer, the listed vehicle models are permitted alternative in-use compliance as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the submitted alternative in-use compliance plan satisfies the requirement that a maximum of 60 percent of the manufacturer's projected sales of 1995 model-year California-certified passenger cars and light-duty trucks will be subject to alternative in-use compliance as stipulated in the above-referenced standards and test procedures.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.0) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines"), provided production of these vehicle models commences prior to April 1, 1994.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_\_\_\_\_\_ da

day of December, 1993.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

Manufacturer: FORD MOTOR COMPANY

Eng. Family: SFM3.828G1EK

Pass Car: \_\_ (PC) Light-Duty Trück: T2 (T1/T2)

Med-Duty Vehicle: \_\_\_ (M1/M2/M3/M4/M5)

Standards Type: T-1 (Tier 0/1,AB965,TLEV,LEV,ULEV) Vehicle Type: \_\_\_(FFV,HEV (type A/B/C)

Fuel Type: Gasoline

Evaporative Family: SFM1045AYP0B

Engine Config: V-6

Liter (CID): 3.8L (232)

Engine: Front X Mid. Rear\_\_\_

Drive: FWD X RWD 4WD-FT 4WD-PT

SFI/EGR/HO2S(2)/TWC/05D2 Exhaust ECS & Special Features:

(Use abbreviations per SAE J1930, May 91)

Catalyst EGR Engine Code Vehicle Models Trans. Type ETW DPA Ignition System (PCM) A-Automatic Part No. Part No. Part No. M-Manual F58A-XF E9SE-AA F58F-BA 462S RODA/N Windstar FWD **A4** 3875 7.6 Regular Van 3875\* 8.4 4250 7.6/ Club Wagon 8.6# 4250\* 8.4/ 9.4#

with air conditioning # with P215/70R15

Manufacturer: FORD MOTOR COMPANY

Eng. Family: SFM3.828G1EK

Pass Car: \_\_ (PC) Light-Duty Truck: T2 (T1/T2) Med-Duty Vehicle: \_\_\_ (M1/M2/M3/M4/M5)

Standards Type: T-1 (Tier 0/1,AB965,TLEV,LEV,ULEV) Vehicle Type: \_\_\_(FFV,HEV (type A/B/C)

Fuel Type: Gasoline

Evaporative Family: SFM1045AYP0B

Engine Config: V-6

Liter (CID): 3.8L (232)

Engine: Front X Mid. Rear\_\_\_

Drive: FWD X RWD 4WD-FT 4WD-PT

SFI/EGR/HÖ2S(2)/TWC/0502 Exhaust ECS & Special Features:

(Use abbreviations per SAE J1930, May 91)

Engine Code Vehicle Models Trans. Type ETW DPA Ignition Catalyst EGR (PCM) System A-Automatic Part No. Part No. M-Manual Part No. F58A-XF ESSE-AA F58F-BB 462S R05A/N Windstar FWD **A4** 3875 7.6 Regular Van 3875\* 8.4 4250 7.6/ Club Wagon 8.6# 4250\* 8.4/ 9.4#

<sup>\*</sup> with air conditioning # with P215/70R15

Manufacturer: FORD MOTOR COMPANY

Eng. Family: SFM3.828G1EK

Pass Car: \_\_ (PC) Light-Duty Truck: \_T2 (T1/T2)

Med-Duty Vehicle: \_\_\_ (M1/M2/M3/M4/M5)

Standards Type: T-1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Vehicle Type: \_\_\_(FFV, HEV (type A/B/C)

Fuel Type: Gasoline

Evaporative Family: SFM1045AYP0B

Engine Config: V-6

Liter (CID): 3.8L (232)

Engine: Front X Mid. Rear\_

Drive: FWD X RWD 4WD-FT 4WD-PT

Exhaust ECS & Special Features: SFI/EGR/H02S(2)/TWC/0802 (Use abbreviations per SAE J1930, May 91)

Catalyst EGR Engine Code Vehicle Models Trans. Type ETW DPA Ignition (PCM) System A-Automatic Part No. Part No. Part No. M-Manual E9SE-AA F58A-XF F58F-BC 462S R10A/N Windstar FWD **A4** 3875 7.6 Regular Van 3875\* 8.4 4250 7.6/ Club Wagon 8.6# 4250\* 8.4/ 9.4#

<sup>\*</sup> with air conditioning

<sup>#</sup> with P215/70R15

Manufacturer: FORD MOTOR COMPANY

Eng. Family: SFM3.828G1EK

Pass Car: \_\_ (PC) Light-Duty Truck: T2 (T1/T2)

Med-Duty Vehicle: \_\_\_ (M1/M2/M3/M4/M5)

Standards Type: T-1 (Tier 0/1,AB965,TLEV,LEV,ULEV) Vehicle Type: \_\_(FFV,HEV (type A/B/C)

Fuel Type: Gasoline

Evaporative Family: SFM1045AYP0B

Engine Config: V-6

Liter (CID): 3.8L (232)

Engine: Front X Mid. Rear\_\_\_

Drive: FWD X RWD 4WD-FT 4WD-PT

SFI/EGR/HÖZS(2)/TWC Exhaust ECS & Special Features: \_

(Use abbreviations per SAE J1930, May 91)

Catalyst EGR Engine Code Vehicle Models Trans. Type ETW DPA Ignition (PCM) System A-Automatic Part No. Part No. Part No. M-Manual F58A-XG E9SE-AA/ F58F-BD A4 462S R11A/N Windstar FWD F4SE-AA 3875 7.6 Regular Van 3875\* 8.4 4250 7.6/ Club Wagon 8.6# 4250\* 8.4/ 9.4#

<sup>\*</sup> with air conditioning # with P215/70R15

## 1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. FORD MOTOR	COMPANY	Exha	ust Engin	e Famil	y: <u>SFM3.82</u>	8GIEK	<del></del>
Engine Code Types:	CA <u>X</u> 49S <u> </u>	Evap	orative E	mission	s Family: <u>S</u>	FM1045AYP0	В
Exh Std: Tier-0	Tier-1_X TLEV	LEV_	ULEV_	ZEV	EPA TI	ER-0 T	IER-1
Evap Std: 50KX	Useful Life with	R/L :	In-Use Ex	h Std:	Full In Use	Alt I	n Use
Veh Class(es): PC	_ LDT1 LDT2	X MDV1	MDV2	MD	V3 MDV4	MDV5_	
Single Cert Std for	Multi-Class Eng	Fam: <u>N/</u>	A (spe	cify: N	/A, LDT1,MD	V1,MDV2,MD	V3,MDV4)
Exh Cert Fuel(s): I	MOS CNC	1.962 ()	rner (sbe	CICVI			
Fuel Type(s): Dedi	cated Flex F	uelD	uai-ruei_ CNG	LPG	Other (s	pecify)	
Hybrid: Type A	B, C,	APU Cycle	(eg, C	occo, Di	tesel, lutb	Lite)	
Engine Config V-6		Rate	M HP: 14	LU (C	DOU KEN		
Engine: Front X	Mid Rear	Driv	re: Fwd <u>}</u>	RWD_	4WD-FT_	4WD-P1	<u> </u>
Exhaust Control Sys	stem and Special	Features <u>2</u>	TWC, SFI (Use abl	<u>2H02S@</u> oreviat	DEGR OBD 2 ions per SA	E J1930 SE	P91)
Engine Code   Veh:	icle Models   Tran	ns. Type	1	DPA	Ignition		Catalytic
(also list (if CA/49ST/50ST at	coded see   A-Au	tomatic	or I	RLHP	(ECM/PCM) Part No.	Part No.	Part No.
462SR11A/N Winds	star FWD	A4		I	F58F-BD	E9SE-AA F4SE-AA	F88A-XG
Regu	lar Van			7.9			
				8.8# 8.7 9.7#			

ENGINE FAMILY: SFN3.828G1EK ISSUED: AUG 2 1995

20.09.17.02 · 5

R/C 108

<sup>\*</sup> with air conditioning

<sup>#</sup> with P215/70R15 tire