State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-92-B Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Fuji Heavy Industries, Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: SFJ2.2VJGFEK Displacement: 2.2 Liters (135 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converters (two)
Heated Oxygen Sensors (two)
Exhaust Gas Recirculation
Sequential Multipoint Fuel Injection
On-Board Diagnostic II

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.25	3.4	0.4	
100,000	0.31	4.2	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.14	0.7	0.2	
100.000	0.16	0.8	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 18

day of April, 1994.

R. B. Summerfield Assistant Division Chief Mobile Source Division

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.C. A-2-92-5 Page 2
Manufacturer Full Heavy Industries Ltd. Eng. Family SFJ2.2VJGFEK (System #2)
The Control Third Med-duty Vehicle Fuel Type Gastine
Engine Config Holl Liter (CID) 2.2(135) Evaporative Family Spotostonia
Exhaust ECS & Special Features (incl. CARB, MPI, etc.) EGR. HO25(2), TWC(2), SFI, OBDZ
(Use abbreviations per SAE J1930 Jun88) Engine: Front Rear Drive: FWD x RWD 4WD-FT x 4WD-PT
Engine: Front R Mid. Rear Drive. Pub Rear Drive.

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign. Sys. (ECU.PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
S2.28EA (*1) S2.28EAA	Legacy 4D L Legacy 5N L Legacy 4D AND L Legacy 5N AND L Legacy 4D L	<u>4</u> =4	3000 3125 3250 3125	5.6 6.0 6.7 7.1 6.2	Electronic Control Unit: Fuji's Part No. 22611AB412	EGR Valve: Mitaubishi E5T75071 Fuji's Part No. 14710AA530	Rear:
(*1)	Legacy SW L Legacy 4D AWD L Legacy 4D AWD L3 Legacy SW AWD Brighton Legacy SW AWD L		3250 3375 3375 (3250)# 3375	7.4 7.4 7.8 7.8 7.8	22611AB800 R/C #95-6 22611AB413 22611AB801 R/C #95-7		
52.2BPAA (*1)	Legacy SW AWD Outback Legacy SW AWD LS IMPREZA 2D AWD LX and L IMPREZA 4D AWD LX and L	į.	3375 3500 (3375)4 3125	7.8 8.1 7.6	22611AB414 22611AB802 Electronic Control Unit: Fuji's Pari		
	IMPREZA CW AWD LY and L IMPREZA CW AWD	-	3250 3250	8.5	No. 22611AC15		

*The model is tested at higher ETW in accordance with 40 *1 0.25NMHC/3.4CO/0.4NOx at 50,000-mile point. 0.31NMHC/4.2CO at 100,000-mile point.

TIMONITORY DEGAT THEORYTOPE WE

コスキャヘリセトは

018-9/10/194 Revisions: 001-5/27/194 Date of Issue: March 18, 1994 020-10/27/194 012-6/27/194 1290 011-6/17/194

Vehicle Road Load

		· ·			C.D.		
Car Line	<u>Body</u>	Trans.	Test <u>Weight</u>	Tire Size	A/C <u>Factor</u>	Time	Dyno.
			*.	-	Lactor	(secs.)	<u>HP</u>
LEGACY	4-door Sedan	M5	2875	P185/70R14		16.55	5.7
			3000 (2875)#	P185/70R14	х	16.35 (15.67)	6.3
	4-door Sedan L	M5	3000	P185/70R14	x	16.35	6.3
	4-door Sedan L	A4	3000	P185/70R14		15.42	5.6
			3125	P185/70R14	x	15.34	6.2
LEGACY NWD	4-door Sedan AWD	M5	3125 (3000)#	·		15.40 (14.79)	6.8
	h		3125	P185/70R14	x	14.94	7.5
	4-door Sedan AWD L	M5	3125	P185/70R14	x	14.94	7.5
	D	A4	3250	P185/70R14	x	14.52	7.4
	4-door Sedan AWD LS	A 4	3375	P195/60R15	X	14.66	7.4
			3375	P195/60R15(S)	x	14.07	7.8
LEGACY WAGON	Station Wagon	M5	3000	P185/70R14		16.43	6.2
			3000	P185/70R14	x	15.57	6.8
	Station Wagon L	M5	3125	P185/70R14	x	16,22	6.8
			(3000)#		x	(15.57)	
		A4	3125	P185/70R14		15.23	6.0
LEGACY	0		3250	P185/70R14	X	15.30	6.6
LEGACY WAGON AWD	Station Wagon AWD L	M5	3250 (3125)#	P185/70R14		15.34 (14.75)	7.4
			3250	P185/70R14	x	14.55	8.1
			3250	P195/60R15	x	14.01	8.2
			3250	P195/60R15(S)	х	13.47	8.5
		A 4	3250	P185/70R14		14.35	7.1
			3375	P185/70R14	x	14.50	7.8
			3375	P195/60R15	х	14.08	7.8
			3375	P195/60R15(S)	x	13.55	8.1
	Station Wagon AWD Brighton	M5	3250	P185/70R14	x	14.55	8.1
		A4	3375 (3250)#	P185/70R14	x	14.50 (13.96)	7.8
	Station Wagon AWD LS	M5	3375	P195/60R15	x		8.2
			3375	P195/60R15	x		8.5
		A4		P195/60R15 P195/60R15	x	14.60 (14.08)	7.8
			3500 (3375)#	P195/60R15(S)	x	14.05 (13.55)	8.1