State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-671 Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: S1G3.8V8G1EK Displacement: 3.8 Liters (231 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation
Three Way Catalytic Converter
Dual Heated Oxygen Sensors
Heated Oxygen Sensors (Two)
Sequential Multiport Fuel Injection
On-Board Diagnostic II

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (alternative in-use compliance standards in parentheses) for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen
	Hyd <u>rocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
50,000	0.25 (0.32)	3.4 (5.2)	0.4 (n/a)
100,000	0.31 (n/a)	4.2 (n/a)	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles_	Non-Methane	Carbon	Nitrogen
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
50,000	0.07	1.2	0.2
100,000	0.08		n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That, based on a separate compliance plan submitted by the vehicle manufacturer, the listed vehicle models are permitted alternative in-use compliance as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the submitted alternative in-use compliance plan satisfies the requirement that a maximum of 60 percent of the manufacturer's projected sales of 1995 model-year California-certified passenger cars and light-duty trucks will be subject to alternative in-use compliance as stipulated in the above-referenced standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26 day of January, 1995.

R. B./Summerfield/

Assistant División Chief Mobile Source Division

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET GASOLINE-FUELED PASSENGER CARS

VEHICLE MODELS: 1 J C 3 7 (EXAMPLE)

<u> Digit 1 - Selling Division</u>

- 1 Chevrolet
- 2 Pontiac 3 Oldsmobile
- 4 Buick
- 6 Cadillac
- 8 Saturn

Digit 2 - Body Designation

- 6000, Cutlass Ciera, Cutlass Cruiser, Century
- Caprice, Custom Cruiser, Roadmaster Wagon, Coachbuilder Wagon,
- Ninety-Eight. Touring, Park Avenue, 'DeVille, Fleetwood, Commercial Chassis
- <u>B</u>rougham
- Toronado, Riviera, Eldorado, Reatta, Trofeo Camaro, Firebird, Trans Am
- Bonneville, Eighty-Eight, LeSabre
- Cavalier, Sunbird
- Seville
- Corsica, Beretta
- Grand Am. Cutlass Calais, Skylark
- Grand Prix, Regal, Cutlass Supreme, Lumina
- Corvette
- Saturn Coupe/Sedan

<u>Digit 3 - Trim Level</u>

B. C. D. E. F. G. H. J. K. L. M. N. P. R. S. T. U. V. W. X. Y. Z

Digits 4 & 5 - Body Style

07 -	2Dr Sport Coupe	5/ - 20r Hardtop Coupe
	2Dr Hatchback Coupe	67 - 2Dr Convertible Coupe
	4Dr Sedan	68 - 4Dr Hatchback Sedan
27 -	2Dr (Notchback) Coupe	69 - 4Dr (Notchback) Sedan
	4Dr Station Wagon	87 - 2Dr Hatchback Coupe
	2Dr Hardtop Coupe	90 - Commercial Chassis
	2Dr Hardtop Coupe	97 - 2Dr Hardtop Coupe

ISSUED: ML-SP187 REVISED:

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

→ NUFACTURER: GEREE	MOTORS CORPORAT	ION	ENGINE FAMIL	.1: 2163.878	GIEN	
	EFUL LIFE WITH RA		EVAPORATIVE	FAMILY: \$1G	1058AYM0F	
EXH STD: TIER-0T	IER-1_XTLEV	_ LEV	ULEV ZEV:	EPA TIER-0_	TIER-1	
VEH CLASS(ES): PCXX	LDT1 LDT2_	MDV1	_ MDV2 MI	0V3 MDV4	MDV5	
SINGLE CERT STD FERM						
EXH CERT FUEL(S): 1400 PH2 X DIESEL: 13 CCR 2282 OR 40 CFR 86.113-90						
	-94 M85	CNG	LPG OTHER	(SPECIFY)		
FUEL TYPE(S): DEDICATE	ED FLEX-FUEL	DUAL-F	UEL GASO	_INE <u>X</u> DIES	EL M85	
CNG	LNG LPG	OTHER (SPE	CIFY)			
HYBIRD: TYPE A			OTTO, DIESEL,			
ENGINE CONFIGURATION:	V6 DI	SPLACEMENT:	3.8 LITERS	231 CL	JBIC INCHES	
ENGINE: FRONT_X			FWD RWD_		4WD-PT	
EXHAUST EMISSION CONTR	DL SYSTEM & COMP	ONENTS: EC	GR-TWC-2H02S+H02	S(2)-SFI		
RLHP/DPA: SECTION 88	13.02.00					
(LOC) ENG VEH MODELS CODE (SEE PAGE 3)	TRANS TYPE: A-AUTO M-MAN	EQUIV. TEST <u>WEIGHT</u>	IGN SYSTEM (PCME/PROM) PART NO.	EGR SYSTEM <u>PART NO.</u>	CATALYST PART NO.	
17 1FP87	Α	3750	DK135227	17094185.		
2FS87 1FP67 2FS67		3875		17095163	25162001	
17A			16209884/BMMY			
17B			16222515/BPYB			
170			16226544/BRHU			
CARLINE NAME	CARLINE CODE					
CHEVROLET CAMARO PONTIAC FIREBIRD	12025 33020					

SSUED: ML-SP187 REVISED: ML-SR120, ML-SP189, ML-SR130, ML-SR135