

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-676
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: S1G5.7V8G1GA Displacement: 5.7 Liters (350 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Secondary Air Injection
- Exhaust Gas Recirculation
- Dual Three Way Catalytic Converters
- Dual Heated Oxygen Sensors
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (alternative in-use compliance standards in parentheses) for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.25 (0.32)	3.4 (5.2)	0.4 (n/a)
100,000	0.31 (n/a)	4.2 (n/a)	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.18	1.6	0.2
100,000	0.19	1.9	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That, based on a separate compliance plan submitted by the vehicle manufacturer, the listed vehicle models are permitted alternative in-use compliance as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the submitted alternative in-use compliance plan satisfies the requirement that a maximum of 60 percent of the manufacturer's projected sales of 1995 model-year California-certified passenger cars and light-duty trucks will be subject to alternative in-use compliance as stipulated in the above-referenced standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24th day of February, 1994.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

CHEVROLET LIGHT DUTY VEHICLE MODEL IDENTIFICATION

<u>MODEL</u>	<u>NAME</u>	<u>CAR LINE</u>	<u>CODE</u>
1BL19	CAPRICE CLASSIC SEDAN	CAPRICE	12040
1BB90	COACHBUILDER WAGON	COACHBUILDER WAGON	55010
1BL35	CAPRICE CLASSIC STATION WAGON	CAPRICE WAGON	12045
1FP87	CAMARO COUPE	CAMARO	12025
1FP67	CAMARO CONVERTIBLE		12025
1JC37	CAVALIER LS COUPE	CAVALIER	12060
1JC69	CAVALIER LS SEDAN		12060
1JF37	CAVALIER Z24 COUPE		12060
1JC67	CAVALIER LS CONVERTIBLE		12060
1JF67	CAVALIER Z24 CONVERTIBLE		12060
1LT69	CORSICA SEDAN	CORSICA	12010
1LV37	BERETTA COUPE	BERETTA	12020
1LW37	BERETTA Z26 COUPE		12020
1WL69	LUMINA SEDAN	LUMINA/MONTE CARLO	12050
1WN69	LUMINA LS SEDAN		12050
1WW27	MONTE CARLO LS COUPE		12050
1WX27	MONTE CARLO Z34 COUPE		12050
1YY07	CORVETTE HATCHBACK COUPE	CORVETTE	12055
1YZ07	CORVETTE ZR1 HATCHBACK COUPE		12055
1YY67	CORVETTE CONVERTIBLE		12055

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: S1G5.7V8G1GA

PASSENGER CARS X LIGHT DUTY TRUCKS MEDIUM DUTY VEHICLES

FUEL TYPE: GAS (INDOLENE) STANDARDS TYPE: TIER 1 VEHICLE TYPE: NA

ENGINE CONFIG: V8 LITER (CID): 5.7 (350) EVAP FAMILY: S1G1058AYM0L

ENGINE: FRONT X MID REAR DRIVE: FWD RWD X 4WD-FT 4WD-PT

EMISSION CONTROL SYSTEM & SPECIAL FEATURES: AIR/EGR/2TWC/2HO2S/SFI/KS

DPA: SECTION 08.13.02.00

<u>ENG CODE</u>	<u>VEH MODELS (SEE PAGE 1)</u>	<u>TRANS TYPE: A-AUTO M-MAN</u>	<u>EQUIV TEST WEIGHT</u>	<u>IGN SYSTEM (ECM/PCM) PART NO.</u>	<u>EGR SYSTEM PART NO.</u>	<u>CATALYST PART NO.</u>
11	1YY07 1YY67	A4	3625 3750	16205531/BLDW	17092172	25153077. 25153070
11A, 11B				16209281/BMDR*		
12	1YY07 1YY67		3625 3750	16205541/BLDX		
12A, 12B				16209291/BMDS*		

* PCM P/N's recalibrated prior to start of production.

<u>CARLINE NAME</u>	<u>CARLINE CODE</u>
CORVETTE	12055

ISSUED: ML-SP045

REVISED: ML-SR034, ML-SR062

17-S1G5.7V8G1GA-2