

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-293  
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Chrysler Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: SCR3.0V8GFEA Displacement: 3.0 Liters (181 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation  
Three Way Catalytic Converter  
Heated Oxygen Sensor  
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (alternative in-use compliance standards in parentheses) for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.25 (0.32)	3.4 (5.2)	0.4 (n/a)
100,000	0.31 (n/a)	4.2 (n/a)	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.20	1.6	0.2
100,000	0.21	2.0	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That, based on a separate compliance plan submitted by the vehicle manufacturer, the listed vehicle models are permitted alternative in-use compliance as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the submitted alternative in-use compliance plan satisfies the requirement that a maximum of 60 percent of the manufacturer's projected sales of 1995 model-year California-certified passenger cars and light-duty trucks will be subject to alternative in-use compliance as stipulated in the above-referenced standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 23<sup>rd</sup> day of May, 1994.



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

Manufacturer Chrysler Corporation Engine Family SCR3.0V8GFEA

Passenger Car X (PC) Light-Duty Truck      (T1/T2) Medium-Duty Vehicle      (M1/M2/M3/M4/M5)

Stds. Type: Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh. Type (FFV, HEV (type A/B/C)):     

Fuel Type: Gasoline Evaporative Family: SCR1050AYM03

Engine Config. V6 Liter (CID) 3.0 ( 181 )

Engine: Front X Mid.      Rear      Drive: FWD X RWD      4WD-FT      4WD-PT     

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) TWC, H02S, SFI, EGR  
(use abbreviations per SAE 1930 MAY91)

Eng. Code/ (Cert. Std.)	Veh. Models (If Coded see Attchmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign.Sys. (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
CA-100	AJCH27	A4	3500	S	04714400 05293081	04287780	04427731
CA-200	AADH41, AAPH41	A3	3250	E			04427740
0.25/3.4/ 0.4/2.0 0.31/4.2				A T T A C H M E N T			
FA-100	AJCH27	A4	3500		04672399 05293080		04427731
FA-200	AADH41, AAPH41	A3	3250				04427740
.41/.25/ 3.4/ 0.4/2.0 .31/4.2/ 0.6							

199 5 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
 PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: CHRYSLER CORPORATION Exh Engine Family: SCR3.0V8GFEA  
 Evap Std: 50K  Useful Life with R/L \_\_\_\_\_ Evap Engine Family: SCR1050AYMD3  
 Exh Std: Tier-0 \_\_\_\_\_ Tier-1 \_\_\_\_\_ TLEV \_\_\_\_\_ LEV \_\_\_\_\_ ULEV \_\_\_\_\_ ZEV \_\_\_\_\_ ; EPA Tier-0 \_\_\_\_\_ Tier-1 \_\_\_\_\_  
 Veh Class(es): PC \_\_\_\_\_ LDT1 \_\_\_\_\_ LDT2 \_\_\_\_\_ MDV1 \_\_\_\_\_ MDV2 \_\_\_\_\_ MDV3 \_\_\_\_\_ MDV4 \_\_\_\_\_ MDV5 \_\_\_\_\_  
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4, MDV5)  
 Exh Cert Fuel(s): Indo  Ph2 \_\_\_\_\_ Diesel: 13 CCR 2282 \_\_\_\_\_ or 40 CFR 86.113-90 \_\_\_\_\_ or -94 \_\_\_\_\_  
 M85 \_\_\_\_\_ CNG \_\_\_\_\_ LPG \_\_\_\_\_ Other (specify) \_\_\_\_\_  
 Fuel Type(s): Dedicated  Flex-Fuel \_\_\_\_\_ Dual-Fuel \_\_\_\_\_ Gasoline  Diesel \_\_\_\_\_ M85 \_\_\_\_\_  
 CNG \_\_\_\_\_ LNG \_\_\_\_\_ LPG \_\_\_\_\_ Other (specify) \_\_\_\_\_  
 Hybrid: Type A \_\_\_\_\_ B \_\_\_\_\_ C \_\_\_\_\_, APU Cycle (e.g.; Otto, Diesel, Turbine) \_\_\_\_\_  
 Engine Configuration: V6 Displacement: 3.01 Liters 181 Cubic Inch  
 Engine: Front  Mid \_\_\_\_\_ Rear \_\_\_\_\_ Drive: FWD  RWD \_\_\_\_\_ 4WD-FT \_\_\_\_\_ 4WD-PT \_\_\_\_\_  
 Exhaust ECS (eg., EGR, MFI, TC, CAC): TWC HORS, SFI, EGR  
 (use abbreviations per SAE J1930 SEP91)

Engine Code (also list A/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type A-automatic M-manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyt Convert: Part No.

Date Issued: \_\_\_\_\_

Revisions: \_\_\_\_\_

VEHICLE CARLINE / MODELS

Engine / Evap: SCR3.0V8GFEA/SCR1050AYM03  
Exhaust Control System: TWC, H02S, SFI, EGR  
Evap. Control System: Canister  
Engine Displacement: 3.0L

Model Code	Carline
AADH41	Dodge Spirit
AAPH41	Plymouth Acclaim
AJCH27	Chrysler Lebaron Convertible

1995

Chrysler Corporation

ATTACHMENT TO SDS PAGE 1 OF 1  
OF EXECUTIVE ORDER A-9-293

SCR3.0V8GFEA

FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/TRANS	WEIGHT TEST	LBS	A	TIRE USE	DESCRIPTION	TRD	MFG	COASTDOWN TIME SEC	*DYN HP	TIRE	PRES	
		6W		C	YR	CODE					F	R	
AADH41	EFA DGH FW 3250			0	Y	STD	95	TKJ	TAD	TZA	15.02	8.70	29
						OPT	95	TKH	TAD	TZA	15.02	8.70	29
						OPT	95	TKH	TAD	TZH	15.46	7.70	29
						OPT	95	TKJ	TAD	TZH	15.46	7.70	29
AAPH41	EFA DGH FW 3250			0	Y	STD	95	TKJ	TAD	TZA	15.02	8.70	29
						OPT	95	TKH	TAD	TZA	15.02	8.70	29
						OPT	95	TKH	TAD	TZH	15.46	7.70	29
						OPT	95	TKJ	TAD	TZH	15.46	7.70	29
AJCH27	EFA DGL FW 3500			0	Y	STD	95	TPK	TAD	TZA	14.96	5.90	29
						OPT	95	TPX	TAD	TZA	14.96	5.90	29
						OPT	95	TPX	TAD	TZH	15.23	6.30	29
						OPT	95	TVP	TAD	TZA	14.47	6.70	29

\* - For DYNO HP = 0.00  
Ref To FRONTAL AREA

/ 10. - VED2 - 400 /

Report Date: 01/25/94  
Time: 09:27:01