State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-297-A Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Chrysler Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: SCR2.5VJGEEA Displacement: 2.5 Liters (152 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter Sequential Multiport Fuel Injection Heated Oxygen Sensors (Two) Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (alternative in-use compliance standards in parentheses) for this engine family in grams per mile are:

Miles		Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>
50,000	ζ	0.25 (0.32)	3:4 (5.2)	0.4 (n/a)
100,000		0.31 (n/a)	4.2 (n/a)	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
50,000	0.15	1.9	0.1
100.000	0.20	3.0	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That, based on a separate compliance plan submitted by the vehicle manufacturer, the listed vehicle models are permitted alternative in-use compliance as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the submitted alternative in-use compliance plan satisfies the requirement that a maximum of 60 percent of the manufacturer's projected sales of 1995 model-year California-certified passenger cars and light-duty trucks will be subject to alternative in-use compliance as stipulated in the above-referenced standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30^{-4} day of December, 1994.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

•	1995 AIF Passenger Caf	R RESOURCES RS, LIGHT-DU	BOARD SUP TY TRUCKS	PLEMENT AND ME	AL DATA SHE DIUM-DUTY V	ET Da	<u>A-9-297-A</u> ge <u>1</u> of <u>1</u>
Evap Std: 50K_Exh Std: Tier-Veh Class(es): Single Cert St Exh Cert Fuel(Fuel Type(s): Hybrid: Type A. Engine Configur Engine: Front_		fe with R/LTLEVLLDT2 ss Eng Fam: 2_XDiesel GLPG Flex-Fuel LPG LPG APU Cycle (e splacement: ar	X Eva EV UL MDVI N/A (S : 13 CCR Other (Dual-Fu Other .g., Otto Drive: TWC, SFI	p Engir EVMDN pecify: 2282 specify el(specif Diese 2.5_L FWDX H02S(ne Family: \$ ZEV	ECR1097AYP19 EPA Tier-0_ B MDV4 MDV1, MDV2 R 86.113-90 eX_ Diese /_ 152 4WD-FT	Tier-1MDV5 2. MDV3. MDV4 0 or -94 1 M85 Cubic Inche
Engine Code (also list CA/49\$T/50ST)	Vehicle Models (1f coded see attachment)	Trans. Type A-automatic M-manual	ETW or	DPA or	Ignition (ECM/PCM)	EGR System	Catalyst Converter
AA-100,101,	JACP41.JADP41	A4	Test Wt.	RLHP S E E	Part No. 04606532	Part No. 04287635	Part No. 04616452
AA-102,103.104. 105 AA-106.107.108. 109 CA-106,107 (50 St.)				A T A C H M E N T	04606723 04606725 04606064 04606066		

RC #69V Stricter Evap Standards

Date Issued: 12-20-94

Revisions:

ATTACHMENT TO SDS PG. 1 OF EXECUTIVE ORDER A-9-297-A

VEHICLE MODELS/CARLINE

Engine/Evap:

SCR2.5VJGEEA/SCR1097AYP10

Exhaust Control System:

TWC.SFI.HO2S.EGR

Evap. Control System:

Canister

Engine Displacement:

2.5L

Model Code	Carline
JACP41	Chrysler Cirrus
JADP41, JADH41	Dodge Stratus

RC #69V Stricter Evap Standards

Date Issued: 12-20-94

Revisions:

SD\$4/95a9297-A.1dv

VEHTCLE E	RETME	,			4	1101		, total	ž		10000	9		6
2	ŧ				C	1	-	251 17225	5			5	174	222
	Ŧ	TRANS	TEST	ev.	U	USE	¥	CODE	GE	#FG	TIME SEC	全	ıL	œ
1	ŀ			-	•	ŧ	ł	1	1	i			1	1
EEB	8	DGL F¥	3200	0	>-	STD	ኤ	TNG	ΤAĐ	TZH	17.26	6.20	30	33
						9 1	8	ΤKΑ	TAD	12H	18.14	8.8	옸	ž
						6	ጸ	N.	TAD	12H	16.76	6.10	옸	8
						₽	ይ	Tō.	TAD	12A	15.21	8.6	32	32
EB	년 190 -	3	FW 3500	0	> -	STD	ጽ	TKA	TAD	TZH	18.14	8.8	었	S
						PT	8	ğ	TAD	T2A	15.21	8.8	32	32
EEB	- DG	1 1	F₩ 3500	0	>-	STD	95	TNN	TAD	TZH	16.76	6.10	30	2

Chrysler Corporation FAMILY TIRE USAGE

SCR2.5VJGEEA

1995

OF EXECUTIVE ORDER A-9-297--4

ATTACHMENT TO SDS PG. 1