(Page 1 of 3)

### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-9-298 Relating to Certification of New Motor Vehicles

### CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Chrysler Corporation 1995 model-year exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

<u>Fuel Type</u>: Fuel Flexible (M85 Methanol, Gasoline)

Engine Family: SCR201V8F2EA Displacement: 3.3 Liters (201 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter Sequential Multiport Fuel Injection Heated Oxygen Sensors (Two) Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are: (The standards in parentheses are for gasoline.)

	Non-Methane	Carbon	Nitrogen	
<u> Miles</u>	<u>Organic Gases</u>	Monoxide	0xides	Formaldehyde
50,000	0.125 (0.25)	3.4 (3.4)	0.4(0.4)	0.015 (0.015)
100,000	0.156 (0.31)	4.2 (4.2)	0.6 (0.6)	0.018 (0.018)

Reactivity Adjustment Factor for NMOG Mass Emission (M85 Methanol Fuel): 0.41

The certification exhaust emission values set forth for non-methane organic gases (NMOG) reflect application of the above-mentioned RAF. The TLEV certification exhaust emission values for this engine family in grams per mile are: (The values in parentheses are for gasoline.)

_	Non-Methane	Carbon	Nitrogen	
<u>Miles</u>	<u>Organic Gases</u>	<u>Monoxide</u>	0xides	Formaldehyde
50,000	0.074 (0.09)	1.0(0.6)	0.3(0.2)	0.015 (0.003)
100,000	0.079 (0.10)	1.2 (0.7)	0.3 (0.2)	0.017 (0.003)

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2235) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(5.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30 day of December, 1994.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

• · · · · · · · · · · · · · · · · · · ·
Manufacturer: <u>Chrysler Corporation</u> Exh Engine Family: <u>SCR201V8F2EA</u> Evap Std: 50K <u>X</u> Useful Life with R/L Evap Engine Family: <u>SCR1095AYP02</u>
Exh Std: Tier-0 Tier-1 TLEV_X_LEV ULEV ZEV ; EPA Tier-0 Tier-1
Veh Class(es): PC <u>X</u> LDT1LDT2MDV1MDV2MDV3MDV4MDV5
Single Cert Std for Multi-Class Eng Fam: <u>N/A</u> (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
Exh Cert Fuel(s): Indo <u>X</u> Ph2 Diesel: 13 CCR 2282 or 40 CFR 86.113-90 or -94
M85 X CNG LPG Other (specify)
Fuel Type(s): Dedicated Flex-Fuel
CNG LNG LPG Other (specify)
Hybrid: Type A B C, APU Cycle (e.g., Otto, Diesel, Turbine)
Engine Configuration: <u>V-6</u> Displacement: <u>/ 3.3</u> Liters <u>/ 201</u> Cubic Inches
Engine: Front <u>X</u> Mid Rear Drive: FWD <u>X</u> RWD 4WD-FT 4WD-PT
Exhaust ECS (eg., EGR, MFI, TC, CAC): TWC, SFI, HO2S(2), EGR
(use abbreviations per SAE J1930 SEP91)
Sanina Cada   Mahisla Madala   Tura Tura Tura   Tur

Engine Code (also list -4/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type A-automatic M-manual	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100(CA)	LHDH41	A4	3625	S E	04605512 04605526	04287777	04616279 04764622 04764623
CA-101(CA)	•			A T . C H M E N T			

Date Issued: 05-27	-94		
Revisions:			
SDS4/95A9298.LDV			

# ATTACHMENT TO SDS PG. 1 OF 3 EXECUTIVE ORDER A-9-298

## VEHICLE MODELS/CARLINE

Engine/Evap:

SCR201V8F2EA/SCR1095AYP02

Exhaust Control System:

TWC,SFI,H02S(2),EGR

Evap. Control System:

Canister

Engine Displacement:

3.3L

Model Code	Carline	
LHDH41	Intrepid	

Date Issued:	05-27-94			
Revisions:		 [	1	1

Report Date: 10/18/94 Time: 09:56:37

/ 10. vF10 - 400 /

895			J	ž	ler (	orpo	Chrysler Corporation						
SCR201Y8F2EA	FZEA			FAR	ILY 1	IRE	FAMILY TIRE USAGE						
VEHICLE MODEL 	VEHICLE ENGINE/         WEIGHT LBS         A TIRE DESCRIPTION         COASTDOWN "DYNO TIRE P           MODEL         TRANS TEST         GVW         G USE         YR         CODE         TIME SEC         HP         F           ***********************************	WEIGHT TEST 	TRS CAM	<0 + ≻	USE USE STD OPT	YR YR 95	CRIPTICODE	TR0 TA0 TA0	MFG  12H 12A	COASTDOWN TIME SEC 18.72	*DYNO HP . 6.10	TIRE F 32 32	PRES R 32 32

Attachment to SDS PG. 1 of Executive Order A-9-298