(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-258 Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Toyota Motor Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: STY2.2VJG2GA <u>Displacement</u>: 2.2 Liters (132 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Sequential Multiport Fuel Injection Exhaust Gas Recirculation Oxygen Sensors (two)

Three Way Catalytic Converters (two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane <u>Organic Gas</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	
50,000	0.125	3.4	0.4	0.015	
100,000	0.156	4.2	0.6	0.018	

Reactivity Adjustment Factor for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.98 RAF for 1995 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>
50,000	0.085	1.6	0.1	0.001
100,000	0.092	1.9	0.2	0.001

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 62 day of July, 1994.

R. B. Summerfield
Assistant Devision Chief
Mobile Source Division

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacti	urar: TOYO	TA			Engine Fa	mily: STY2.	2VJG2GA
Evaporative Family: STY1073DYM00				Evap Std:	50K x Usef	l Life with R/L	
Exh Std:	Tier-0 Tier-	1 TL	EV x I	LEV	ULEV ZEV_	; EPA Tie:	r-0 EPA Tier-l
Veh Class	s(es): PC x L	DT1	LDT2	}	₯ ₮1 ₽₯₮	2 MDV3	MDV4 MDV5
Single Co	ert Std for Mult.	i-Class	Eng Fa	am:N/A	(specify: N/	A, LDT1, MDV1,	, MDV2, MDV3, MDV4)
Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4) Exh Cert Fuel(s): Indo Ph2_x Diesel: 13 CCR 2282_ or 40 CFR 86.113-90_ or -94_						.113-90 or -94	
	M85	CNG	· LPO	G (ther (specif	y)	
Fuel Type	e(s): Dedicated :	x Flex	- r-Fuel_	D1	al-Fuel	Gasoline_x	Diesel M85
	CNG I.NO	G LI	PG .	uther	(SDECLIV)		
Hybrid: 3	Tune A B	c .	APU C	vcle (e	e.g., Otto, D	iesel, Turbino	=)
Engine Co	onfiguration: I-	4 Dis	placer	nent: _	2,2 /	<u> liters <u>132.0</u>,</u>	Cubic Inches
Engine 1	Front v Mid	Rear		Dri	ve: FWD x	RWD 4WD-	-FT 4WD-PT
Exhaust I	ECS (eg., EGR, M	FI, TC,	CAC):	SFI	EGR, 025(2)	, TWC(2)	
			((use al	breviations	per SAE J1930	SEP91)
Engine	Vehicle Models	Trans.	ETW	DPA	Ignition	EGR	Catalytic
Code/	(If Coded see	Type:	,	or	(ECM/PCM)	System	converter
(Cert.	attachmt)	A or L		RLHP	Part No.	Part No.	Part No.
std.)	,	-Auto					
		M-Man.					
1	SXV10L-CCMDKA	M5	3375	6.3	*1	25620-74230	Front : S17
	-AEMDKA			6.6	89661-33380		Rear : 06
	-CEMDKA				*2		
2	SXV10L-CCMDKA	M5	3375	7.0	89661-06120		
	-AEMDKA			7.3			
	-CEMDKA						
3	SXV10L-CCPDKA	L4	3375	6.3		25620-74240	
	-AEPDKA	1		6.6	89661-33390	ļ	
	-CEPDKA	1			*2		ļ
	-CWPDKA		3625	8.0	89661-06130		
4	SXV10L-CCPDKA	L4	3375	7.0			
	-CCPNKA]	3500			1	1
	-AEPDKA		3375	7.3			
	-AEPGKA		3500				1
	-aepnka			İ			Į.
	-CEPDKA			1]		
	-CEPGKA				1		
	-CEPNKA		ļ				
	-CWPDKA		3625	8.8			
	-CWPNKA		<u> </u>		<u></u>		
5	ST204L-BCMGKA	м5	3000	6.4	89661-2B690	25620-74230	Front : S18
-	-BLMGKA					1	Rear : 07
	-BKMGKA	_[3125	6.9	.1		
6	ST204L-BCMGKA	1	3000	7.0			
-	-BLMGKA	1	1	1	1		1
	DVVCV	1	3350	7 6	1	1	

Page: 17.11-STY2.2VJG2GA-1

Issued: 04/04/94

Engine Code/ (Cert. std.)	Vehicle Models (If Coded see attachmt)	Trans. Type: A or L -Auto M-Man.		DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic converter Part No.
7	ST204L-BCPGKA -BLPGKA -BKPGKA	L4	3000 3250	6.4	89661-28700	25620-74240	Front : S18 Rear : 07
8	ST204L-BCPGKA -BLPGKA -BKPGKA		3125	7.0			

Comments: Please refer to manufacturer's HP list for correct dyno test HP setting based on model and equipment.

Note *1 : Maker ; NIPPONDENSO CO., LTD.

*2 : Maker ; NIPPONDENSO TENNESSEE, inc.

VEHICLE MODELS:

Camry	Camry wagon
SXV10L-AEMDKA	SXV10L-CWPDKA
-AEPDKA	-CWPNKA
-AEPGKA	
-AEPNKA	
-CCMDKA	
-CCPDKA	
-CCPNKA	
-CEMDKA	
-CEPDKA	
-CEPGKA	•
-CEPNKA	
Celica	Celica_convertible
ST204L-BCMGKA	ST204L-BKMGKA
-BCPGKA	-BKPGKA
-BLMGKA	
-BLPGKA	

Page: 17.11-STY2.2VJG2GA-2

Issued: 04/04/94