Thele

. . . .

(Page 1 of 3)

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-14-274 Relating to Certification of New Motor Vehicles

## TOYOTA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Toyota Motor Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

.

Engine Family: STY1.5VHGFEK <u>Displacement</u>: 1.5 Liters (91.4 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Multiport Fuel Injection Exhaust Gas Recirculation Heated Oxygen Sensors (two) Three Way Catalytic Converter On-Board Diagnostic II

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (alternative in-use compliance standards in parentheses) for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	<u>Oxides</u>	
50,000	0.25 (0.32)	3.4 (5.2)	0.4 (n/a)	
100,000	0.31 (n/a)	4.2 (n/a)	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Miles_	Non-Methane	Carbon	Nitrogen
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
50,000	0.15	1.3	0.1
100,000	0.19	1.4	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles". BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That, based on a separate compliance plan submitted by the vehicle manufacturer, the listed vehicle models are permitted alternative in-use compliance as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the submitted alternative in-use compliance plan satisfies the requirement that a maximum of 60 percent of the manufacturer's projected sales of 1995 model-year California-certified passenger cars and light-duty trucks will be subject to alternative in-use compliance as stipulated in the above-referenced standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.). BE IT FURTHER RESOLVED THAT: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Car, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this  $27^{-6}$  day of September, 1994.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

exn Sc Veh Cl	d; 1107- ass(es):	TOYOTA mily: <u>STY1</u> 0_ Tier-1 <u>x</u> PC <u>x</u> LDT1_ d for Multi-C1	ILEV LI	. Lev ) <b>T</b> 2	יטי מא	LEV ZEV V1 MDV2	; EPA Tie Mova	ег-0 ера : Этил	Tier-1_
Exh Ce	rt Fuel(	s): Indo <u>x</u> , P	hZ	Diese	1: 13	CCR 2282 (	or 40 CFR 86	.113-90 <u> </u>	or -94_
Puel I	ype(s):	M85C Dedicated_x	NG <u> </u>	LPG	Ot Dua	her (specify) 1-Fuel	Gasoline x	Diese?	M85
		CNG LNG	LPG	Ot	her (:	<pre>specify)</pre>			
Hybrid Engine	Configu	BC ration: <u>I-4</u>	_, APU Displa	Cemen	.8 <b>(9.</b> ) 	g., Otto, Die 5 /	esel, Turbin	()	- 7b-
Engine	: Front	x Mid Re		001122	Driv	e: FWD x 1			C INCHE D-PT
Exhaus	t ECS (e	g., EGR, MFI,	<b>ΓC</b> , <u>Cλ</u> C	):	MFI.	EGR. HO2S(2)	TWC		
				(us	e abb	reviations pe	er SAE J1930	SEP91)	
	Engine	Vehicle Models	Trans.	ETW	DPA	Ignition	EGR	Capalusta	
	Code/	(If Coded see	Type:		OF		System	Catalytic converter	
•	(Cert.	attachmt)	A or L	·	RLEP		Part No.	Part No.	
	sţd.)	· ·	-Auto			1		<b>.</b>	
	1	ELS3L-ADKEKA	<u>М-Мап.</u> M4	2250	6.2	80661 16740+	25/20		<u> </u>
•	-	-ADMRKA	M5	2375	0.2	89661-16340* -16341#	+ -	101	
		-AEMRKA				-16342*			-
	2	EL53L-ADKEKA	M4		6.2	-16343\$			
		->DMRKA	85 E	2375	1			ł	
•	3	-AEMRKA		2286				· ·	. •
•		ELSIL-ADKBRA -ADMRKA	M4 M5	2375	0.9		!		
		-AEMRKA			Į		•	ł	
:	4	ELS3L-ADKBKA	M4	2375	6.9				
		-XDMRKX	M5						
5		-AEMRXA	ļ		· · ·			ļ	
2	5	ELS3L-ADHBKA	L3	2375	6.2	89662-16350*	25620-11140		
		j –	[		•	-16351#	:		
<u>.</u>		-ADPRKA	L4	1	ł	-16360*	-) 16353\$	4	
		-AEPRKA	ł i	2500	ł	-16361#		{	
	5	EL53L-ADHEKA	13	2375	6.2	89661-16350*	16363\$	[	
						-16351#		]	
					1	-16352°	16353\$		
	*	-Adprka -Aeprka	L4 .	2500	1	-16360*	•		
					1	-16361# -16362*	16363\$	í -	
	7	ELS3L-ADHBKA	L3	2375	6.9	89661-16350+	-102039	ľ	
•		]			1	-16351#		1	
		-ADPRKA	LA	2500	ł	-16352°, -16360*	16353\$	( .	
		-AEPRKA	}			-16361	•	1	
		TTEST IDURY				-16362* (	- +16363\$	1	
	0	EL53L-ADHBKA	L3	2375	6.9	89661-16350*			
						-16351#	16353\$	{	_
		-ADPRKÁ -AZPRKA	E4	2500		-16360+	-103334	• ·	•
		1	ł		ŀ	-16361#			
	on s * : Befoi	ase refer to manu model and equipme re R/C 95-TR-7. r R/C 95-TR-7.	mt. • = i	After 1	P list //7 95-1 //F 95-	for correct d	yno test HP s	etting based	·
Page		-STY1. SVHGFEK-1							
		- ライエエ・シャルのミアビーナ							81

••••

17.11.00 Supplemental data sheets

5

. ..

E.O. # A-14-274

1	.7	•	1	1	•	0	0	

-

, ·

VEHICLE MODELS :

Tercel					
EL53L-ADHBKA					
-ADPRKA					
-AEPRKA					

.

Page : 17.11-STY1.5VHGFEK-2 Issued : 04/04/94

.