State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-275 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Nissan Motor Company, Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: SNS3.0VJG1EK <u>Displacement</u>: 3.0 Liters (182.3 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Sequential Multiport Fuel Injection

Exhaust Gas Recirculation Dual Heated Oxygen Sensors

Dual Warm Up Three Way Catalytic Converters

Three Way Catalytic Converter

Heated Oxygen Sensor On-Board Diagnostics II

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles_	Non-Methane	Carbon	Nitrogen
	Hydrocarbons	<u>Monoxide</u>	<u>Oxides</u>
50,000	0.25	3.4	0.4
100,000	0.31	4.2	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles_	Non-Methane	Carbon	Nitrogen
	Hydrocarbons	<u>Monoxide</u>	Oxides
50,000	0.09	0.6	0.1
100,000	0.11	0.7	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

NISSAN MOTOR CO., LTD.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 14 day of April, 1994.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. #A15-275 Page 1 of 1 Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: SNS3.0VJG1EK Passenger Car PC (PC) Light-Duty Truck (T1/T2) Medium-Duty Vehicle (M1/M2/M3/M4/M5) Stds Type : Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh. Type (FFV, HEV(type A/B/C): N.A. Fuel Type : Gasoline (Ph22) Evap. Family : SNS1110BYM1A Engine Config. V6 Liter (CID) 3.0(182.3) Engine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT Exhaust ECS & Special Features (incl. CARB, MFI, etc.) TWC/HO2S ()/EGR/SFI/WUTWC/HO2S OBDZ. (use abbbreviations per SAE 1930 MAY91) :Control Unit : : MAXIMA 4-DOOR: :A18-B44(H Tyre): : SEDAN GXE : A18-B44(H Tyre):
:A18-C91(S Tyre): EGR : WUTWC41U :
:A18-C91(S Tyre): EGR : WUTWC41U :
:A18-C91(S Tyre): A18-C91(S Tyre): A18-C9 Control Unit :
:A18-B43(H Tyre):
:A18-C90(S Tyre): EGR :WUTWC41U :
:(Before R/C No.: Valve :1.4WZ4-5 :
:(Before R/C No.: TWC78J : :Control Unit : : MAXIMA 4-DOOR: : SEDAN GXE : : : : AV30DCM1 : SEDAN GXE : : :: :A18-E12(H Tyre): AEY :1.4WX4-5 : A18-E16(S Tyre): 77-69 : (After R/C No. : : : MAXIMA 4-DOOR: : SEDAN SE : S30VJG1E-01) <u>1/</u>:

Issue Date : 02/15/94
Revision Date : 1/ 07/22/94

^{**} The figures and numbers in the place of the mark x are variable according to lot number and production date.

^{1/} With R/C No. S30VJG1E-01