Full

(Page 1 of 3)

#### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-18-80 Relating to Certification of New Motor Vehicles

#### **VOLVO CAR CORPORATION**

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Volvo Car Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: SVV2.3VJGFEK Displacement: 2.3 Liters (142 Cubic Inches)

### Exhaust Emission Control Systems & Special Features:

Multiport Fuel Injection Heated Oxygen Sensors (Two) Three Way Catalytic Converter Exhaust Gas Recirculation Turbocharger Charge Air Cooler On-Board Diagnostic II

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.25	_3.4	0.4	
100,000	0.31	4.2	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.17	1.1 $1.1$	0.2	
100,000	0.18		n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction" and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

R. B. Summerfield

Assistant Division Chief Mobile Source Division

day) of September, 1994.

## VOLVO

199 <u>5</u> AIR R	ESOURCES BOA	ARD SUPPLEMENTAL I	DATA SHEI	ET <b>E.</b> O.	* A-18-8	<u>D</u> 1	Page	) of	
Manufacturer	Volvo Car Coa	гр	Engin	Engine Family SVV2.3VJGFEK					
Passenger Car	X (PC)	Light-Duty Truck	(1	(T1/T2) Medium-Duty Vehicle		cle	(M1/M2/M3/M4/M5)		
Stds Type:	Tier 1	(Tier 0/1,AB965,TLEV	,LEV,ULE	EV,ULEV) Veh.Type (FFV,HEV(type A/		(type A/B/C))	:		•
Fuel Type:	Gasoline		Evaporative Family:			SVV1058AYP0A			. <u></u>
Engine Config.	I-5	Liter (CID) 2.3	( 14	12 )	Evap Std:	50K-X	wef	il life w	R/L —
Engine: Front	X Mid.	Rear	Driv	e: FWD	x RWD	4WD-FT		4WD-PT	
	-	(incl. CARB, MFI, etc.)	MF1,	H025(2) TV	VC, EGR, TC, CAC,	OBDI		-	
(use abbr	eviations per SAE	: 1930 MAY91)			•				
	<u> </u>	<u> </u>		<u> </u>	T	1			
Engine Code (Cert. Std.)	Vehicle Model (if coded see	s Trans. Type  A-automatic	ETW	DPA ог	Ignition (ECM/PCM)	EGR System		Catalyst Part No.	
	attachment)	M-manual		RLHP	Part No.	Part No.		<u> </u>	
SE57:2	850 Turbo	A			1 275 107	7.21836.01		9 135 077	
	Sedan	AW 50-42	3625	8.0					
	Wagon	AW 50-42	3750	8.2					