(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-61-34 Relating to Certification of New Motor Vehicles

WINNEBAGO INDUSTRIES, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Winnebago Industries, Inc. 1995 model-year exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: SWB2.5A7GFFA Displacement: 2.5 Liters (150 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Multiport Fuel Injection Heated Oxygen Sensor Three Way Catalytic Converter Secondary Air Injection Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight(lbs.)	Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	
5751 & Larger	50,000	0.60	9.0	1.5	

The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle	M <u>iles</u>	Non-Methane	Carbon	Nitrogen	
Weight(1bs.)		<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
5751 & Larger	50,000	0.25	7.6	0.7	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile exhaust emission standards applicable to 1994 model-year medium-duty vehicles in the "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models shall not be subject to the 50,000-mile and 120,000-mile exhaust emission standards set forth in the "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles," pursuant to provisions in said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," pursuant to provisions in said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2235) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(3.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 23^

R. B. Summerfield

Assistant Division Chief Mobile Source Division

	WEGGOVCEG BOWN	SOFFLEMENIAL	DATA SHE	EE! E.O.#	
				Family SWB2.5A7GFF4	•
Passenger Ca Stds Type: Ti	r(PC) Light- .er1 (Tier O/1	Duty Truck ,AB965,TLEV,LI	_(T1/T2) EV,ULEV)) Medium-Duty Vehicle <u>X</u> (M1/M2/M3/M4/M5) Veh.Type (FFV,HEV(type A/B/C)):	
Fuel Type: _	Gasoline	Eva	aporativ	ve Family:SWB1095BYPOT	
Engine Confi	g. <u>I-5</u> Li	ter (CID) 2.5	(150	v_{-1}	
Exhaust ECS 8		(incl. CARB.		FWD_X RWD 4WD-FT 4WD-PT etc.) MFI, AIR, TWC, EGR, HO2S	
Engine Code (Cert. Std.)	Vehicle Models (if coded see attachment)	A-automatic	1 .	DPA Ignition EGR Catalyst or (ECM/PCM) System Part No. RLHP Part No. Part No.	
ACU	Rialta	A4	6,000	16.7 023 906 024A/ 023 131 501/ 023 13	1 01F
				or 023 13	

199 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 1 of PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: $\underline{\mathcal{V}}$	<u>Vinnehage</u>	Industr	Exh دري	Engine	Family: <u>5,001</u>	32.6AT	-0,27
Evap Std: 50K_x	<u>C</u> Useful Li	fe with $R/L_{__}$	_ Evap	Engine	Family: SWB	1095B	4 PO 1
Exh Std: Tier-0_							
Veh Class(es):	PCLDT1	LDT2	MDV1	MDV2_	MDV3_ <u>></u>	MDV4	MDV5
Single Cert Std	for Multi-Clas	s Eng Fam:	(spe	cify: N	/A, LDT1, MDV1	, MDV2, M	DV3, MDV4)
Exh Cert Fuel(s)	: Indo <u>></u> Ph	2 Diesel:	13 CCR	2282	or 40 CFR 86.	113-90	or -94
Fuel Type(s): De	M85 CN	G LPG	Other (specify)		
	GLNG						
Hybrid: Type A	B,	APU Cycle (e.g	g., Otto,	Diesel	, Turbine)		
Engine Configura	tion: <u>T-5</u> D	isplacement: .	251		iters 150	<u>/</u> Cu	bic Inches
Engine: Front	<u> </u>	ear	Orive: F	WD	RWD 4WD)-FT	4WD-PT
Exhaust ECS (eg.	, EGR, MFI, TO	, CAC):	ME	C. All	2, TWC, EG,	<u> </u>	11\
			(use ac				
Engine Code Ve		Trans. Type A-automatic		DPA	Ignition (ECM/PCM)	EGR System	Catalytic Converter
(also list (i 19ST/50ST a	ttachment)		or Test Wt	or RLHP			Part No.
					• •		
			1	,			
						1	
]				
				}			
				1			
<u>k</u> e.			· ·		•	ł	
						1	<u></u>
Date Issued:							
Revisions:				<u> </u> Į			