State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-22-67 Relating to Certification of New Motor Vehicles

SAAB AUTOMOBILE AB

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year SAAB Automobile AB exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: SSA2.3VJGFEA Displacement: 2.3 Liters (140 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Secondary Air Injection Heated Oxygen Sensor Three Way Catalytic Converter

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (alternative in-use compliance standards in parentheses) for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.25 (0.32)	3.4 (5.2)	0.4 (n/a)	
100,000	0.31 (n/a)	4.2 (n/a)	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.10	0.9	0.2	
100,000	0.10		n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," pursuant to provisions in said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models are permitted alternative in-use compliance set forth in the "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles," pursuant to provisions in the said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(3.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\partial \gamma$

63 much

of June, 1994

R. B. Summerfield / Assistant Division Chief Mobile Source Division

199 5 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page 1 of 1

Veh Class(es): PC_x LDT1	Manufacturer	Saab Automobi	le AB	Exh	Engine	Family: ss	A2.3VJGFEA			
Exh Std: Tier-0Tier-1_xTLEVLEVULEVZEV; EPA Tier-0Tier-1_xYeh Class(es): PC_xLDT1LDT2MOV1MDV2MOV3MOV4MOV5	Evap Std: 5	OK <u>×</u> Useful L	ife with R/L_	Eva	p Engin	e Family: _ss	Alo35Bypoa			
Single Cert Std for Multi-Class Eng Fam:n/a										
Exh Cert Fuel(s): Indo Ph2 Diesel: 13 CCR 2282 or 40 CFR 86.113-90 or -94	Veh Class(es): PC <u>x</u> LDT1_	LDT2	MDV1	_ MDV2	MDV3	MDV4	MDV5		
Exh Cert Fuel(s): Indo Ph2 Diesel: 13 CCR 2282 or 40 CFR 86.113-90 or -94	Single Cert	Std for Multi-Cla	ss Eng Fam: _	<u>n/a_</u> (sp∈	ecify:	N/A, LDT1, MD	V1, MDV2,	MDV3, MDV4)		
Fuel Type(s): Dedicated flex-fuel Dual-Fuel Gasoline_x Diesel M85 CNG LNG LNG CNG CNG CNG LNG CNG LNG CNG LNG CNG LNG CNG CN	·									
Fuel Type(s): Dedicated										
Hybrid: Type A B C, APU Cycle (e.g., Otto, Diesel, Turbine) Engine Configuration: 14										
Engine: Front_x Mid Rear Orive: FWD_x RWD 4WD-FT 4WD-PT Exhaust ECS (eg., EGR, MFI, TC, CAC): SFI, AIR, TWC, HO2S Use abbreviations per SAE J1930 SEP91) Engine Code (also list (if coded see rA/49ST/50ST attachment) B23413 900S Coupe 900S Hatchback 900S Convert. B23413 900S Convert.										
Engine: Front x Mid Rear Orive: FWD x RWD 4WD-FT 4WD-PT Exhaust ECS (eg., EGR, MFI, TC, CAC): SFI, AIR, TWC, HO2S (use abbreviations per SAE J1930 SEP91) Engine Code Vehicle Models (if coded see A-automatic or Or A/49ST/50ST attachment) B234T3 900S Coupe 900S Hatchback 900S Convert. B234T3 900S Coupe 900S Hatchback 900S Convert. B234T3 900S Convert. B234T3 44 45 433 Date Issued:	Hybrid: Type	A B C,	APU Cycle (e.	g., Otto	, Diese	l, Turbine)				
Exhaust ECS (eg., EGR, MFI, TC, CAC): SFI, AIR, TWC, HO2S (use abbreviations per SAE J1930 SEP91) Engine Code (also list CA/49ST/SOST attachment) AV49ST/SOST attachment) B23413 (50ST) Date Issued:	Engine Confi	guration: <u>14</u>	Displacement:	2.3 /		Liters <u>140</u>	<u>/</u> c	ubic Inches		
Engine Code (also list CA/495T/5OST attachment) B23413 (5OST) Date Issued: Code (also list (if coded see attachment) A & M 3375 A & M	Engine: From	t <u>x</u> Mid	Rear	Orive:	FWD_x_	RWD 4	WD-FT	4WD-PT		
Engine Code (also list (if coded see attachment)	Exhaust ECS	(eg., EGR, MFI, To	C, CAC): SF	I, AIR,	TWC, HO2	2 S				
(a)so list A/49ST/50ST (if coded see attachment) A-automatic M-manual or Test Wt RLHP (ECM/PCM) Part No. System Part No. Converter Part No. B234I3 (50ST) 900S Coupe 900S Hatchback 900S Convert. A & M 3375 6.9 91 32 697 n/a 42 25 736 ALT 44 45 433				(use al	obrevia	tions per SAE	J1930 SEP	91)		
CA/49ST/50ST attachment M-manual Test Wt RLHP Part No.	Engine Code	Vehicle Models					, –			
B234I3 900S Coupe 900S Hatchback 900S Convert. A & M 3375 6.9 91 32 697 n/a 42 25 736 ALT 44 45 433 Date Issued:	CA/49ST/50ST	(17 coded see				(ECM/PCM) Part No.				
Date Issued:										
Date Issued:		_	A & M	3375	6.9	91 32 697	n/a	42 25 736		
Date Issued:	(3021)			<u> </u> -				ALT 44 45		
								433		
	i									
				<u> </u>						
								1		
		·								
Revisions:	Date Issued:					<u> </u>		<u>L</u>		
	Revisions:									