(Page 1 of 3)

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-220-40 Relating to Certification of New Motor Vehicles

## JAGUAR CARS, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Jaguar Cars, Ltd. exhaust emission control systems are certified as described below for passenger cars:

<u>Fuel Type</u>: Gasoline

Engine Family: SJC6.0V7GCFA Displacement: 6.0 Liters (366 Cubic Inches)

**Exhaust Emission Control Systems and Special Features:** 

Dual Three Way Catalytic Converters (two)
Three Way Catalytic Converter
Dual Heated Oxygen Sensors
Secondary Air Injection
Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (alternative in-use compliance standards in parentheses) for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
50,000	0.25 (0.32)	3.4 (5.2)	0.4 (n/a)
100,000	0.31 (n/a)	4.2 (n/a)	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane	Carbon	Nitrogen
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
50,000	0.17	1.6	0.3
100,000	0.21	2.3	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That, based on a separate compliance plan submitted by the vehicle manufacturer, the listed vehicle models are permitted alternative in-use compliance as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the submitted alternative in-use compliance plan satisfies the requirement that a maximum of 60 percent of the manufacturer's projected sales of 1995 model-year California-certified passenger cars and light-duty trucks will be subject to alternative in-use compliance as stipulated in the above-referenced standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this  $\frac{\sqrt{2}}{2}$  day of July, 1994.

R. B. Summerfield
Assistant Division Chief
Mobile Source Division

```
17.00.00.00 cont'd
                                          E.O. # A-220-40 Page 1 of 1
 .06.01.04 1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
Manufacturer: Jaguar Cars Ltd
                                        Engine Family: SJC6.0V7GCFA
Evap Std: 50K X Full Useful Life with R/L _ Evap Family:
                                                     RJC1142AYM00
Exh Std: Tier-0 _ Tier-1 X TLEV _ LEV _ ULEV _ ZEV _; EPA Tier-0 _ Tier-1 X
Veh Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5 MDV5
Single Cert Std for Muti-Class Eng Fam: N/A
M85 _ CNG _ LPG _ Other _____
Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Gasoline X Diesel M85
            CNG _ LNG _ LPG _ Other ____
Hybrid: Type A B C , APU Cycle Otto
Engine Configuration: V12 Displacement: 6.0 Liters 366 Cubic Inches
Engine: Front X Mid Rear Drive: FWD RWD X 4WD-FT
Exhaust ECS & Special Features: AIR: 2HO2S: 2TWC(2): TWC: MFI
Engine
         Vehicle
                   Trans
                           ETW
                                  DPA
                                        ECM
                                                  EGR
                                                            Catalyst
Code
         Models
                                        (ICM)
                                                            Part No.
                   A- Auto
                                                  System
                   M- Man
                                        Part No
                                                  Part No
         XJS
6.0SFC
         Coupe
                      A
                           4250
                                  7.5
                                        DAC 11519 N/A
                                                            D/P: MCA
   -945/1
                                        (DBC 12473)
                                                            U/F: MDA
(50ST)
6.0SFC
         Convertible
                      A
                           4500
                                  7.5
                                        DBC 11519 N/A
                                                            D/P: MCA
   -94S/1
                                                            U/F: MDA
                                        (DBC 12473)
```

Engine speed and position sensors with re-designed connector pins introduced by Running Change #6.0-95/8.

(50ST)