· 11:5

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-153 Relating to Certification of New Motor Vehicles

MERCEDES-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Mercedes-Benz AG exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Diesel

Engine Family: TMB3.0VGDKAK Displacement: 3.0 Liters (183 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Indirect Fuel Injection Exhaust Gas Recirculation Oxidation Catalytic Converter On-Board Diagnostic II

Vehicle models, transmissions and engine codes are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	<u>Particulates</u>	
50,000	n/a	n/a	n/a	0.08	
100.000	0.31	4.2	1.0	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Miles_	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen <u>Oxides</u>	Particulates
50,000	n/a	n/a	n/a	0.05
100,000	0.07	0.2	0.8	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27 day of September 1995.

R.) B. Summerfield

Assistant Division Chief Mobile Source Division

1996 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page____

Manufacturer:	Mercedes-Benz	Ex	h Eng Fam	TMB3.	DVGDKAK EV	ap Fam: N/A	·
		40	· ·	1117 A	MDJVJ		
	• V TIC	V	1 1 V	ULLY	<u> </u>	_, 00 = 1	Tier-l <u>X</u>
		a with R/	ı ın	-use cx	n Jiu, iuii i	.,, 050	
	. ne Y IDT1	I DT2	MUVI	m	045 LIDA2_		
-	au e Un1+4 flac	c Eng Fam	•N/A (specity	: 14/M, LUII)	TIDELS TIDELS	
Single Cert S	Dedicated X F	ley-Fuel	Dual-	Fuel	Bi-Fuel	Gasoline	Diesel <u>X</u>
Fuel Type(s):	CNGLNG	1 DC	<u> </u>	ther (s	pecify)		
	14.3. Tada	Dh2 C	NG IP	g M	85 Other	(specity)	
Emiss Test Fu	el(s): indo	13 CCD 22	82	40 CF	R 86.113-90	40 CFR 86	i.113-94 <u>X</u>
	: Std AMA <u>X</u> M	13 CCK 55	υ <u>ς</u> Μεν δ	np	Other (specif	fy)	
Service Accum	: Std AMA_A M	AMA DOI	- Longh	D'	// Test Proc:	SHED Pt	Source
NMOG Test Pro	cedure: N/A_X	Sto	Equiv	_ ^	yr rest from	a)·	
Hybrid: Type	A B C,	APU Cycl	e (e.g.,	<i>'</i>	litare 1	83 / CL	ubic Inches
Engine Config	uration: <u>L-6</u>	Displacen	ient: 3.0		134	a 5000	RPM
Valves per Cy	uration: <u>L-6</u> linder: <u>4</u>		Kated	. HP:	DUD X		WD-PT
Casina. Exam	.+ X Mid F	lear	שרוזע	ַניאין ::	(\nU	4ND (
.t ECS (e.g., MFI, EGR,	[C, CAC):_	(US	e abbre	viations per		
Engine Code	Vehicle Models	Trans.	ETW	DPA	Ignition	EGR	Catalytic
/also list	(if coded see	(M5, A4	or	or DI HD	Ignition (ECM/PCM) Part No.	Part No.	Part No.
CA/49ST/50ST	`attachment)	etc.)				222 242 2262	124 400 34 34
OM606-1	E300 Diesel	A4	4000	5.7	0175459332	002 140 2960	1124 490 34 30
			·				
			1				
				ļ			
				ļ			
	i						
		Ì					
~							
		<u> </u>			<u> </u>		
Date Issued:							

Revisions: