State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-709-A Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: TGM3.1V8GFEK Displacement: 3.1 Liters (191 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation Three Way Catalytic Converter Heated Oxygen Sensors (two) Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

	Non-Methane	Carbon	Nitrogen	Carbon
Miles	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20⁰F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

	Non-Methane	Carbon	Nitrogen	Carbon
Miles	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20⁰F)</u>
50,000	0.16	2.7	0.2	7.6
100,000	0.18	3.2	0.2	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.). Vehicles certified under this Executive Order must conform to all applicable California emission regulations. $-\!\!\!-$

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Чh

Executed at El Monte, California this <u>//</u>

R. Ø. Summerfield

day of September 1995.

Assistant Division Chief Mobile Source Division

(FOR CARB USE ONLY)

E.O. #A 6 709 #A-6-709-A

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET GASOLINE-FUELED PASSENGER CARS

VEHICLE MODELS:

<u>1 J C 3 7</u> (EXAMPLE)

<u>Digit 1 - Selling Division</u>

- 1 Chevrolet
- 2 Pontiac 3 Oldsmobile
- 4 Buick
- 6 Cadillac
- 8 Saturn

Digit 2 - Body Designation

А - Cutlass Ciera, Cutlass Cruiser, Century, Century Wagon В - Caprice, Caprice Wagon, Roadmaster Wagon, Coachbuilder Wagon, Roadmaster - Ninety-Eight, Park Avenue С - Fleetwood, Limousine, Funeral Coach/Hearse D E - Eldorado F - Camaro, Firebird/Formula G - Riviera, Aurora - Bonneville, Eighty-Eight, LeSabre - Cavalier, Sunfire Η J Κ - Seville Ksp - Deville/Concours - Corsica, Beretta - Grand Am, Achieva, Skylark N W - Grand Prix, Regal, Cutlass Supreme, Lumina, Monte Carlo - Corvette Y 7 - Saturn SC. SL. SW Digit 3 - Trim Level B, C, D, E, F, G, H, J, K, L, M, N, P, R, S, T, U, V, W, X, Y, Z <u>Digits 4 & 5 - Body Style</u> 07 - 2Dr Sport Coupe 37 - 2Dr Hardtop Coupe 47 - 2Dr Hardtop Coupe 57 - 2Dr Hardtop Coupe 08 - 2Dr Hatchback Coupe 11 - 2Dr Notchback 15 - 2Dr Station Wagon 67 - 2Dr Convertible Coupe 68 - 4Dr Hatchback Sedan 19 - 4Dr Sedan 23 - 4Dr Aux. Seat Sedan 27 - 2Dr (Notchback) Coupe 29 - 4Dr Sedan 69 - 4Dr (Notchback) Sedan 77 - 2Dr Hatchback Coupe 87 - 2Dr Hatchback Coupe 35 - 4Dr Station Wagon 90 - Commerical Chassis ISSUED: ML-TP080 REVISED: ML-TR038

17-TGM3.1V8GFEK-1

17-31V8G

E.O. # A-6-<u>709-A</u>

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MF	R: <u>GENERAL MOTORS CORP</u>	ENGINE FA	MILY: <u>TGM3</u>	<u>B.1V8GFEK</u> EVAP. FA	MILY: <u>TGM108</u>	9AYMEA			
	ENGINE CODES IN ENGIN	E FAMILY:	CA	49S 5	505 <u>X</u> A	B965			
EXH STD: CA Tier-1_XLEVULEVZEV; U.S. EPA Tier-1_X									
	EVAP STD: 50K USEFUL LIFE WITH R/L_X_; IN-USE EXH STD: FULL_X_ ALTERNATIVE								
VEH CLASS(ES): PC_X_LDT1LDT2MDV1MDV2MDV3MDV4MDV5									
SINGLE CERT STD FOR MULTI-CLASS ENGINE FAMILY: NA									
FUEL TYPE(S): DEDICATED X GASOLINE X ; EMISS TEST FUEL(S): INDO PHASE 2 X									
	SERVICE ACCUM: STD AMA MFR ADP_X_; NMOG TEST PROC: <u>NA</u> EQUIV								
R/L TEST PROC: PT SOURCE_X ; HYBRID TYPE: _NA APU CYCLE: _NA									
ENGINE CONFIGURATION: I4V6_XV8DISPLACEMENT: <u>3.1_</u> LITERS/ <u>191_</u> CU. IN.									
	VAL	VES/CYLINDER:	2 <u>X</u> 4_	_ RATED HP:	<u>155</u> @ <u>520</u>	0 RPM			
ENGINE LOCATION: FRONT_X DRIVE: FWD_XRWD4WD-FT4WD-PT									
EXHAUST EMISSION CONTROL SYSTEM: _ <u>EGR-TWC-H02S(2)-SFI</u>									
RLH	IP/DPA VALUES: <u>SECTION</u>	08.13.02.00							
EN		TRANS.	EQUIV.		EGR	CATALYTIC			
COE (L((M5,A4			SYSTEM	CONVERTER			
	C) (SEE PAGE 1)	<u> </u>	WEIGHT	PART_NO./CALIB	<u>PART_NO.</u>	PART NO.			
4 ,4		A4/C	3250	16209020/16210214	17096154	•			
	2NW37 2NE69		3375*2 3375*1			25144396			
	2NW69		00/01						
	3NL37		3250						
	3NL69 4NJ37								
	4NJ69		3375*1						
4A, 4B,				16209020/16227984					
4C,				16209020/16230584 16209020/16234464					
4D,	4T			16209020/16238674					
CARLINE NAME CARLINE CODE									
GRA	ND AM	33025							
ACH	IEVA	29010							

*1 ETW for models 2NE69 and 4NJ69 was 3250 prior to RC ML-TR082. *2 ETW for model 2NW37 was 3250 prior to RC ML-TR098.

ISSUED: ML-TP080 REVISED: ML-TR019, ML-TR034, ML-TR038, ML-TR045, ML-TR047, ML-TP135, ML-TR082, ML-TR085, ML-TR100

17-TGM3.1V8GFEK-5