fel

(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-7-190 Relating to Certification of New Motor Vehicles

VOLKSWAGEN AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Volkswagen AG exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low=Emission Vehicle (TLEV)

<u>Fuel Type</u>: Gasoline

Engine Family: TVW2.0V8G2EL <u>Displacement</u>: 2.0 Liters (121 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Secondary Air Injection Three Way Catalytic Converter Heated Oxygen Sensors (Two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane Carbon Organic Gas Monoxide		Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20⁰F)</u>	
50,000	0.125	3.4	0.4	0.015	10.0	
100,000	0.156	4.2	0.6	0.018	n/a	

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.98 RAF for 1996 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane <u>Organic Gas</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20⁰F)</u>
50,000	0.069	$\begin{array}{c} 1.8 \\ 1.8 \end{array}$	0.1	0.001	5.8
100,000	0.069		0.1	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles." BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 23 day of May 1996.

mblu

(R. B. Summerfield Assistant Division Chief Mobile Source Division

PAGE NO. 17.05. -01 E.O.# A - 7 - 190ESENGER CARS, LIGHT-DUTY TRUCKS AND MEDIMENTAL DATA SHEET Page 1 of 1 PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDUM-DUTY VEHICLES

Manufacturer: VOLKSWAGEN Exh Eng Fam: TVW2.0V8G2EL Evap Fam: TVW1090BYPEV						
All Eng Codes in Eng Fam: CA X 495 505 AB965						
Exh Std: CA Tier-1 TLEV X LEV ULEV ZEV ; US EPA Tier-1						
Evap Std: 50K Useful Life with R/L X In-use Exh Std: Full In Use X Alt In Use						
Veh Class(es): PC_X_LDT1LDT2MDV1MDV2MDV3MDV4MDV5						
Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)						
Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel						
CNGLNGLPGM85Other (specify)						
Emiss Test Fuel(s): Indo Ph2 X CNG LPG M85 Other (specify)						
Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94						
Service Accum: Std AMA X Mod AMA Mfr ADP Other (specify)						
NMOG Test Procedure: N/AStd_XEquivR/L Test Proc: SHEDPt Source X						
Hybrid: Type A B C , APU Cycle (e.g., Otto, Diesel, Turbine)						
Engine Config. <u>4 / in line</u> Displacement: <u>2.0 /</u> Liters <u>121</u> Cubic Inches						
Valves per Cylinder: 2 Rated HP: 115 @ 5,400 RPM						
Engine: Front X Mid Rear Drive: FWD X RWD 4WD-FT 4WD-PT						
Exhaust ECS (eg., EGR, MFI, TC, CAC, etc.)SFI / AIR / TWC / HO2S (2)						
(use abbreviations per SAE 1930 SEP91)						

Engine Code (also list CA/49ST/50ST)	Vehicles Models (if codded see attachment)	Trans. Type A-auto M-man.	ETW or Test WT	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
ABA-T California	Jetta	м	3,000	6.9	037 906 259E	-	1HM 131 701 Q
ABA-T California	Golf	М	2,875	6.9	037 906 259E	-	1HM 131 701 Q
ABA-T California	Golf	A	3,000	6.3	037 906 259E	-	1HM 131 701 Q
ABA-T California	Jetta	A	3,125	6.3	037 906 259E	-	1HM 131 701 Q
						4	

Date Issued: 02-19-96

•

۴

Revisions: _____ 1 1 ł 1 1