Til (Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-658 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That Ford Motor Company 1996 model-year exhaust emission control systems are certified as described below for light-duty trucks:

<u>Fuel Type</u>: Gasoline

Engine Family: TFM3.028G1GK Displacement: 3.0 Liters (183 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converters (two) Dual Heated Oxygen Sensors Heated Oxygen Sensor Exhaust Gas Recirculation Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

		Non-Methane	Carbon	Nitrogen	Carbon	
		<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	Monoxide (20°F)	
3751-5750	50,000	0.32	4.4	0.7	12.5	
	100,000	0.40	5.5	0.97	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle	<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon	
Weight(1bs.)		Hydrocarbons	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>	
3751-5750	50,000	0.10	1.0	0.3	2.9	
	100,000	0.12	1.0	0.33	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles". BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.). FORD MOTOR COMPANY

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24 day of October 1995.

R. B. Symmerfield Assistant Division Chief Mobile Source Division

E.O.#____658

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. <u>FORD</u>	MOTOR COMPANY	Ext	aust Engi	ne Fam:	ily: <u>TFM3.0</u>	28G1GK	
Engine Code T	Ypes: CA <u>X</u> 495	50S Eva	porative	Emissi	ons Family:_	TFM1045AY	PBA
Exh Std: Tier	-0 Tier-1_X_	TLEV LEV	ULEV	ZH	EV EPA T	IER-0	TIER-1
Evap Std: 50	K <u>X</u> Useful Life	s with R/L	In-Use E	kh Std:	Full In Us	e <u>X</u> Alt	In Use
Veh Class(es)	: PC LDT1	LDT2 <u>X</u> MDV	1 MDV	2 1	1DV3MDV	4 MDV5	·
Single Cert S	td for Multi-Clas	ss Eng Fam: <u>N</u>	<u>/A (sp</u>	ecify:	N/A, LDT1,M	DV1,MDV2,M	DV3,MDV4)
Exh Cert Fuel	(s): Indo <u>X</u> Phi	2 Diesel:	13 CCR 22	32 <u></u>	or 40CFR 86.	113-90	or -94
Fuel Type(s):	Dedicated	G LPG Flex Fuel	Dual-Fuel		Orber (an o a fur)	
Hybrid: Type	Gasoline <u>X</u> D ABC	_, APU Cycl	CNG .e (eg,	Otto, 1	Other (Diesel, Turb	ine)	
Valves/Cvl:	2 Disp 2	Rat	ed HP: <u>1</u>	<u>40 @</u>	<u>4200</u> RPM		?T
Exhaust Contr	ol System and Spe	ecial Features	TWC(2)SF	L.2H025	EGR 1402	<u>ن</u>	
			(Use´ab	brevia	tions per SA	AE J1930 SI	EP91)
· · · · · · · ·	Vehicle Models (if coded see attachment)		or	or	Ignition (ECM/PCM) Part No.	System	Converter
	Aerostar 4x2				F69F-FA	F37E-CA	F69A-ANA
	Club Wagon		4000				
	Ext Wagon		4250 3750	11.2 11.2			
	Reg Van		2/20	11.4			

· • •

.

E.O.# A-10-658

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. FORD MOTOR COMPANY Exhaust Engine Family: TFM3.028G1GK Engine Code Types: CA<u>X</u> 49S____50S____ Evaporative Emissions Family: <u>TFM1045AYPBA</u> Exh Std: Tier-0____ Tier-1_X__ TLEV____ LEV____ ULEV____ ZEV____ EPA TIER-0____ TIER-1____ Evap Std: 50K<u>X</u> Useful Life with R/L____ In-Use Exh Std: Full In Use____ Alt In Use____ Veh Class(es): PC____ LDT1___ LDT2_X_ MDV1____ MDV2___ MDV3___ MDV4___ MDV5____ Single Cert Std for Multi-Class Eng Fam: <u>N/A</u> (specify: N/A, LDT1,MDV1,MDV2,MDV3,MDV4) Diesel: 13 CCR 2282____ or 40CFR 86.113-90____ or -94____ Ph2_ Exh Cert Fuel(s): Indo<u>X</u> LPG____ Other (specicy) M85_ CNG_{-} Dual-Fuel_ Fuel Type(s): Dedicated_ Flex Fuel_ ______M85_____CNG_____LPG____Other (specify)_____ Gasoline X Diesel APU Cycle (eg., Otto, Diesel, Turbine)___ Hybrid: Type A____ B____ C___, Liters (Cubic Inches) Engine Config <u>V-6</u> Displacement: <u>3.0L (183)</u> Rated HP: 140 @ 4200 RPM Valves/Cyl: <u>2</u> Engine: Front<u>X</u> Mid____ Rear___ _____ RWD_X____ 4WD-FT_____ 4WD-PT_____ Drive: Fwd_ Exhaust Control System and Special Features TWC(2)SFI. 2HO2S, EGR_ HO25 (Use' abbreviations per SAE J1930 SEP91) Catalytic Vehicle Models; Trans. Type DPA Ignition EGR ETW Engine Code Converter (ECM/PCM) System A-Automatic or (also list (if coded see or Part No. RLHP Part No. Part No. M-Manual Test Wt CA/49ST/50ST attachment) F69A-ANA F69F-FB F37E-CA 656TR05B Aerostar 4x2 Α 4000 11.2 Club Wagon 4250 11.2 Ext Wagon

3750

11.2

Reg Van