State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-297 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for light-duty trucks:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: TNS3.328G2EK <u>Displacement</u>: 3.3 Liters (199.8 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Three Way Catalytic Converters Dual Heated Oxygen Sensors (two) Exhaust Gas Recirculation Sequential Multiport Fuel Injection

Vehicle models, transmission codes, engine codes, and evaporative emission control families are listed on attachments.

The non-methane organic gas (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) TLEV certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	Miles	NMOG	<u></u>	<u>NOx</u>	нсно_	<u>co (20°F)</u>
3751-5750	50,000	0.160	4.4	0.7	0.018	12.5
	100,000	0.200	5.5	0.9	0.02 3	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for NMOG reflect application of a 0.98 RAF for 1996 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	Miles_	NMOG	<u>co</u>	<u>NOx</u>	<u>нсно</u>	<u>co (20⁰F)</u>
3751-5750	50,000 100,000	0.091 0.094	0.9 1.0	0.2	0.001 0.001	8.5 n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26 day of October 1995.

R. B./Summerfield Assistant Division Chief Mobile Source Division

1996 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
Page 1
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

All Eng Codes in Eng Fam: CA X 49S 50S AB965

Exh Std: CA Tier-1 TLEV X LEV ULEV ZEV ; US EPA Tier-1

Evap Std: 50K X Useful Life with R/L In-Use Exh Std: Full In Use X Alt In Use

Veh Class(es): PC LDT1 LDT2 X MDV1 MDV2 MDV3 MDV4 MDV5

'ingle Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel

CNG LNG LPG M85 Other (specify)

Emiss Test Fuel(s): Indo Ph2 X CNG LPG M85 Other (specify)

Service Accum: Std AMA X Mod AMA Mfr ADP Other (specify)

Manufacturer: NISSAN MOTOR CO., LTD. Exh Eng Fam: TNS3.328G2EK Evap Fam: TNS1057BYMBA

Engine Configguration: V6 Displacement: 3.3 Litters 199.8 Cubic Inches

Valves per Cylinder: 2 Rated HP: 168 @ 4800 RPM

Engine: Front X Mid Rear Drive: FWD RWD X 4WD-FT 4WD-PT X

Ahaust ECS (eg., EGR, MFI, TC, CAC): 2TWC/2HO2S(2)/EGR/SFI

NMOG Test Procedure: N/A Std X Equiv R/L Test Proc: SHED Pt Source

rid: Type A B C , APU Cycle (e.g., Otto, Diesel, Turbine)

(use abbreviations per SAE J1930 SEP91)

Continued on the next page

Issue Date : 08/04/95

Revision Date:

1996 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 2

PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES (Continued)

ingine Code	Vehicle Models		ETW:	DPA	Ignition (ECM/PCM)		:Catalytic :Converter
Also list	(if coded see	:	: or :	or	. CECH/2011)		:Part No.
AISO IISO AIMOST/50ST)	:(if coded see : : attachment)	(M5,A4 etc)	:Test:	RLHP	: Part No.	. rait No.	•
A/4931/3001/		•	: Wt :		:		
			::		: ECM		
	: PATHFINDER	:	: :		: MECH-W280	•	:
	: 2WD XE		: :		:(Before		;
AV33ECA1		1	: :	14.3	: (Berore :R/C No.	•	
MAJORET	: PATHFINDER	:	: :		: K/C NO. :T3328G2E-	•	•
	: 2WD LE	•	: :		:13320024		:
		: ∆ 4	: :		:MECM-W181		:
	· :	:	: :		: (After	•	:
	: PATHFINDER	:	: :		:R/C No.	•	:
BV33ECA1	: 2WD XE	:	: :	13.0	: T3328G2E-	•	•
THOULE		:	: :				
	•	:	:	}	:01) 1/		•
	•	:	:		:(Before		•
	•		: :	;	:F/F No.		•
	•	:	:	;	:T3328G2E-	·:	•
		:	:	:	:03)		•
	•	•	:	:	:MECM-W182		
		•	;	:	4 (<u>~~</u> ~~~	: EGR	
	•	•	:	:	:F/F No.		•
	:		:	:	:T3328G2E	•:	:
	:	•	:	:	:03) <u>2</u> /	:	: OWS
	;		-: 4000	:	-:	-: AEY	•
		•	:	: 14.6	:ECM	: 77-92	:
AV33ECM1	: : PATHFINDER	. M5	:	:	: MECH-W27		:
		,	:	:	-:(Before	:	:
	·: 2WD XE	•	:	:	:R/C No.	: .	:
	:	•	:	:	:T3328G2E	-:	:
	•	•	:	:	:01)	:	:
	;	•	•	: 13.3	:MECM-W17	1:	:
BV33ECM1	:		•	:	:(After	:	:
	; '		•	:	:R/C No.	:	;
	: ,	;	•	•	:T3328G2E	-:	:
	:	:	,	:	:01) <u>1</u> /	:	:
	:	:		•	:(Before	:	:
	:	•			:F/F No.	:	:
	:	;	:	•	:T3328G2E	-:	:
	:	:	•		:03)	:	:
	:	:	•		:MECH-W17	2:	:
	;	:		:	:(After	:	:
· !	•	:		:	:F/F No.	:	:
	:	:	:	•	:T3328G2E	-:	:
•	:		:		:03) 2/		:
	_	•	:	:	.007 =1	•	

1/ With R/C No. T3328G2E-01 2/ With F/F No. T3328G2E-03

Issue Date : 08/04/95

Revision Date : 1/05/17/96 2/12/20/96

1996 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 3

PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

(Continued)

	NISSAN MOTOR CO., LTD.			
:Engine Code:	Vehicle Models:Trans.	ElW DIA	:(ECM/PCM):System	• =

Engine Code: Vehicle Models: Trans. ETW DPA : Ignition :EGR								;
## AWD IE	Engine Code (also list CA/49ST/ 50ST)	:Vehicle Models :(if coded see : attachment)	(M5.A4 etc)	:Test:	or RLHP	. / ECM / DCM) :	System	:Converter:
AV33ECA1	***********		•	:	16.0	: MECM-W280 : (Before		:
PATHFINDER	AV33ECA1		: <u>A</u> 4 :	:	: :	:R/C No. :T3328G2E-	: : :	:
PATHFINDER	; ;		: :	:	•	:(After	•	: :
PATHFINDER			:		: 14.5	:T3328G2E- :01) <u>1</u> /		: :
MECM-W182:	BV33ECA1		:	:4250	: 15.1 :	:F/F No. :T3328G2E-	: :	: :
T3328G2E-: GWS		: : : : : : : : : : : : : : : : : : : :	: :	:	· :	:MECM-W182 :(After	: EGR	: :
### INDER	} : :	:	:	:	•	:T3328G2E-	: : AEY	: CW2
AV33ECM1 : PATHFINDER : 4WD SE PATHFINDER : 4WD XE BV33ECM1 PATHFINDER : (After :	: : 4WI : AV33ECM1 :: : : : : : PA3			:	:	:MECM-W270		:
PATHFINDER : 4WD XE : (After:			: :	:	: 17.2 :	:R/C No. :T3328G2E-	:	: :
### PATHFINDER ### 15.6 :T3328G2E-: ### 15.6 :T3328G2E-: ### 10.0			: :	:	: 14.6	:MECM-W171 :(After	.: :	: :
:F/F No. : :T3328G2E-: :03) :MECM-W172: :(After : :F/F No. : :T3328G2E-:	: PA		• : • :	• .	15.6	:T3328G2E- :01) <u>1</u> /	·: :	; ;
: : : : : : : : : : : : : : : : : : :	: :	: :	; . ;	:		:F/F No. :T3328G2E	: ·;	:
: : : : : : : : : : : : : : : : : : :	: :	:	: :	:	:	:MECM-W172 :(After	2; :	:
	: :	:	: :	:	:	:T3328G2E	·: :	;

1/ With R/C No. T3328G2E-01 2/ With F/F No. T3328G2E-03 Issue Data : 08/04/95

Revision Date : 1/05/17/96 2/12/20/96