(Page 1 of 3)

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-23-193 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: THN2.2VJGKGK Displacement: 2.2 Liters (132 Cubic Inches)

## Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter Heated Oxygen Sensors (Two) Sequential Multiport Fuel Injection Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

3.4 0.4 10.0	Miles	Non-Methane Hydrocarbons	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Carbon Monoxide (20°F)	
100,000 - 0.31 4.2 0.6 n/a	50,000 100,000	0.25	3.4 4.2	. =	<del>-</del> - ·	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon	
	Hydrocarbons	<u>Monoxide</u>	Oxides	Monoxide (20 <sup>O</sup> F)	
50,000	0.08	1.1	0.1	5.0	
100,000	0.08		0.1	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected-NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and Executed at El Monte, California this // day of September 1995.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-193Page 1 of 1

Manufacturer: HONDA	Exh Engi	ne Family:	<pre>[HN2.2VJGKG</pre>	<u>K</u>		
Manufacturer: HONDA All Eng Codes in Eng Fam: CA 49S	50s_X_ AB965	Evap Engine	Family: TF	IN1150BYMAH		
Exh Std: CA Tier-1 X TLEV LEV	ULEV ZEV	; US EPA Tie	<u>r-1_X</u>			
Evan Std: 50K X Useful Life with R/L	In-Use Ext	Std: Full In	Use <u>X</u> Al	.t In Use		
Veh Class(es): PC X LDT1 LDT2	MDV1 MDV2_	MDV3 :	MDV4 MI	)V5		
Single Cert Std for Multi-Class Eng Fam	: <u>N/A</u>					
Fuel Type(s): Dedicated X Flex-Fuel_	_ Dual-Fuel	Bi-Fuel	Gasoline <u>X</u>	_ Diesel		
CNGLNGLPGM85	Other	<del></del>	_			
Emiss Test Fuel(s): Indo X Ph2 CNG	LPG M85	Other				
Diesel: 13 CCR 2282 40 CFR 86.113-9	0 40 CFR 86	113-94				
Service Accum: Std AMA Mod AMA X	Mfr ADP Othe	er				
NMOG Test Procedure: N/A X Std Eq	uiv R/L Te	st Proc: SHED	Pt Sou	irce		
Hybrid: Type A B C . APU Cyc	le:					
Engine Configuration: L-4 Displacement	: <u>2.2</u> Liters	132 Cubic In	ches			
Valves per Cylinder: 4 Rated HP:	140/5600 RPM					
Engine: Front X Mid Rear D	rive: FWD X RV	VD 4WD-FT	4WD-PT			
Exhaust ECS: TWC/HO2S(2)/SFI/EGR			<del></del>	<del></del>		
EXHAUST DOD! INO! HOLD CENTER DESC.						
		Ignition	EGR System	Catalytic		

Engine Code	Vehicle Models	Trans. Type	ETW	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
TBA3/1 (50ST)	Odyssey EX/LX Isuzu Oasis S/LS	L4	3750	10.1	EI Distributor: D4T94-07 ECM:37820- P1E-A60	EGR Valve: 11K	CK

ISSUED: 06/26/95