

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-48-34
Relating to Certification of New Motor Vehicles

ROLLS-ROYCE MOTOR CARS LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Rolls-Royce Motor Cars Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: TRR6.7V8GPEK Displacement: 6.75 Liters (412 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Sequential Multiport Fuel Injection
- Heated Oxygen Sensors (Two)
- Warm Up Three Way Catalytic Converter
- Secondary Air Injection
- Three Way Catalytic Converter

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (alternative in-use compliance standards in parentheses) for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20⁰F)</u>
50,000	0.25 (0.32)	3.4 (5.2)	0.4 (n/a)	10.0 (n/a)
100,000	0.31 (n/a)	4.2 (n/a)	0.6 (n/a)	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20⁰F)</u>
50,000	0.17	1.2	0.2	6.8
100,000	0.22	1.7	0.3	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models are permitted alternative in-use compliance as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles," pursuant to provisions in the said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", pursuant to provisions in said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".


BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 6th day of June 1995.


R. B. Summerfield
Assistant Division Chief
Mobile Source Division



1996 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

E.O.# A-48-34
Page 1 of 1

Manufacturer: Rolls-Royce Motor Cars Ltd Exh Eng Fam: TRR6.7V8GPEK Evap Fam: TRR1085AYMA1
 All Eng Codes in Eng Fam: CA ___ 49S ___ 50S x AB965 ___
 Exh Std: CA Tier-1 x TLEV ___ LEV ___ ULEV ___ ZEV ___; US EPA Tier-1 x
 Evap Std: 50K x Useful Life with R/L ___ In-Use Exh Std: Full In Use ___ Alt In Use X
 Veh Class(es): PC x LDT1 ___ LDT2 ___ MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Fuel Type(s): Dedicated x Flex-Fuel ___ Dual-Fuel ___ Bi-Fuel ___ Gasoline x Diesel ___
 CNG ___ LNG ___ LPG ___ M85 ___ Other (specify) ___
 Emiss Test Fuels(s): Indo x Ph2 ___ CNG ___ LPG ___ M85 ___ Other (specify) ___
 Diesel: 13 CCR 2282 ___ 40 CFR 86.113-90 ___ or 40 CFR 86.113-94 ___
 Service Accum: Std AMA ___ Mod AMA ___ Mfr ADP ___ Other (specify) ADF Assigned dfs
 NMOG Test Procedure: N/A x Std ___ Equip ___ R/L Test Proc: SHED ___ Pt Source ___
 Hybrid: Type A - ___ B - ___ C - ___, APU Cycle (e.g., Otto, Diesel, Turbine) ___
 Engine Configuration: V8 Displacement: 6 / 75 Liters 412 / Cubic Inches
 Valves per Cylinder: 2 Rated HP: 241 @ 4000 RPM
 Engine: Front x Mid ___ Rear ___ Drive: FWD ___ RWD x 4WD-FT ___ 4WD-PT ___
 Exhaust ECS (eg., EGR, MFI, TC, CAC): SFI/HO2S(2)/WU-TWC/TWC/AIR

(use abbreviations per SAE J1930 SEP91)

Eng. Code/ (Cert Std)	Vehicle Models (if coded see Attachment)	Trans. (M5, A4 etc.)	ETW or Test Wt	DPA or RLHP (DPA)	Ignition (ECM/PCM) Part No.	EGR Sys Part No.	Catalytic Converter Part No.
A/50S	<u>Rolls-Royce</u>						
	Silver Dawn	A4	5660	12.6	RR Part No: UT 111094/22	N/A	WU-TWC UE 74196 or UE 79426
	Silver Spur	A4	5740	12.6			
	Silver Spur Limousine	A4	6410	12.2			
	<u>Bentley</u>				Zytek Part No 20/021/0004A		TWC UE 74907 or UE 79282
	Brooklands	A4	5660	12.6			
Brooklands (LWB)	A4	5740	12.6				