State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-757 Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year-General Motors Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: VGM2.218G1EK <u>Displacement</u>: 2.2 Liters (134 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation Three Way Catalytic Converter Heated Oxygen Sensor Oxygen Sensor Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight(lbs.)	<u>Miles</u>	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Carbon <u>Monoxide (20⁰F)</u>
0-3750	50,000	0.25	3.4	0.4	10.0
•	100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight(lbs.)	Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Carbon <u>Monoxide (20⁰F)</u>
0-3750	50,000	0.15	2.2	0.3	7.8
	100,000	0.21	3.0	0.4	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 21 day of May 1996.

Assistant Division Chief Mobile Source Division

LIGHT DUTY TRUCK MODEL NUMBER DEFINITION

(Includes California Medium Duty Trucks)

E.O. #A-6-757

Example, Pattern A: CC10703+E62 Example, Pattern B: 1UM05

Digit 1 = Marketing Division

Pattern A

C = Chevrolet

T = GMC

H = Oldsmobile

G = Isuzu

Pattern B

1 = Chevrolet

2 = Pontiac

3 = Oldsmobile

Note: Digit 1 is only used for Pattern A models on engine family pages or California Supplemental Data Sheets when necessary to discriminate by division model.

Digit 2 = Chassis Type (all)

U = Conventional 4x2 Front Wheel Drive

C. S. M = Conventional 4x2 Rear Wheel Drive

G = Forward Control 4x2 Rear Wheel Drive

K, T, L = Conventional 4x4 Four Wheel Drive, All Wheel Drive

Digit 3 = Series/GVWR

Pattern A

1 = 11,15,1500/3500-7300

2 = 21.25.2500/6400-8600

3 = 31,35,3500/7100-14500

Pattern B

Letter code designates trim level

rather than series/GVWR.

Digits 4 & 5

Pattern A = Dimensional Grouping

05 = Utility: Tahoe (2Dr), Yukon (2Dr),

Blazer, Jimmy, Bravada

06 = S/T Short Box

07 = C/K Short Box, Tahoe (4Dr), Yukon (4Dr)

08 = S/T Long Box & Cab-Chassis

09 = C/K Long Box, Suburban

10 = M/L Long Body

14 = G Short Wheelbase

17 = G Long Wheelbase

Pattern B = Body Style

06 = Passenger (Venture, Trans Sport, Silhouette)

16 = Passenger (Venture, Trans Sport, Silhouette)

Dual Sliding Doors

Digits 6 & 7 = Body/Cab Codes (Pattern A Only)

03 = Conventional Cab, Cab-Chassis

05 = Cargo Van

06 = Passenger Van, 4 Door Special Purpose Vehicle

16 = 2 Door Special Purpose Vehicle

43 = Crew Cab

53 = Extended Cab

Pickup Body Codes (Optional, Used with Pattern A Only)

+E62 = Stepside, Fenderside

+E63 = Fleetside, Wideside

REVISED:

ISSUED: ML-VP102

17-VGM2.218G1EK-1 (1997)

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

ENGINE FAMILY: VGM2.218G1EK EVAP FAMILY: VGM1095AYMEA ₩Ĭ∄R' GENERAL MOTORS CORP. ALL ENGINE CODES IN ENGINE FAMILY: CA(X) 49S() 50S() AB965 () EXH STD: CA TIER-1 (X) TLEV() LEV() ULEV() ZEV(); U.S. EPA TIER-1() EVAP STD: 50K() USEFUL LIFE WITH R/L(X); IN-USE EXH STD: FULL(X) ALTERNATIVE() PC() LDT1(X) LDT2() MDV1() MDV2() MDV3() MDV4() MDV5() VEH CLASS(ES): SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EMISSION TEST FUEL(S): INDOLENE () PHASE 2 (X) SERVICE ACCUMULATION: STD AMA() MFR ADP(X); NMOG TEST PROCEDURE: NA(X) EQUIV() HYBRID TYPE: NA APU CYCLE: NA NA() PT SOURCE(X); R/L TEST PROCEDURE: ENGINE CONFIGURATION: I4 (X) V6 () V8 () DISPLACEMENT: 2.2 LITERS / 134 CU. IN. VALVES / CYLINDER: 2(X) 4() RATED HP: 118 @ 5200 RPM DRIVE: FWD() RWD(X) 4WD-FT() 4WD-PT() ENGINE LOCATION: FRONT (X) EXHAUST EMISSION CONTROL SYSTEM: TWC, EGR, O2S, HO2S, SFI RLHP / DPA VALUES: SECTION 08.13.02.00 EGR CATALYTIC EQUIV. ENG CONVERTER SYSTEM VEH MODELS **TRANS** TEST IGNITION CODE (PCM/CALIB PART NO.) (M5,A4,ETC.) WEIGHT PART NO. PART NO. (SEE PAGE 1) (DO. 25163564 16204850/16234863 17096100. A4 3375 S10603+E62 17096306 S10603+E63 S10803+E63 JS10603+E63 \$10653+E62 3500 S10653+E63 JS10653+E63 11A 16204850/16251143 16204850/16255003 11B 16204850/16258713 11C 16204850/16263023 11D CARLINE CODE CARLINE NAME S10 PICKUP 2WD 55082 80072 SONOMA 2WD 84020 HOMBRE P/U 2WD

ISSUED: ML-VP102 REVISED: ML-VR055, ML-VR082, ML-VR095, ML-VR114, ML-VR095A, ML-VR126

17-VGM2.218G1EK-2 (1997)

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP	. ENGINE FAMILY: VGM2.218G1EK	EVAP FAMILY: VGM1095AMEA
--------------------------	-------------------------------	--------------------------

ENG CODE (LOC)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST <u>WEIGHT</u>	IGNITION (PCM/CALIB PART NO.)	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
12	12 S10603+E62 S10603+E63 JS10603+E63 S10803+E63 S10653+E62	A4	3375	16204850/16234863	17096100, 17096306	25163564
			3500			
	S10653+E63 JS10653+E63		3625			
12A				16204850/16251143		
12B 12C				16204850/16255003 16204850/16258713		
12D				16204850/16263023		
13	S10603+E62 JS10603+E63 S10603+E63 S10803+E63	M5	3250 3375	16214850/16234803		
3A	310003°E03			16214850/16251083		
В				16214850/16253123		
13C				16214850/16254943		
13D				16214850/16258693		
13E				16214850/16259983		
14	JS10603+E63 S10603+E62 S10603+E63 S10803+E63		3375	16214850/16234803		
14A				16214850/16251083		
14B				16214850/16253123		
14C				16214850/16254943		
14D				16214850/16258693 16214850/16259983		
14E				10214030/10235503		
	CARLINE N	IAME		CARLINE CODE		
	S10 PICKUP 2WD		55082			
SONOMA 2WD			80072			

CARLINE NAME	CARLINE CODE
S10 PICKUP 2WD	55082
SONOMA 2WD	80072
HOMBRE PU 2WD	84020

'SSUED: ML-VP102

REVISED: ML-VR055, ML-VR074, ML-VR082, ML-VR079, ML-VR114, ML-VR126

17-VGM2.218G1EK-3 (1997)

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: VGM2.218G1EK EVAP FAMILY: VGM1095AMEA

ENG CODE (LOC)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	IGNITION (PCM/CALIB PART NO.)	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
15	S10653+E62 S10653+E63 S10803+E63		3500	16214850/16234813	17096100, 17096306	25163564
15A 15B 15C 15D 15E	3100037203			16214850/16251113 16214850/16253143 16214850/16254973 16214850/16258703 16214850/16263013		
16	S10653+E62 S10653+E63 S10803+E63			16214850/16234813		
16A 16B 16C 16D 3E	0.0000 200			16214850/16251113 16214850/16253143 16214850/16254973 16214850/16258703 16214850/16263013		
17 17A 17B	JS10653+E63		3625	16214850/16257253 16214850/16258723 16214850/16253023		
18 18A 18B	JS10653+E63			16214850/16257253 16214850/16258723 16214850/16253023		

CARLINE NAME	CARLINE CODE
S10 PICKUP 2WD	55082
SONOMA 2WD	80072
HOMBRE PU 2WD	84020

ISSUED: ML-VR126

REVISED:

17-VGM2.218G1EK-3.1 (1997)

EMISSION DATA RATIOS TO BE USED FOR ASSEMBLY LINE TESTING

	34T6U051 (Config 000)	34T6U051 (Config 001)
NMHC* (G/MI)	0.0650	0.0701
NMOG (G/MI)	0.0675	0.0720
HCHO (G/MI)	0.0012	0.0013
NMOG:NMHC	1.0385	1.0271
HCHO:NMHC	0.0185	0.0185

Average NMOG:NMHC = 1.033

Average HCHO:NMHC = 0.018

Ratio established using Phase 2 emission certification fuel.

ISSUED: ML-VP058 REVISED: ML-VP219

17-VGM3.428G2EK-7 (1997)

^{*} NMHC includes methane response factor.