State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-762 Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year General Motors Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: VGM4.3HPG3EK Displacement: 4.3 Liters (262 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter
Dual Heated Oxygen Sensors
Heated Oxygen Sensors (two)
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gas (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) LEV certification exhaust emission standards for this engine family in grams per mile are:

Test Weight (1bs.)	<u>Miles</u>	NMOG	CO	NOx	НСНО	<u>CO (20⁰F)</u>
3751-5750	50,000	0.160	4.4	0.7	0.018	12.5
	120,000	0.230	6.4	1.0	0.027	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for NMOG reflect application of a 0.94 RAF for 1997 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Test Weight (1bs.)	Miles	NMOG	CO	NOx	НСНО	CO (20°F)
3751-5750	50,000	0.130	2.2	0.3	0.002	3.8
	120,000	0.176	2.7	0.4	0.003	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 20 day of May 1996.

R. B. Summerfield Assastant Division Ch

Assastant Division Chief Mobile Source Division

LIGHT DUTY TRUCK MODEL NUMBER DEFINITION

(Includes California Medium Duty Trucks)

E.O. #A-6-762

Example, Pattern A: CC10703+E62 Example, Pattern B: 1UM05

Digit 1 = Marketing Division

Pattern A

C = Chevrolet

T = GMC

H = Oldsmobile

G = Isuzu

Pattern B

1 = Chevrolet

2 = Pontiac

3 = Oldsmobile

Note: Digit 1 is only used for Pattern A models on engine family pages or California Supplemental Data Sheets when necessary to discriminate by division model.

Digit 2 = Chassis Type (all)

U = Conventional 4x2 Front Wheel Drive

C, S, M = Conventional 4x2 Rear Wheel Drive

G = Forward Control 4x2 Rear Wheel Drive

K, T, L = Conventional 4x4 Four Wheel Drive, All Wheel Drive

Digit 3 = Series/GVWR

Pattern A

1 = 11,15,1500/3500-7300

2 = 21,25,2500/6400-8600

3 = 31,35,3500/7100-14500

Pattern B

Letter code designates trim level

rather than series/GVWR.

Digits 4 & 5

Pattern A = Dimensional Grouping

05 = Utility: Tahoe (2Dr), Yukon (2Dr),

Blazer, Jimmy, Bravada

06 = S/T Short Box

07 = C/K Short Box, Tahoe (4Dr), Yukon (4Dr)

08 = S/T Long Box & Cab-Chassis

09 = C/K Long Box, Suburban

10 = M/L Long Body

14 = G Short Wheelbase

17 = G Long Wheelbase

Pattern B = Body Style

06 = Passenger (Venture, Trans Sport, Silhouette)

16 = Passenger (Venture, Trans Sport, Silhouette)

Dual Sliding Doors

Digits 6 & 7 = Body/Cab Codes (Pattern A Only)

03 = Conventional Cab, Cab-Chassis

05 = Cargo Van

06 = Passenger Van, 4 Door Special Purpose Vehicle

16 = 2 Door Special Purpose Vehicle

43 = Crew Cab

53 = Extended Cab

Pickup Body Codes (Optional, Used with Pattern A Only) +E62 = Stepside, Fenderside

+E63 = Fleetside, Wideside

ISSUED: ML-VP095

REVISED:

17-VGM4.3HPG3EK-1 (1997)

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: VG	M4.3HPG3EK EVAP FAMILY: VGM1111AYMBA						
ALL ENGINE CODES IN ENGINE FAMILY: CA(X) 49S() 50S() AB965()							
EXH STD: CA TIER-1() TLEV() LEV(X) ULEV() ZEV(); U.S. EPA TIER-1()							
EVAP STD: 50K(X) USEFUL LIFE WITH R/L(); IN-USE EXH STD: FULL() ALTERNATIVE(X)							
VEH CLASS(ES): PC() LDT1() LDT2() MDV1() MDV2(X) MDV3() MDV4() MDV5()							
SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA							
FUEL TYPE(S): DEDICATED () GASOLINE (X); EMISSION TEST FUEL(S): INDOLENE () PHASE 2 (X)							
SERVICE ACCUMULATION: STD AMA() MFR ADP(X); NMOG TEST PROCEDURE: NA() EQUIV(X)							
R/L TEST PROCEDURE: NA (X) PT SOURCE (); HYBRID TYPE: NA APU CYCLE: NA							
ENGINE CONFIGURATION: I4 () V6 (X) V8 () DISPLACEMENT: 4.3 LITERS / 262 CU. IN.							
VALVES / CYLINDER: 2(X) 4() RATED HP: 190 @ 4400 RPM							
ENGINE LOCATION: FRONT (X) DRIVE:	FWD() RWD() 4WD-FT(X) 4WD-PT()						
EXHAUST EMISSION CONTROL SYSTEM: LEGR, TWC, 2HO2S-HO2S(S), SFI							
RLHP / DPA VALUES: SECTION 08.13.02.00							
ENG EQUIV.	EGR CATALYTIC						
CODE VEH MODELS TRANS TEST (LOC) (SEE PAGE 1) (M5,A4,ETC.) WEIGHT (P							
(C)							
	6213175-PCM 17096188, 25161908 6204025PB-OPER 17096309						
	6237503-ENG 6204042, 16215610-TRANS						
	0204042, 10213010-11XAN3						
	6213175-PCM 6243345PF-OPER						
16	6243 462-ENG						
16	6243551, 16243552-TRANS						
	6243345PF-OPER						
10	6243496-ENG						
	6243345PF-OPER						
18	6243520-ENG						
	6256455PG-OPER						
16	6256256-ENG						
CARLINE NAME C. CHEVROLET ASTRO CARGO VAN AWD	ARLINE CODE						
CHEVROLET ASTRO CARGO VAN AWD CHEVROLET ASTRO PASSENGER VAN AWD	55047 55062						
GMC SAFARI CARGO VAN AWD GMC SAFARI PASSENGER VAN AWD	80037						
GIVIC SAFARI FASSENGER VAIV AVVID	80052						

ISSUED: ML-VP095

REVISED: ML-VR038, ML-VR047, ML-VR065, ML-VP178, ML-VP188, ML-VR103