

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-362
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That Chrysler Corporation 1997 model-year exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: VCR360H8G1EL Displacement: 5.2 Liters (318 Cubic Inches)
5.9 Liters (360 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter
Heated Oxygen Sensors (two)
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>	<u>Carbon</u> <u>Monoxide (20° F)</u>
3751-5750	50,000	0.32	4.4	0.7	12.5
	120,000	0.46	6.4	0.98	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>	<u>Carbon</u> <u>Monoxide (20° F)</u>
3751-5750	50,000	0.21	2.6	0.4	7.5
	120,000	0.23	3.2	0.53	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2nd day of July 1996.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1997 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Chrysler Corporation Exh Eng Fam: VCR360H8G1EL Evap Fam: VCR1073AYPOB / VCR1090AYPOB

All Eng Codes in Eng Fam: CA X 49S _____ 50S _____ AB965 _____
 Exh Std: CA Tier-1 X TLEV _____ LEV _____ ULEV _____ ZEV _____; US EPA Tier-1 _____
 Evap Std: 50K X Useful Life with R/L _____ In-Use Exh Std: Full In Use X Alt In Use _____
 Veh Class(es): PC _____ LDT1 _____ LDT2 _____ MDV1 _____ MDV2 X MDV3 _____ MDV4 _____ MDV5 _____
 Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Fuel Type(s): Dedicated X Flex-Fuel _____ Dual-Fuel _____ Bi-Level _____ Gasoline X Diesel _____
 CNG _____ LNG _____ LPG _____ M85 _____ Other (specify) _____
 Emis Test Fuel(s): Indo _____ Ph2 X CNG _____ LPG _____ M85 _____ Other(specify) _____
 Diesel: 13 CCR 2282 _____ or 40 CFR 86.113-90 _____ or 40 CFR 86.113-94 _____
 Service Accum: Std AMA _____ Mod AMA X Mfr ADP _____ Other (Specify) _____
 NMOG Test Procedure: N/A X Std _____ Equip _____ R/L Test Proce: SHED _____ Pt Source _____
 Hybrid: Type A _____ B _____ C _____, APU Cycle (e.g., Otto, Diesel, Turbine) _____
 Engine Configuration: V-8 Displacement: 5.2 / 5.9 Liters 318 / 360 Cubic Inches
 Valves per Cylinder: 2 Rated HP: 215 / 230 @ 4000/4000 RPM
 Engine: Front X Mid _____ Rear _____ Drive: Fwd _____ 4WD-FT _____ 4WD-PT X
 Exhaust ECS (eg., EGR, MFI, TC, CAC): TWC, HO2S(2), OBD II, SFI
 (use abbreviations per SAE J1930 SEP91)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.*	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100 (CA)	AB1L12 AB2L11	A3	5250	S E E A T T A C H E D	56040059D		52022022
	AB2L12 AB2L13		5500				
CA-200 (CA)	AB1L12 AB1L51 AB2L11	A4	5250		56040057D		
	AB2L12 AB2L13 AB2L52		5500				

* Test weights reflect ALVW.
Date Issued: 5/28/96

Revisions: 06/26/96 _____

1997 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
 PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES
 (cont'd.)

Manufacturer: Chrysler Corporation Exh Eng Fam: VCR360H8G1E1 Evap Fam: VCR1073AYP08
VCR1090AYP08

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.*	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-300 (CA)	AB2L12 AB2L52	A4	5500	SEE ATTACHMENT	56040073	None	52022022
CA-400 (CA)	BR1L31 BR1L32 BR1L61 BR1L62		5500		56040070D		52103198
CA-500 (CA)	BR6L61 BR6L62		5500				
CA-600 (CA)	BR1L31 BR1L32 BR1L61 BR1L62		5500		56040077		
CA-700 (CA)	BR6L61 BR6L62		5500				
CA-800 (CA)	AN1L61 AN1L62		5000		56040134A		52109300
CA-850 (CA)	AN1L61 AN1L62		5000				

* Test Weights reflect ALW.

Date Issued: 5/28/96

Revisions: 06/26/96

TH04-SDS/97

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: VCR360H8G1EL
Evaporative Fam: VCR1073AYPOB

Certificate #:

Model ID	Car Line	California Sales
BR1L31	Ram 1500 Pickup 2WD	YES
BR1L32	Ram 1500 Pickup 2WD	YES
BR1L61	Ram 1500 Pickup 2WD	YES
BR1L62	Ram 1500 Pickup 2WD	YES
BR6L61	Ram 1500 Pickup 4WD	YES
BR6L62	Ram 1500 Pickup 4WD	YES
AB1L12	Ram Van 1500 2WD	YES
AB2L12	Ram Van 2500 2WD	YES
AB2L13	Ram Van 2500 2WD	YES
AB2L11	Ram Van 2500 2WD	YES
AB1L51	Ram Wagon 1500 2WD	YES
AB2L52	Ram Wagon 2500 2WD	YES

Model Codes
BR 2 L 62

1st digit:
3=Club Cab
6=Regular Cab

2nd digit:
1=119" or 139" wb
2=135" or 155" wb
3=139" wb Chassis Cab
4=163" wb Chassis Cab

Price Class
L=Covers all trim levels
C=Chassis Cab

Model:
1=1500
2=2500
3=3500

Body Code:
Ram Pickup
Ram Club Cab
Ram Chassis Cab

Model Codes
AB 1 L 11

1st digit:
1=Van
5=Wagon

2nd digit:
1=109.8" wb
2=127.6" wb
3=127.6" maxi wb

Price Class

Model:
1=B1500
2=B2500
3=B3500

Body Code:
Vans
Wagons

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER Engine Family: VCR360H801E1 Certificate #: California
Evaporative Fam: VCR1090AYP08

Model ID	Car Line	California Sales
AN1L61	Dakota Pickup 2WD	YES
AN1L62	Dakota Pickup 2WD	YES

Model Codes
AN 1 L 31

1st digit:	2nd digit:
3-Club Cab	1-119" or 130.9" wb
6-Regular Cab	2-123.9" wb

Price Class

Model:
1-2 wheel drive
5-4 wheel drive

Body Code:
Dakota Pickup

Chrysler Corporation
Family Tire Usage

1987
VCR360H01EL

ADJUSTED LOADED VEHICLE WGT

LOADED VEHICLE WEIGHT

MODEL	ENG	TRANS	A	MKT	GVW	TYPE	LVW	TIRE DESCRIPTION	USE	YR	COD	MFG	OPT	COAST	TIRE			COLD CO	ELECTRIC DYMO COEFFICIENTS			COAST	TIRE		
															DOWN	"DYMO	PRES		TARGET A	B	C		SET A	B	C
ALYV	TIME	HP	F	R	HP	F	R	LINE 1	IS	20	DEG	COEFFS.	LINE 2	IS	50	DEG	WHEN	NEEDED	ALYV	TIME	HP	F	R		
AB1112	ELF	DGH	RW	Y	8010	C	4500	STD 97 TSC TZH						13.18	16.5	35	35	13.18	16.5	35	35	15.22	15.5	35	35
								OPT 97 TSF TZA						12.83	16.9	35	35	12.83	16.9	35	35	14.53	16.5	35	35
								OPT 97 TW9 TZA						12.48	15.3	35	35	12.48	15.3	35	35	13.78	14.1	35	35
AB1112	ELF	DGT	RW	Y	8010	C	4750	STD 97 TSC TZH						13.87	16.6	35	35	13.87	16.6	35	35	15.22	15.5	35	35
								OPT 97 TSF TZA						13.50	17.0	35	35	13.50	17.0	35	35	14.53	16.5	35	35
								OPT 97 TW9 TZA						13.11	15.4	35	35	13.11	15.4	35	35	13.78	14.1	35	35
AB1151	ELF	DGT	RW	Y	8010	C	5000	STD 97 TSC TZH						14.39	15.9	35	35	14.39	15.9	35	35	15.22	15.5	35	35
								OPT 97 TSD TZA						13.98	16.4	35	35	13.98	16.4	35	35	14.53	16.5	35	35
								OPT 97 TSD TZH						14.39	15.9	35	35	14.39	15.9	35	35	14.53	16.5	35	35
								OPT 97 TSF TZA						13.98	16.4	35	35	13.98	16.4	35	35	14.53	16.5	35	35
								OPT 97 TW9 TZA						13.58	14.2	35	35	13.58	14.2	35	35	13.78	14.1	35	35
AB2L11	ELF	DGH	RW	Y	8400	C	4500	STD 97 TSC TZH						13.18	16.5	35	35	13.18	16.5	35	35	15.22	15.5	35	35
								OPT 97 TSD TZA						12.83	16.9	35	35	12.83	16.9	35	35	14.53	16.5	35	35
								OPT 97 TSD TZH						13.18	16.5	35	35	13.18	16.5	35	35	14.53	16.5	35	35
								OPT 97 TSF TZA						12.83	16.9	35	35	12.83	16.9	35	35	14.53	16.5	35	35
								OPT 97 TW9 TZA						12.48	15.3	35	35	12.48	15.3	35	35	13.78	14.1	35	35
AB2L11	ELF	DGT	RW	Y	8400	C	4750	STD 97 TSC TZH						13.87	16.6	35	35	13.87	16.6	35	35	15.22	15.5	35	35
								OPT 97 TSD TZA						13.50	17.0	35	35	13.50	17.0	35	35	14.53	16.5	35	35
								OPT 97 TSD TZH						13.87	16.6	35	35	13.87	16.6	35	35	14.53	16.5	35	35
								OPT 97 TSF TZA						13.11	15.4	35	35	13.11	15.4	35	35	13.78	14.1	35	35
AB2L12	ELF	DGH	RW	Y	8400	C	4750	STD 97 TSC TZH						13.87	16.6	35	35	13.87	16.6	35	35	15.22	15.5	35	35
								OPT 97 TSD TZA						13.50	17.0	35	35	13.50	17.0	35	35	14.53	16.5	35	35
								OPT 97 TSD TZH						13.87	16.6	35	35	13.87	16.6	35	35	14.53	16.5	35	35
								OPT 97 TSF TZA						13.50	17.0	35	35	13.50	17.0	35	35	14.53	16.5	35	35
								OPT 97 TW9 TZA						13.11	15.4	35	35	13.11	15.4	35	35	13.78	14.1	35	35
AB2L12	ELF	DGT	RW	Y	8400	C	4750	STD 97 TSC TZH						13.87	16.6	35	35	13.87	16.6	35	35	15.22	15.5	35	35
								OPT 97 TSD TZA						13.50	17.0	35	35	13.50	17.0	35	35	14.53	16.5	35	35
								OPT 97 TSD TZH						13.87	16.6	35	35	13.87	16.6	35	35	14.53	16.5	35	35
								OPT 97 TSF TZA						13.50	17.0	35	35	13.50	17.0	35	35	14.53	16.5	35	35
								OPT 97 TW9 TZA						13.11	15.4	35	35	13.11	15.4	35	35	13.78	14.1	35	35
AB2L12	ELF	DGT	RW	Y	8400	C	4750	STD 97 TSC TZH						13.87	16.6	35	35	13.87	16.6	35	35	15.22	15.5	35	35
								OPT 97 TSD TZA						13.50	17.0	35	35	13.50	17.0	35	35	14.53	16.5	35	35
								OPT 97 TSD TZH						13.87	16.6	35	35	13.87	16.6	35	35	14.53	16.5	35	35
								OPT 97 TSF TZA						13.50	17.0	35	35	13.50	17.0	35	35	14.53	16.5	35	35
								OPT 97 TW9 TZA						13.11	15.4	35	35	13.11	15.4	35	35	13.78	14.1	35	35
AB2L12	ELF	DGT	RW	Y	8400	C	4750	STD 97 TSC TZH						13.87	16.6	35	35	13.87	16.6	35	35	15.22	15.5	35	35
								OPT 97 TSD TZA						13.50	17.0	35	35	13.50	17.0	35	35	14.53	16.5	35	35
								OPT 97 TSD TZH						13.87	16.6	35	35	13.87	16.6	35	35	14.53	16.5	35	35
								OPT 97 TSF TZA						13.50	17.0	35	35	13.50	17.0	35	35	14.53	16.5	35	35
								OPT 97 TW9 TZA						13.11	15.4	35	35	13.11	15.4	35	35	13.78	14.1	35	35

Report Date: 06/05/86
Time: 10:15:52

/ 10. - TH04 - 400 /

* - For DYMO HP = 0.00
Ref To FRONTAL AREA

Chrysler Corporation
Family Tire Usage

1997
VCR360H8GT1EL

ADJUSTED LOADED VEHICLE WGT

LOADED VEHICLE WEIGHT

MODEL	ENG	TRANS	A	MKT	TIRE DESCRIPTION	USE YR	COD	MFG	OPT	COAST	TYRE			COEFFICIENTS			ALYV	COAST	TYRE			
											DOWN	"DYNO	PRES	TARGET A	B	C			SET A	B	C	DOWN
			C	GVW	TYPE	LVM				TIME	HP	F	R	F	R	F	R	TIME	HP	F	R	
AB2L12	EML	DGT	RM	Y	6800	C				4750	OPT	97	TSD	TZH	13.87	18.6	35	35	15.75	15.3	35	35
											OPT	97	TSF	TZA	13.50	17.0	35	35	15.01	16.3	35	35
											OPT	97	TW8	TZA	13.11	15.4	35	35	14.25	13.5	35	35
											STD	97	TSC	TZH	13.87	18.6	35	35	15.75	15.3	35	35
											OPT	97	TSD	TZA	13.50	17.0	35	35	15.01	16.3	35	35
											OPT	97	TSD	TZH	13.87	16.6	35	35	15.75	15.3	35	35
											OPT	97	TSF	TZA	13.11	15.4	35	35	14.25	13.5	35	35
											OPT	97	TW8	TZA	13.50	17.0	35	35	15.01	16.3	35	35
											STD	97	TSC	TZH	13.87	16.6	35	35	15.75	15.3	35	35
											OPT	97	TSD	TZA	13.50	17.0	35	35	15.01	16.3	35	35
											OPT	97	TSF	TZA	13.87	18.6	35	35	15.75	15.3	35	35
											OPT	97	TW8	TZA	13.11	15.4	35	35	14.25	13.5	35	35
											STD	97	TSC	TZH	14.39	15.9	35	35	15.01	16.3	35	35
											OPT	97	TSD	TZA	13.98	16.4	35	35	15.75	15.3	35	35
											OPT	97	TSF	TZA	14.39	15.9	35	35	15.01	16.3	35	35
											OPT	97	TW8	TZA	13.98	16.4	35	35	15.75	15.3	35	35
											OPT	97	TSC	TZH	13.58	14.2	35	35	14.25	13.5	35	35
											STD	97	TSC	TZH	14.87	18.0	35	35	15.01	16.3	35	35
											OPT	97	TSD	TZH	14.41	18.5	35	35	15.75	15.3	35	35
											OPT	97	TSD	TZH	14.87	18.0	35	35	15.75	15.3	35	35
											OPT	97	TSF	TZA	14.41	18.5	35	35	15.01	16.3	35	35
											OPT	97	TW8	TZA	14.01	14.2	35	35	14.25	13.5	35	35
											STD	97	TSC	TZH	15.41	16.2	35	35	15.75	15.3	35	35
											OPT	97	TSD	TZA	14.92	16.7	35	35	15.01	16.3	35	35
											OPT	97	TSD	TZH	15.41	18.2	35	35	15.75	15.3	35	35
											OPT	97	TSF	TZA	14.92	16.7	35	35	15.01	16.3	35	35
											OPT	97	TW8	TZA	14.50	14.3	35	35	14.25	13.5	35	35
											STD	97	TS1	TZA	12.31	14.8	35	35	14.61	12.9	35	35
											STD	97	TS1	TZA	12.50	14.7	35	35	14.61	12.9	35	35
											STD	97	TS1	TZA	12.31	14.8	35	35	14.61	12.9	35	35
											STD	97	TS1	TZA	12.50	14.7	35	35	14.61	12.9	35	35
											STD	97	TRY	TZA	14.80	15.4	35	35	15.98	15.0	35	35
											OPT	97	TYF	TZA	14.99	15.4	35	35	16.09	15.2	35	35
											OPT	97	TYG	TZA	14.67	15.7	35	35	15.73	15.7	35	35
											OPT	97	TYK	TZA	14.57	15.9	35	35	15.71	15.4	35	35
											STD	97	TRY	TZA	14.80	15.4	35	35	15.98	15.0	35	35
											OPT	97	TYF	TZA	14.98	15.4	35	35	16.09	15.2	35	35
											OPT	97	TYG	TZA	14.67	15.7	35	35	15.73	15.7	35	35
											OPT	97	TYK	TZA	14.57	15.9	35	35	15.71	15.4	35	35
											STD	97	TRY	TZA	14.80	15.4	35	35	15.98	15.0	35	35
											OPT	97	TYF	TZA	14.98	15.4	35	35	16.09	15.2	35	35
											OPT	97	TYG	TZA	14.67	15.7	35	35	15.73	15.7	35	35
											OPT	97	TYK	TZA	14.57	15.9	35	35	15.71	15.4	35	35
											STD	97	TRY	TZA	14.80	15.4	35	35	15.98	15.0	35	35
											OPT	97	TYF	TZA	14.98	15.4	35	35	16.09	15.2	35	35
											OPT	97	TYG	TZA	14.67	15.7	35	35	15.73	15.7	35	35
											OPT	97	TYK	TZA	14.57	15.9	35	35	15.71	15.4	35	35

Report Date: 06/05/96
Time: 10:15:52

/ 10 - TH04 - 401 /

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

ADJUSTED LOADED VEHICLE WGT

LOADED VEHICLE WEIGHT

MODEL	ENG TRANS	A	MKT	TIRE DESCRIPTION	USE YR	COD	MFG	OPT	COAST			TIRE			TARGET A	B	C	COLD CO	ELECTRIC	DYNO COEFFICIENTS	SET A	B	C	ALYM	TIME	COAST	DOWN	DYNO	PRES
									TIME	HP	F	R	HP	F															
BR1L32	EML	DGT	RW	Y	6400	C	5250		OPT 97	TYK	TZA	14.57	15.9	35	35										15.71	15.4	35	35	
									STD 97	TRY	TZA	15.41	15.4	35	35									5500	15.98	15.0	35	35	
									OPT 97	TYF	TZA	15.64	15.4	35	35										18.08	15.2	35	35	
									OPT 97	TYG	TZA	15.30	15.6	35	35										15.73	15.7	35	35	
									OPT 97	TYK	TZA	15.20	16.0	35	35										15.71	15.4	35	35	
BR1L61	ELF	DGT	RW	Y	6400	C	4750		STD 97	TRY	TZA	14.37	15.2	35	35									5500	15.98	15.0	35	35	
									OPT 97	TYF	TZA	14.50	15.3	35	35										18.08	15.2	35	35	
									OPT 97	TYG	TZA	14.20	15.7	35	35										15.73	15.7	35	35	
									OPT 97	TYK	TZA	14.10	15.9	35	35										15.71	15.4	35	35	
BR1L62	ELF	DGT	RW	Y	6400	C	4750		STD 97	TRY	TZA	14.37	15.2	35	35									5500	15.98	15.0	35	35	
									OPT 97	TYF	TZA	14.50	15.3	35	35										18.08	15.2	35	35	
									OPT 97	TYG	TZA	14.20	15.7	35	35										15.73	15.7	35	35	
									OPT 97	TYK	TZA	14.10	15.9	35	35										15.71	15.4	35	35	
BR1L62	ELF	DGT	RW	Y	6400	C	4750		STD 97	TRY	TZA	14.37	15.2	35	35									5500	15.98	15.0	35	35	
									OPT 97	TYF	TZA	14.50	15.3	35	35										18.08	15.2	35	35	
									OPT 97	TYG	TZA	14.20	15.7	35	35										15.73	15.7	35	35	
									OPT 97	TYK	TZA	14.10	15.9	35	35										15.71	15.4	35	35	
BR6L61	ELF	DGT	4W	Y	6400	C	5000		STD 97	TWA	TZH	12.61	15.8	40	35									5500	13.63	14.4	50	50	
									OPT 97	TAE	TZA	12.04	15.9	35	35										12.61	15.7	40	40	
									OPT 97	TAW	TZA	13.02	15.3	35	35										13.74	15.1	45	45	
									OPT 97	TYK	TZA	12.68	16.7	35	35										13.85	15.5	50	50	
									OPT 97	TYL	TZA	12.23	16.8	35	35										13.37	15.5	45	45	
									OPT 97	TYM	TZA	12.23	16.8	35	35										13.37	15.5	45	45	
									OPT 97	TYW	TZA	13.25	16.1	35	35										14.38	15.9	50	50	
BR6L61	EML	DGT	4W	Y	6400	C	5250		STD 97	TWA	TZH	13.17	15.7	40	35									5500	13.63	14.4	50	50	
									OPT 97	TAE	TZA	12.58	15.9	35	35										12.61	15.7	35	35	
									OPT 97	TAW	TZA	13.60	15.4	35	35										13.74	15.1	35	35	
									OPT 97	TYK	TZA	13.28	16.8	35	35										13.85	15.5	35	35	
									OPT 97	TYL	TZA	12.78	16.9	35	35										13.37	15.5	35	35	
									OPT 97	TYM	TZA	12.78	16.9	35	35										13.37	15.5	35	35	
									OPT 97	TYW	TZA	13.85	16.2	35	35										14.38	15.9	35	35	
BR6L62	ELF	DGT	4W	Y	6400	C	5250		STD 97	TWA	TZH	13.17	15.7	40	35									5500	13.63	14.4	50	50	
									OPT 97	TAE	TZA	12.58	15.9	35	35										12.61	15.7	40	40	
									OPT 97	TAW	TZA	13.60	15.4	35	35										13.74	15.1	45	45	
									OPT 97	TYK	TZA	13.28	16.8	35	35										13.85	15.5	45	45	
									OPT 97	TYL	TZA	12.78	16.8	35	35										13.37	15.5	45	45	
									OPT 97	TYM	TZA	12.78	16.8	35	35										13.37	15.5	45	45	
									OPT 97	TYW	TZA	13.85	16.2	35	35										14.38	15.9	35	35	

67.34 -2.3500 0.0733

For DYNO HP = 0.00
Ref To FRONTAL AREA

10. - TH04 - 402 /

Report Date: 06/05/96
Time: 10:15:52

Chrysler Corporation
Family Tire Usage

1997
VCR360H801EL

ADJUSTED LOADED VEHICLE WGT

LOADED VEHICLE WEIGHT

MODEL	ENG TRANS	A C	MKT GYW TYPE	LW	TIRE DESCRIPTION USE YR COD MFG OPT	COAST		*DYNO		TIRE		COLD CO ELECTRIC DYNO COEFFICIENTS			COAST		*DYNO		TIRE					
						DOWN	TIME	HP	F	R	TARGET A	B	C	SET A	B	C	DOWN	TIME	HP	F	R	ALVW	HP	F
BR6L82	EML	DGT	4W	Y	6400	C	5250	13.17	15.7	40	35	13.17	15.7	40	35	13.83	14.4	40	35	5500	13.83	14.4	40	35
								12.58	15.9	35	35					12.61	15.7	35	35					
								13.60	15.4	35	35					13.74	15.1	35	35					
								13.28	16.8	35	35					13.85	15.5	35	35					
								12.78	16.9	35	35					13.37	15.5	35	35					
								12.78	16.9	35	35					13.37	15.5	35	35					
								13.85	16.2	35	35					14.39	15.9	35	35					

Report Date: 06/05/96
Time: 10:15:52

/ 10. - TH04 - 403 /

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

Chrysler Corporation
FAMILY TIRE DESCRIPTION

1987
YCR360H8G1EL

TIRE DESCRIPTION VR COD MFG OPT NAME	SIZE	RPM	CONSTRUCTION COD TREAD MATERIAL	P L		P L		P L		TREAD DEPTH (IN.)
				Y	L	Y	L	Y	L	
97 TRY TZA	WRANGLER AP (A/S)	711	SBR 2-Steel/2-Polyester	4	BSW Polyester	2	None	0	11	
97 TS1 TZA	WRANGLER RTS (A/T)	719	SBR 2-Steel/2-Polyester	4	BSW Polyester	2	None	0	13	
97 TSC TZH	XW4 (A/S)	720	SBR 2-Steel/2-Polyester	4	BSW Polyester	2	None	0	10	
97 TSD TZA	INVICTA-GL (A/S)	724	SBR 2-Steel/2-Polyester	4	BSW Polyester	2	Nylon	1	10	
97 TSD TZH	XW4 (A/S)	720	SBR 2-Steel/2-Polyester	4	BSW Polyester	2	None	0	10	
97 TSF TZA	INVICTA-GL (A/S)	724	SBR 2-Steel/2-Polyester	4	OWL Polyester	2	None	0	10	
97 TW9 TZA	WRANGLER AT (A/S)	716	SBR 2-Steel/2-Polyester	4	BSW Polyester	2	None	0	13	
97 TWA TZH	LTK (A/S)	712	SBR 2-Steel/2-Polyester	4	BSW Polyester	2	None	0	13	
97 TXE TZA	WRANGLER (A/T)	661	SBR 2-Steel/2-Polyester	4	OWL Polyester	2	None	0	17	
97 TXP TZA	EAGLE GT II (A/SP)	697	SBR 2-Steel/2-Polyester	4	BSW Polyester	2	Nylon	2	11	
97 TXW TZA	WRANGLER RTS A/T	660	SBR 2-Steel/2-Polyester	4	BSW Polyester	2	None	0	11	
97 TYF TZA	WRANGLER AP (A/S)	687	SBR 2-Steel/2-Polyester	4	BSW Polyester	2	None	0	12	
97 TYG TZA	WRANGLER AP (A/S)	687	SBR 2-Steel/2-Polyester	4	OWL Polyester	2	None	0	12	
97 TYK TZA	WRANGLER RT/S(A/S)	683	SBR 2-Steel/2-Polyester	4	BSW Polyester	2	None	0	14	
97 TYL TZA	WRANGLER RT/S(A/T)	679	SBR 2-Steel/2-Polyester	4	BSW Polyester	2	None	0	16	
97 TYM TZA	WRANGLER AT (A/T)	679	SBR 2-Steel/2-POLYESTER	4	OWL Polyester	2	None	0	16	
97 TYW TZA	WRANGLER RTS A/S	687	SBR 2-Steel/2-Polyester	4	BSW Polyester	2	None	0	11	

Report Date: 06/05/86
Time: 10:15:52

/ 10 - TH04 - 404 /