

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-100  
Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Fuji Heavy Industries, Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: VFJ2.2VJGKEK Displacement: 2.2 Liters (135 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Three Way Catalytic Converters (two)
- Heated Oxygen Sensors (two)
- Sequential Multiport Fuel Injection
- Exhaust Gas Recirculation (Automatic Transmission Models Only)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.14	1.5	0.2	5.1
100,000	0.16	1.7	0.2	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gases (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 29<sup>th</sup> day of May 1996.



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Fuji Heavy Industries Ltd. Exh Engine Family: VFJ2.2VJGKEK (System #1)  
 Evap Std: 50K  Useful Life with R/L      Evap Engine Family: VFJ1030BYMA3  
 Exh Std: Tier-0      Tier-1  TLEV      LEV      ULEV      ZEV     ; EPA Tier-0      Tier-1   
 Veh Class(es): PC  LDT1      LDT2      MDV1      MDV2      MDV3      MDV4      MDV5       
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)  
 Exh Cert Fuel(s): Indo  Ph2      Diesel: 13 CCR 2282      or 40 CFR 86.113-90      or -94       
                   M85      CNG      LPG      Other (specify)       
 Fuel Type(s): Dedicated  Flex-Fuel      Dual-Fuel      Gasoline  Diesel      M85       
                   CNG      LNG      LPG      Other (specify)       
 Hybrid: Type A      B      C     , APU Cycle (e.g., Otto, Diesel, Turbine)       
 Engine Configuration: H04 Displacement: 2.2 / Liters 135 / Cubic Inches  
 Engine: Front  Mid      Rear      Drive: FWD      RWD      4WD-FT  4WD-PT       
 Exhaust ECS (eg., EGR, MFI, TC, CAC): HO2S(2), TWC(2), SFI  
 (use abbreviations per SAE J1930 SEP91)

Engine Code	Vehicle Models	Trans. Type: A-Auto M-Man.	ETW	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
CA/49ST /50ST							
V2.2BFMA (50ST)	IMPENZA 2D AWD L	M-5	3000	7.4	Electronic Control Unit: Fuji's Part No. 22611AC830 22611AC831 (R/C #97-2)	None	Fuji's Part No. Front: 20805AA670 Rear: 20805AA570
	IMPENZA 4D AWD L			7.5			
	IMPENZA SW AWD L		3125	8.8			
	IMPENZA SW AWD Outback						

The vehicles with 49ST engine code are not listed in above table.

Date Issued: 3/22/'96

Revisions: 006-7/01/'96

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Fuji Heavy Industries Ltd. Exh Engine Family: VFJ2.2VJGKEK (System #2)  
 Evap Std: 50K  Useful Life with R/L \_\_\_\_\_ Evap Engine Family: VFJ103OBYMA3  
 Exh Std: Tier-0 \_\_\_\_\_ Tier-1  TLEV \_\_\_\_\_ LEV \_\_\_\_\_ ULEV \_\_\_\_\_ ZEV \_\_\_\_\_ ; EPA Tier-0 \_\_\_\_\_ Tier-1   
 Veh Class(es): PC  LDT1 \_\_\_\_\_ LDT2 \_\_\_\_\_ MDV1 \_\_\_\_\_ MDV2 \_\_\_\_\_ MDV3 \_\_\_\_\_ MDV4 \_\_\_\_\_ MDV5 \_\_\_\_\_  
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)  
 Exh Cert Fuel(s): Indo  Ph2 \_\_\_\_\_ Diesel: 13 CCR 2282 \_\_\_\_\_ or 40 CFR 86.113-90 \_\_\_\_\_ or -94 \_\_\_\_\_  
 M85 \_\_\_\_\_ CNG \_\_\_\_\_ LPG \_\_\_\_\_ Other (specify) \_\_\_\_\_  
 Fuel Type(s): Dedicated  Flex-Fuel \_\_\_\_\_ Dual-Fuel \_\_\_\_\_ Gasoline  Diesel \_\_\_\_\_ M85 \_\_\_\_\_  
 CNG \_\_\_\_\_ LNG \_\_\_\_\_ LPG \_\_\_\_\_ Other (specify) \_\_\_\_\_  
 Hybrid: Type A \_\_\_\_\_ B \_\_\_\_\_ C \_\_\_\_\_, APU Cycle (e.g., Otto, Diesel, Turbine) \_\_\_\_\_  
 Engine Configuration: H04 Displacement: 2.2 / \_\_\_\_\_ Liters 135 / \_\_\_\_\_ Cubic Inches  
 Engine: Front  Mid \_\_\_\_\_ Rear \_\_\_\_\_ Drive: FWD \_\_\_\_\_ RWD \_\_\_\_\_ 4WD-FT  4WD-PT \_\_\_\_\_  
 Exhaust ECS (eg., EGR, MFI, TC, CAC): EGR, HO2S(2), TWC(2), SFI  
 (use abbreviations per SAE J1930 SEP91)

Engine Code (CA/49ST /50ST)	Vehicle Models	Trans. Type: A-Auto M-Man.	ETW	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
V2.2BFAA (50ST)	IMPREZA 2D AWD L	A-4	3125	7.6	Electronic Control Unit: Fuji's Part No. 22611AC830	EGR Valve: Mitsubishi K005T75073 Fuji's Part No. 14710AA611	Fuji's Part No. Front: 20805AA670 Rear: 20805AA570
	IMPREZA 2D AWD Brighton						
	IMPREZA 4D AWD L						
	IMPREZA SW AWD L		3250	8.0	22611AC831 (R/C #97-2)		
	IMPREZA SW AWD Outback			8.2			

#The vehicles with 49ST engine code are not listed in above table.

Date Issued: 3/22/'96  
Revisions: 006-7/01/'96