(Page 1 of 3)

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-10-703 Relating to Certification of New Motor Vehicles

## FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That Ford Motor Company 1997 model-year exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: VFM3.028G1GK Displacement: 3.0 Liters (183 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converters (two)
Dual Heated Oxygen Sensors
Heated Oxygen Sensor
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle	<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon	
Weight (lbs.)		<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20<sup>0</sup>F)</u>	
3751-5750	50,000	0.32	4.4	0.7	12.5	
	100,000	0.40	5.5	0.97	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.) 3751-5750	Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen Oxides	Carbon <u>Monoxide (20<sup>0</sup>F)</u>	
	50,000 100,000	0.10 0.12	$\frac{1.1}{1.1}$	0.09 0.09	2.8 n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gases (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2nd day of July 1996.

Assistant Division Chief Mobile Source Division

Ropland Summerty

E.O.#A-10-703

## 1997 MODEL YEAR SUPPLEMENTAL DATA SHEET EXHAUST/EVAPORATIVE SYSTEM & CALIFORNIA REQUIREMENTS PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Migr. FORD	MOTOR COMPANY	Ex	haust En	gine Fa	mily: VFM3.	. 028G1GK/V	2 020
Engine Code	Types: CA <u>X</u> 49S_	50s				. 02001GR (V.	3.020)
Evap Emission	ns Family: VFM104	SAYPBA					
Exh Std: Tie	r-0 Tier-1_X	TLEVLEV	√ ULE	ev :	ZEV FDA	TTED_A	<b>8</b> 777 4
Evap Std: 50	OK <u>X</u> Useful Lif	e with R/L	In-Use	Exh Sto	d: Full In H	11EK-U	T1ER-1
Veh Class(es)	: PC LDT1	LDT2 X MD	√1 MI	)V2	MDV3 M	DIN YE	in Use
Single Cert S	td for Multi-Cla	ss Eng Fam: N	 I/A (s	pecify:	N/A. I.DT1 :	MDV1 MDV2	VD
Exh Cert Fuel	(s): Indo X Ph	<pre>Diesel:</pre>	13 CCP 2	292	a. 40000 as	MDVI, MDVZ,	MDV3,MDV4)
Fuel Type(s):	M85 CN Dedicated	GLPG_ Flex Fuel	Other (s	pecify)	or 40CFR 86.	.113-90	or -94
Hybrid: Type	Dedicated  Gasoline X D  A B C	iesel M85 _, APU Cycl	CNG_ .e (eg,	LPG Otto,	Other Diesel. Turk	(specify)_	
PDMINA CAMELA		_					
Engine: Fron	V-Block Disp 2 t_X Mid_ Rea	Rat ar Dri	ed HP: ve: Fwd	140 @ RW	5000 RPM	г <i>Ам</i> р-:	Dm
Exhaust Contro	ol System and Spe	cial Features	TWC(2)Ho	 02S. EG	R SET 240	·	
		•	(Use a	bbrevia	tions per SA	AE J1930 SI	EP91)
Engine Code (also list	Vehicle Models	Trans. Type	ETW	DPA	Ignition	EGR	Catalogic
CA/49ST/50ST	(if coded see attachment)	A-Automatic M-Manual	or Test Wt	or RLHP	(ECM/PCM)	System	Catalytic   Converter   Part No.
756TR00N	Aerostar CW 2W	D A(DI)	4000	10.2		<u> </u>	<u> </u>
756TR00A	Aerostar CW 2W		4000	$10.2 \\ 11.2$	F79C-BA		
756TR00N	Aerostar XW 2W	D A(DI)	4250	10.2		alt:	
756TR00A	Aerostar XW 2W			11.2		F37E-CA	F69A-ANA
756TR00N	Aerostar RV 2W	D A(DU)		10.2			
756TR00A	Aerostar RV 2W			11.2			
756TR05N	Aerostar CW 2W	D A(DI)	4000	10.0	<b></b>		
756TR05A	Aerostar CW 2W	D A(DI)	4000	10.2	F79F-BB		F79A-ZB
756TR05N	Aerostar XW 2W		4250	11.2		alt:	alt:
756TR00A	Aerostar XW 2W			10.2		F37E-CA	F69A-ANA
756TR00N	Aerostar RV 2WI	A(DU)	4250	11.2			
756TR00A	Aerostar RV 2WI	D A(DU)	3750 3750	10.2 11.2			
756TR10N	larostr - ou o	•					
756TR10A	Aerostar CW 2WI		4000	10.2	F79F-BC	F87E-AA	F79A-ZB
756TR10A 756TR10N	Aerostar CW 2WI	,,	4000	11.2		alt:	alt:
756TR10A	Aerostar XW 2WI	,,	4250	10.2		F37E-CA	F69A-ANA
	Aerostar XW 2WI	A(DU)	4250	11.2		TO THE CM	r dya-ana
756TR10N	Aerostar RV 2WD	A(DU)	3750	10.2			
756TR10A	Aerostar RV 2WD	A (DU)	3750	11.2			

Engine Family: <u>V3.02C</u>

Issue Date: 5-07-96

Revised:7-18-96 11-20-96