

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-714
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That Ford Motor Company 1997 model-year exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: VFM4.228G1EK Displacement: 4.2 Liters (255 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Dual Three Way Catalytic Converters (two)
Dual Heated Oxygen Sensors (two)
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
3751-5750	50,000	0.32	4.4	0.7	12.5
	100,000	0.40	5.5	0.97	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
3751-5750	50,000	0.11	1.4	0.1	3.8
	100,000	0.14	1.9	0.19	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK
 Evap Standard: 50K ___ Useful Life with R/L X Evap Family: VFM1160AYMED
 Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___
 Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___
 Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
 M85 ___ CNG ___ LPG ___ Other (specify) _____
 Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
 CNG ___ LNG ___ LPG ___ Other (specify) _____
 Hybrid: Type A ___ B ___ C ___ APU Cycle (e.g., Otto, Diesel, Turbine) _____
 Engine Config: V-6 Liter (CID): 4.2 (255)
 Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X
 Exhaust ECS & Special Features: SFI/HO2S/EGR/TWC⁽²⁾
 (Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
644RR00N	F-150 RKL 2WD	A	4250	*	F65F-GA	F65E-AA	*
644RR00A	F-150 RKL 2WD	A	4500				
644RR00A/N	F-150 RKS 2WD	A	4250				
644RR00N	F-150 SKL 2WD	A	4500				
644RR00A	F-150 SKL 2WD	A	4750				
644RR00A/N	F-150 SKS 2WD	A	4500				
644SR00N	F-150 RKL 2WD	A	4250	*	F65F-HA	F65E-AA	*
644SR00A	F-150 RKL 2WD	A	4500				
644SR00A/N	F-150 RKS 2WD	A	4250				
644SR00A/N	F-150 RKL 4WD	A	4750				
644SR00A/N	F-150 RKS 4WD	A	4750				
644SR00N	F-150 SKL 2WD	A	4500				
644SR00A	F-150 SKL 2WD	A	4750				
644SR00A/N	F-150 SKS 2WD	A	4500				

* SEE PAGE 20.09.17.02 - 3

DPA/CDT COVERAGE GUIDELINES CHART

VEHICLE LINE	NON - AC				AC			
	ETW	CDT	DPA	TRLHP (HP)	CDT	DPA	TRLHP (HP)	
THE FOLLOWING VEHICLES ARE CERTIFIED USING LVW (Loaded Vehicle Weight) ETWs AND DPAs								
F-150-96 4x2 (LD)	4250	14.26	13.2	18.37	13.40	14.5	19.55	
* MAN TRANS	4500	14.96	13.2	18.54	14.03	14.5	19.77	
	4750	15.60	13.2	18.77	14.67	14.5	19.96	
	5000	16.27	13.2	18.94	15.30	14.5	20.14	
	5250	16.95	13.2	19.09	15.94	14.5	20.30	
F-150 4x2 (LD)	4250	13.96	12.9	18.78	13.24	14.2	19.79	
* AUTO TRANS	4500	14.57	12.9	19.04	13.76	14.2	20.16	
(4R70)	4750	15.20	12.9	19.26	14.29	14.2	20.49	
	5000	15.83	12.9	19.47	14.81	14.2	20.81	
	5250	16.45	12.9	19.67	15.33	14.2	21.11	
	5500	17.08	12.9	19.85	15.85	14.2	21.39	
F-150 4x2 (LD)	4500	14.27	13.4	19.44	13.41	14.7	20.69	
* AUTO TRANS	4750	15.02	13.4	19.49	14.11	14.7	20.75	
(4R70)	5000	15.80	13.4	19.51	14.76	14.7	20.88	
W/ P255/70R16 TIRE	5500	17.29	13.4	19.81	16.04	14.7	21.14	
F-150 4x4 (LD)	4750	13.13	16.0	22.30	12.44	17.4	23.54	
* MAN TRANS	5000	13.76	16.0	22.40	12.99	17.4	23.73	
	5250	14.40	16.0	22.47	13.54	17.4	23.90	
	5500	15.04	16.0	22.54	14.09	17.4	24.06	
F-150 4x4 (LD)	4750	12.91	16.3	22.68	12.31	17.7	23.79	
* AUTO TRANS	5000	13.48	16.3	22.86	12.74	17.7	24.19	
W/ P235/70R16 TIRE	5250	14.04	16.3	23.05	13.18	17.7	24.55	
	5500	14.61	16.3	23.21	13.61	17.7	24.91	

1997 MY TRUCK CATALYST PART NUMBERS

Engine Family	Application	Vehicle Line(s)	Part Number
VFM4.228G1EK	CAL > 3750# LVW	F-150 4x2	F65A-5E214-BF (LH)
			F65A-5E214-BG (LH) (alt)
			F65A-5G218-AD (RH)
			F65A-5G218-AE (RH) (alt)
		4x4	F65A-5E214-DF (LH)
			F65A-5E214-DG (LH) (alt)
			F65A-5G218-CE (RH)
			F65A-5G218-CF (RH) (alt)

Engine Family: VFM4.228G1EK

20.09.17.02 - 3

Issue Date: SEP 27 1995
 Revised:

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ____ Useful Life with R/L X Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ____ Tier 1 X TLEV ____ LEV ____ ULEV ____ ZEV ____ ; EPA Tier 0 ____ Tier 1 ____

Vehicle Class(es): PC ____ LDT1 ____ LDT2 X MDV1 ____ MDV2 ____ MDV3 ____ MDV4 ____ MDV5 ____

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ____ Diesel: 13 CCR 2282 ____ or 40 CFR 86.113-90 ____ or -94 ____
M85 ____ CNG ____ LPG ____ Other (specify) _____

Fuel Type(s): Dedicated ____ Flex-Fuel ____ Dual-Fuel ____ Gasoline X Diesel ____ M85 ____
CNG ____ LNG ____ LPG ____ Other (specify) _____

Hybrid: Type A ____ B ____ C ____ , APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid. ____ Rear ____ Drive: FWD ____ RWD X 4WD-FT ____ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S⁽²⁾/EGR/TWC⁽²⁾
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
643RR05A/N	F-150 RKL 2WD	M5	4500	*	F65F-CB	F65E-AA	*
643RR05A/N	F-150 RKS 2WD	M5	4250				
643RR05A/N	F-150 RKL 4WD	M5	4750				
643RR05A/N	F-150 RKS 4WD	M5	4750				
643RR05A/N	F-150 SKL 2WD	M5	4500				
643RR05A/N	F-150 SKS 2WD	M5	4500				
643SR05A/N	F-150 RKL 2WD	M5	4500	*	F65F-DB	F65E-AA	*
643SR05A/N	F-150 RKS 2WD	M5	4250				
643SR05A/N	F-150 RKL 4WD	M5	4750				
643SR05A/N	F-150 RKS 4WD	M5	4750				
643SR05A/N	F-150 SKL 2WD	M5	4500				
643SR05A/N	F-150 SKS 2WD	M5	4500				

CONTINUED ON NEXT PAGE

* SEE PAGE 20.09.17.02 - 3

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___ , APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S⁽²⁾/EGR/TWC⁽²⁾
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
643RR00A/N	F-150 RKL 2WD	M5	4500	*	F65F-CA	F65E-AA	*
643RR00A/N	F-150 RKS 2WD	M5	4250				
643RR00A/N	F-150 RKL 4WD	M5	4750				
643RR00A/N	F-150 RKS 4WD	M5	4750				
643RR00A/N	F-150 SKL 2WD	M5	4500				
643RR00A/N	F-150 SKS 2WD	M5	4500				
643SR00A/N	F-150 RKL 2WD	M5	4500	*	F65F-DA	F65E-AA	*
643SR00A/N	F-150 RKS 2WD	M5	4250				
643SR00A/N	F-150 RKL 4WD	M5	4750				
643SR00A/N	F-150 RKS 4WD	M5	4750				
643SR00A/N	F-150 SKL 2WD	M5	4500				
643SR00A/N	F-150 SKS 2WD	M5	4500				

CONTINUED ON NEXT PAGE

* SEE PAGE 20.09.17.02 - 3

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
 M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
 CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___ APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S/EGR/TWC(2)
 (Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
644RR05N	F-150 RKL 2WD	A	4250	*	F65F-GB	F65E-AA	*
644RR05A	F-150 RKL 2WD	A	4500				
644RR05A/N	F-150 RKS 2WD	A	4250				
644RR05N	F-150 SKL 2WD	A	4500				
644RR05A	F-150 SKL 2WD	A	4750				
644RR05A/N	F-150 SKS 2WD	A	4500				
644SR05N	F-150 RKL 2WD	A	4250	*	F65F-HB	F65E-AA	*
644SR05A	F-150 RKL 2WD	A	4500				
644SR05A/N	F-150 RKS 2WD	A	4250				
644SR05A/N	F-150 RKL 4WD	A	4750				
644SR05A/N	F-150 RKS 4WD	A	4750				
644SR05N	F-150 SKL 2WD	A	4500				
644SR05A	F-150 SKL 2WD	A	4750				
644SR05A/N	F-150 SKS 2WD	A	4500				

* SEE PAGE 20.09.17.02 - 3

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X ___ Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___ APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/^ZHO2S/⁽²⁾EGR/^ZTWC⁽²⁾
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
643RR06A/N	F-150 RKL 2WD	M5	4500	*	F65F-CC	F65E-AA	*
643RR06A/N	F-150 RKS 2WD	M5	4250				
643RR06A/N	F-150 RKL 4WD	M5	4750				
643RR06A/N	F-150 RKS 4WD	M5	4750				
643RR06A/N	F-150 SKL 2WD	M5	4500				
643RR06A/N	F-150 SKS 2WD	M5	4500				
643SR06A/N	F-150 RKL 2WD	M5	4500	*	F65F-DC	F65E-AA	*
643SR06A/N	F-150 RKS 2WD	M5	4250				
643SR06A/N	F-150 RKL 4WD	M5	4750				
643SR06A/N	F-150 RKS 4WD	M5	4750				
643SR06A/N	F-150 SKL 2WD	M5	4500				
643SR06A/N	F-150 SKS 2WD	M5	4500				

CONTINUED ON NEXT PAGE

* SEE PAGE 20.09.17.02 - 3

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X ___ Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
 M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
 CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___ , APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S/EGR/TWC⁽²⁾ -
 (Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
644RR06N	F-150 RKL 2WD	A	4250	*	F65F-GC	F65E-AA	*
644RR06A	F-150 RKL 2WD	A	4500				
644RR06A/N	F-150 RKS 2WD	A	4250				
644RR06N	F-150 SKL 2WD	A	4500				
644RR06A	F-150 SKL 2WD	A	4750				
644RR06A/N	F-150 SKS 2WD	A	4500				
644SR06N	F-150 RKL 2WD	A	4250	*	F65F-HC	F65E-AA	*
644SR06A	F-150 RKL 2WD	A	4500				
644SR06A/N	F-150 RKS 2WD	A	4250				
644SR06A/N	F-150 RKL 4WD	A	4750				
644SR06A/N	F-150 RKS 4WD	A	4750				
644SR06N	F-150 SKL 2WD	A	4500				
644SR06A	F-150 SKL 2WD	A	4750				
644SR06A/N	F-150 SKS 2WD	A	4500				

* SEE PAGE 20.09.17.02 - 3

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___ , APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S²/EGR/TWC²
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
643RR07A/N	F-150 RKL 2WD	M5	4500	*	F65F-CD	F65E-AA	*
643RR07A/N	F-150 RKS 2WD	M5	4250				
643RR07A/N	F-150 RKL 4WD	M5	4750				
643RR07A/N	F-150 RKS 4WD	M5	4750				
643RR07A/N	F-150 SKL 2WD	M5	4500				
643RR07A/N	F-150 SKS 2WD	M5	4500				
643SR07A/N	F-150 RKL 2WD	M5	4500	*	F65F-DD	F65E-AA	*
643SR07A/N	F-150 RKS 2WD	M5	4250				
643SR07A/N	F-150 RKL 4WD	M5	4750				
643SR07A/N	F-150 RKS 4WD	M5	4750				
643SR07A/N	F-150 SKL 2WD	M5	4500				
643SR07A/N	F-150 SKS 2WD	M5	4500				

CONTINUED ON NEXT PAGE

* SEE PAGE 20.09.17.02 - 3

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK
 Evap Standard: 50K ___ Useful Life with R/L X Evap Family: VFM1160AYMED
 Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___
 Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___
 Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
 M85 ___ CNG ___ LPG ___ Other (specify) _____
 Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
 CNG ___ LNG ___ LPG ___ Other (specify) _____
 Hybrid: Type A ___ B ___ C ___ APU Cycle (e.g., Otto, Diesel, Turbine) _____
 Engine Config: V-6 Liter (CID): 4.2 (255)
 Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X
 Exhaust ECS & Special Features: SFI/HO2S²/EGR/TWC⁽²⁾
 (Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
644RR07N	F-150 RKL 2WD	A	4250	*	F65F-GD	F65E-AA	*
644RR07A	F-150 RKL 2WD	A	4500				
644RR07A/N	F-150 RKS 2WD	A	4250				
644RR07N	F-150 SKL 2WD	A	4500				
644RR07A	F-150 SKL 2WD	A	4750				
644RR07A/N	F-150 SKS 2WD	A	4500				
644SR07N	F-150 RKL 2WD	A	4250	*	F65F-HD	F65E-AA	*
644SR07A	F-150 RKL 2WD	A	4500				
644SR07A/N	F-150 RKS 2WD	A	4250				
644SR07A/N	F-150 RKL 4WD	A	4750				
644SR07A/N	F-150 RKS 4WD	A	4750				
644SR07N	F-150 SKL 2WD	A	4500				
644SR07A	F-150 SKL 2WD	A	4750				
644SR07A/N	F-150 SKS 2WD	A	4500				

* SEE PAGE 20.09.17.02 - 3

**1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES**

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X ___ Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1,MDV1,MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___ APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S/EGR/TWC⁽²⁾ _____
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
643RR10A/N	F-150 RKL 2WD	M5	4500	*	F65F-CE	F65E-AA	*
643RR10A/N	F-150 RKS 2WD	M5	4250				
643RR10A/N	F-150 RKL 4WD	M5	4750				
643RR10A/N	F-150 RKS 4WD	M5	4750				
643RR10A/N	F-150 SKL 2WD	M5	4500				
643RR10A/N	F-150 SKS 2WD	M5	4500				
643SR10A/N	F-150 RKL 2WD	M5	4500	*	F65F-DE	F65E-AA	*
643SR10A/N	F-150 RKS 2WD	M5	4250				
643SR10A/N	F-150 RKL 4WD	M5	4750				
643SR10A/N	F-150 RKS 4WD	M5	4750				
643SR10A/N	F-150 SKL 2WD	M5	4500				
643SR10A/N	F-150 SKS 2WD	M5	4500				

CONTINUED ON NEXT PAGE

* SEE PAGE 20.09.17.02 - 3

**1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES**

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___, APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S⁽²⁾/EGR/TWC⁽²⁾ ___
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
644RR10N	F-150 RKL 2WD	A	4250	*	F65F-GE	F65E-AA	*
644RR10A	F-150 RKL 2WD	A	4500				
644RR10A/N	F-150 RKS 2WD	A	4250				
644RR10N	F-150 SKL 2WD	A	4500				
644RR10A	F-150 SKL 2WD	A	4750				
644RR10A/N	F-150 SKS 2WD	A	4500				
644SR10N	F-150 RKL 2WD	A	4250	*	F65F-HE	F65E-AA	*
644SR10A	F-150 RKL 2WD	A	4500				
644SR10A/N	F-150 RKS 2WD	A	4250				
644SR10A/N	F-150 RKL 4WD	A	4750				
644SR10A/N	F-150 RKS 4WD	A	4750				
644SR10N	F-150 SKL 2WD	A	4500				
644SR10A	F-150 SKL 2WD	A	4750				
644SR10A/N	F-150 SKS 2WD	A	4500				

* SEE PAGE 20.09.17.02 - 3

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X ___ Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1,MDV1,MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___ APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S/EGR/TWCC⁽²⁾
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
743RR05A/N	F-150 RKL 2WD	M5	4500	*	F75F-BBA	F65E-AA	*
743RR05A/N	F-150 RKS 2WD	M5	4250				
743RR05A/N	F-150 RKL 4WD	M5	4750				
743RR05A/N	F-150 RKS 4WD	M5	4750				
743RR05A/N	F-150 SKL 2WD	M5	4500				
743RR05A/N	F-150 SKS 2WD	M5	4500				
743SR05A/N	F-150 RKL 2WD	M5	4500	*	F75F-BCA	F65E-AA	*
743SR05A/N	F-150 RKS 2WD	M5	4250				
743SR05A/N	F-150 RKL 4WD	M5	4750				
743SR05A/N	F-150 RKS 4WD	M5	4750				
743SR05A/N	F-150 SKL 2WD	M5	4500				
743SR05A/N	F-150 SKS 2WD	M5	4500				

CONTINUED ON NEXT PAGE

* SEE PAGE 20.09.17.02 - 3

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
 M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
 CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___, APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S/EGR/TWC (2)
 (Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
744RR05N	F-150 RKL 2WD	A	4250	*	F75F-AXA	F65E-AA	*
744RR05A	F-150 RKL 2WD	A	4500				
744RR05A/N	F-150 RKS 2WD	A	4250				
744RR05N	F-150 SKL 2WD	A	4500				
744RR05A	F-150 SKL 2WD	A	4750				
744RR05A/N	F-150 SKS 2WD	A	4500				
744SR05N	F-150 RKL 2WD	A	4250	*	F75F-AYA	F65E-AA	*
744SR05A	F-150 RKL 2WD	A	4500				
744SR05A/N	F-150 RKS 2WD	A	4250				
744SR05A/N	F-150 RKL 4WD	A	4750				
744SR05A/N	F-150 RKS 4WD	A	4750				
744SR05N	F-150 SKL 2WD	A	4500				
744SR05A	F-150 SKL 2WD	A	4750				
744SR05A/N	F-150 SKS 2WD	A	4500				

* SEE PAGE 20.09.17.02 - 3

**1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES**

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X ___ Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1,MDV1,MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___ APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S/EGR/TWC⁽²⁾ _____
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
743RR10A/N	F-150 RKL 2WD	M5	4500	*	F75F-BBB	F65E-AA	*
743RR10A/N	F-150 RKS 2WD	M5	4250				
743RR10A/N	F-150 RKL 4WD	M5	4750				
743RR10A/N	F-150 RKS 4WD	M5	4750				
743RR10A/N	F-150 SKL 2WD	M5	4500				
743RR10A/N	F-150 SKS 2WD	M5	4500				
743SR10A/N	F-150 RKL 2WD	M5	4500	*	F75F-BCB	F65E-AA	*
743SR10A/N	F-150 RKS 2WD	M5	4250				
743SR10A/N	F-150 RKL 4WD	M5	4750				
743SR10A/N	F-150 RKS 4WD	M5	4750				
743SR10A/N	F-150 SKL 2WD	M5	4500				
743SR10A/N	F-150 SKS 2WD	M5	4500				

CONTINUED ON NEXT PAGE

* SEE PAGE 20.09.17.02 - 3

**1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES**

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A,LDT1,MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___ , APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S/EGR/TWC(2)
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
744RR10N	F-150 RKL 2WD	A	4250	*	F75F-AXB	F65E-AA	*
744RR10A	F-150 RKL 2WD	A	4500				
744RR10A/N	F-150 RKS 2WD	A	4250				
744RR10N	F-150 SKL 2WD	A	4500				
744RR10A	F-150 SKL 2WD	A	4750				
744RR10A/N	F-150 SKS 2WD	A	4500				
744SR10N	F-150 RKL 2WD	A	4250	*	F75F-AYB	F65E-AA	*
744SR10A	F-150 RKL 2WD	A	4500				
744SR10A/N	F-150 RKS 2WD	A	4250				
744SR10A/N	F-150 RKL 4WD	A	4750				
744SR10A/N	F-150 RKS 4WD	A	4750				
744SR10N	F-150 SKL 2WD	A	4500				
744SR10A	F-150 SKL 2WD	A	4750				
744SR10A/N	F-150 SKS 2WD	A	4500				

* SEE PAGE 20.09.17.02 - 3

**1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES**

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1,MDV1,MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___ , APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S/EGR/TWC(2)
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
643RR11A/N	F-150 RKL 2WD	M5	4500	*	F65F-CF	F65E-AA	*
643RR11A/N	F-150 RKS 2WD	M5	4250				
643RR11A/N	F-150 RKL 4WD	M5	4750				
643RR11A/N	F-150 RKS 4WD	M5	4750				
643RR11A/N	F-150 SKL 2WD	M5	4500				
643RR11A/N	F-150 SKS 2WD	M5	4500				
643SR11A/N	F-150 RKL 2WD	M5	4500	*	F65F-DF	F65E-AA	*
643SR11A/N	F-150 RKS 2WD	M5	4250				
643SR11A/N	F-150 RKL 4WD	M5	4750				
643SR11A/N	F-150 RKS 4WD	M5	4750				
643SR11A/N	F-150 SKL 2WD	M5	4500				
643SR11A/N	F-150 SKS 2WD	M5	4500				

CONTINUED ON NEXT PAGE

* SEE PAGE 20.09.17.02 - 3

CONTINUED

E.O.# A-10-714

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A,LDT1,MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___ , APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI⁽²⁾/HO2S/EGR/TWC⁽²⁾
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
644RR11N	F-150 RKL 2WD	A	4250	*	F65F-GF	F65E-AA	*
644RR11A	F-150 RKL 2WD	A	4500				
644RR11A/N	F-150 RKS 2WD	A	4250				
644RR11N	F-150 SKL 2WD	A	4500				
644RR11A	F-150 SKL 2WD	A	4750				
644RR11A/N	F-150 SKS 2WD	A	4500				
644SR11N	F-150 RKL 2WD	A	4250	*	F65F-HF	F65E-AA	*
644SR11A	F-150 RKL 2WD	A	4500				
644SR11A/N	F-150 RKS 2WD	A	4250				
644SR11A/N	F-150 RKL 4WD	A	4750				
644SR11A/N	F-150 RKS 4WD	A	4750				
644SR11N	F-150 SKL 2WD	A	4500				
644SR11A	F-150 SKL 2WD	A	4750				
644SR11A/N	F-150 SKS 2WD	A	4500				

* SEE PAGE 20.09.17.02 - 3

28

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X ___ Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A, LDT1,MDV1,MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___ APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S/EGR/TWC⁽²⁾ ---
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type		ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
		A-Automatic	M-Manual					
743RR11A/N	F-150 RKL 2WD	M5		4500	*	F75F-BBC	F65E-AA	*
743RR11A/N	F-150 RKS 2WD	M5		4250				
743RR11A/N	F-150 RKL 4WD	M5		4750				
743RR11A/N	F-150 RKS 4WD	M5		4750				
743RR11A/N	F-150 SKL 2WD	M5		4500				
743RR11A/N	F-150 SKS 2WD	M5		4500				
743SR11A/N	F-150 RKL 2WD	M5		4500	*	F75F-BCC	F65E-AA	*
743SR11A/N	F-150 RKS 2WD	M5		4250				
743SR11A/N	F-150 RKL 4WD	M5		4750				
743SR11A/N	F-150 RKS 4WD	M5		4750				
743SR11A/N	F-150 SKL 2WD	M5		4500				
743SR11A/N	F-150 SKS 2WD	M5		4500				

CONTINUED ON NEXT PAGE

* SEE PAGE 20.09.17.02 - 3

**1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES**

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM4.228G1EK

Evap Standard: 50K ___ Useful Life with R/L X ___ Evap Family: VFM1160AYMED

Exhaust Std: Tier 0 ___ Tier 1 X TLEV ___ LEV ___ ULEV ___ ZEV ___ ; EPA Tier 0 ___ Tier 1 ___

Vehicle Class(es): PC ___ LDT1 ___ LDT2 X MDV1 ___ MDV2 ___ MDV3 ___ MDV4 ___ MDV5 ___

Single Cert Std for Multi-Class Eng Fam: N/A (specify N/A,LDT1,MDV1, MDV2, MDV3, MDV4)

Exh Cert Fuel(s): Indo X Ph2 ___ Diesel: 13 CCR 2282 ___ or 40 CFR 86.113-90 ___ or -94 ___
M85 ___ CNG ___ LPG ___ Other (specify) _____

Fuel Type(s): Dedicated ___ Flex-Fuel ___ Dual-Fuel ___ Gasoline X Diesel ___ M85 ___
CNG ___ LNG ___ LPG ___ Other (specify) _____

Hybrid: Type A ___ B ___ C ___ APU Cycle (e.g., Otto, Diesel, Turbine) _____

Engine Config: V-6 Liter (CID): 4.2 (255)

Engine: Front X Mid ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT X

Exhaust ECS & Special Features: SFI/HO2S/EGR/TWC(2)
(Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
744RR11N	F-150 RKL 2WD	A	4250	*	F75F-AXC	F65E-AA	*
744RR11A	F-150 RKL 2WD	A	4500				
744RR11A/N	F-150 RKS 2WD	A	4250				
744RR11N	F-150 SKL 2WD	A	4500				
744RR11A	F-150 SKL 2WD	A	4750				
744RR11A/N	F-150 SKS 2WD	A	4500				
744SR11N	F-150 RKL 2WD	A	4250	*	F75F-AYC	F65E-AA	*
744SR11A	F-150 RKL 2WD	A	4500				
744SR11A/N	F-150 RKS 2WD	A	4250				
744SR11A/N	F-150 RKL 4WD	A	4750				
744SR11A/N	F-150 RKS 4WD	A	4750				
744SR11N	F-150 SKL 2WD	A	4500				
744SR11A	F-150 SKL 2WD	A	4750				
744SR11A/N	F-150 SKS 2WD	A	4500				

* SEE PAGE 20.09.17.02 - 3