(Page 1 of 3)

#### State of California AIR RESOURCES BOARD

### EXECUTIVE ORDER A-10-681 Relating to Certification of New Motor Vehicles

#### FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Ford Motor Company exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: VFM2.0V8G2EK Displacement: 2.0 Liters (121 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter Heated Oxygen Sensors (two) Exhaust Gas Recirculation Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

Mi <u>les</u>	Non-Methane Organic Gas	Carbon Mon <u>oxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20<sup>0</sup>F)</u>
50,000	0.125	3.4	0.4	0.015	10.0
100,000	0.156	4.2	0.6	0.018	n/a

The TLEV certification exhaust emission values for this engine family in grams per mile are:

Miles_	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon Monoxide (20 <sup>0</sup> F)
50,000 100,000	0.077 0.097	1.1 1.6	0.1 0.2	0.002 0.003	5.4 n/a
-					

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_\_\_\_\_ day of January 1996.

R. B./Summerfield

Assistant Division Chief Mobile Source Division

## 1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Ford Motor Company			Exhaust Engine Family: VFM2.0V8G2EK				
Evap Standard	d: 50K <u>X</u> Use	ful Life with	R/L_	E	ivap Family:	VFM1045AY	PAA
Exhaust Std:	Tier 0 _ Tier 1	LLEN X LEN	ULI	EV_Z	ZEV_; EPA	Tier 0 Ti	er 1
Vehicle Class(	(es): PC X LDT1	_ LDT2 _	MDV	1 MI	OV2 _ MDV3	MDV4!	MDV5_
Single Cert St	d for Multi-Class En	g Fam: <u>N/</u>	A (spe	cify N/	A, LDT1, MC	V1, MDV2, M	DV3, MDV4)
Exh Cert Fuel	(s): Indo <u>X</u> Ph2 _ M85 _ CNG _	Diesel: LPG Oth	13 CC er (spe	R 2282 ecify) _	2 _ or 40 CFI	₹ 86.113-90 _	_ or -94 _ 
Fuel Type(s):	Dedicated Flex	-Fuel Du LPG O	al-Fue ther (s	I G pecify)	asoline <u>X</u> D	iesel _ M85	_
Hybrid: Type	A B C,	APU Cycle	(e.g., (	Otto, D	iesel, Turbine	e)	-
Engine Config	: <u>I-4</u> Liter (	CID): 2.0L	<u>[</u> [2])				
	X Mid Rear_					D-FT _ 4WD	-PT_
Exhaust ECS (Use abbrevi	& Special Features ations per SAE J19	: <u>SFI/ HO2</u> 30, Sep 91)	(2) <u>\$/EG</u> F	<u>vtwc</u>		<b>*</b>	
Engine Code (Cert Std.)		rans. Type -Automatic -Manual	ETW	DPA	Ignition (PCM) Part No. -12A650-	EGR System Part No. -9D475-	Catalyst Part No5E211-
708SR00N	Escort FFF Wagen Tracer XFF Wagen		8000 8000	6.2 6.0	F7CF-FA	F7CE-AA	F7CCNE
708SR00A	Escort FFF Wagon Tracer XFF Wagon	" 3	3000 3000	6.8 6.6.	17	11	14 19
	Escort FFA 4-dr. Tracer XFA 4-dr.		2875 <sup>-2</sup> 2875 <sup>-2</sup>		F7CF-DA	F7CE-AA	F7CCNE
708TR00A	Escort FFA 4'-dr. Tracer XFA 4-dr		2875 2875	6.3 6.4	1) It	ft 11	19
707TR00N " "	Escort FFA Hidr Tracer XFF Wagon Tracer XFA Hidr Escort FFF Wagon	" "	2875 2875 2875 2875 2875	5.3 5.7 5.5 5.9	F7CF-BA	F7CE-AA "	F7CC-NE
707TR00A	Escort FFA 4 dr. Escort FFF Wgg6n		2875 3000	5.8 6.5	# II	d It	10

ENGINE FAMILY: VFM2.0V8G2EK ISSUED: 12/15/95 REVISED:

Ε	.0	.#	A-10-68	
		• //	A 10 004.	

# 199 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES (continued)

Page 2

Ford Motor Company

Exh Eng Fam: Vfm2.OV8G2EK Evap Fam: VFM1O45AYPAA Manufacturer:\_

Engine Code (also list	Vehicle Models (if coded see	Trans. (M5, A4	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
<u>CA/49ST/50ST</u>	attachment)	etc.)	lest Wt.	KLHP	Part No.	Part No.	Part No.

7077R00A

Tracer XFA 4 4 M

2875 6.1

3000 6.4