#### State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-18-85 Relating to Certification of New Motor Vehicles

#### VOLVO CAR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Volvo Car Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: VVV2.3VJGKEK Displacement: 2.3 Liters (142 Cubic Inches)

### Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection

Turbocharger Charge Air Cooler

Heated Oxygen Sensors (Two) Three Way Catalytic Converter

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	Monoxide (20 <sup>0</sup> F)	
50,000	0.25	3.4	0.4	10.0	
100,000	0.31	4.2		n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	Monoxide (20 <sup>0</sup> F)
50,000	0.12	1.0	0.3	4.9
100,000	0.13	1.0		n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_\_\_\_\_ day of July 1996.

R. B. Summerfield Assistant Division Chief Mobile Source Division

Replace Surrowity

# 1997 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page
------

facture	T: VOLVO CAR CORP.		Exh Eng F	am: <u>V                                    </u>	2.3VJGKEK	Evap Fam: yv	V1058 AYPAA
All Eng Code	es in Eng Fam: C	A	49S	50S_>	<_ AB965	_	
Exh Std: CA	Tier-1 <u>X</u> T	LEV	LEV	ULE	V ZEV_	; US E	PA Tier-1X
Evap Std: 5	SOK <u>X</u> Useful L	ife with I	R/L	In-Use I	Exh Std: Full	In Use X	Alt In Use
Veh Class(es	s): PC <u>X</u> LDT1	LDT:	2 MD1	V1	MDV2 MDV	3 MDV4	MDV5
Single Cert	Std for Multi-Cla	ass Eng Fa	am: N/A	 _(specif	fy: N/A, LDT1	, MDV1, MDV2	, MDV3, MDV4)
Fuel Type(s)	: Dedicated <u>X</u>	Flex-Fuel	l Dual	l-Fuel	Bi-Fuel	Gasoline .	X Diesel
	CNG LNG	_ LPG	M85	Other (	specify)		<u> </u>
En. Test F	uel(s): Indo <u>X</u>	Ph2	CNG	_PG	M85 Other	r (specify)	
	Diesel:	13 CCR 2	282	40 0	FR 86.113-90_	40 CFR	86.113-94
ervice Accu	m: Std AMA <u>X</u>	Mod AMA	Mfr	ADP	Other (speci	ifv)	
NMOG Test Pr	ocedure: N/A <u>X</u>	Std	 Equiv		R/L Test Proc:	: SHED	Pt. Source
Нуц Л: Тур	e A B C,	APU Cyc	le (e.g.,	Otto.	Diesel, Turbir	ie):	
Engine Confi	guration: <u>1-5</u>	Displace	ment: 2.	3 /	Liters 14	12 /	Cubic Inches
Valves per C	ylinder: <u>4</u>	·	Rate	d HP:	220	0 5200	RPM
Engine: From	nt <u>X</u> Mid	Rear	Driv	e: FWD	X RWD	4WD-FT	4WD-PT
Exhaust ECS	(e.g., MFI, EGR,	TC, CAC):	SEL TV	. / 4/	11005/21 T	1416	
		•	(u	sé abbr	éviations per	SAE J1930 SE	P91)
E ne Code	Vehicle Models	Trans.		DPA	Ignition	EGR	Catalytic
(also list	(if coded see attachment)	(M5, A4	or Test Wt.	an	/ CCM / DCM \	System	Converter
			TIESL WL.	KLHP	1	1	
V 37:2 (5031)	850 TURBO	L4			9125 266	N/A	1245709
		AW50-42	3625	8.0	9 125 265		
		AW 50-42	3750	7.2			
					:		
•							
	:						
<u>.</u> .							
are Issued:				<u> </u>			

Revisions: