State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-18-88 Relating to Certification of New Motor Vehicles

VOLVO CAR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Volvo Car Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: VVV2.9VJGFEL Displacement: 2.9 Liters (178 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Heated Oxygen Sensors (Two) Three Way Catalytic Converter Secondary Air Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen <u>Oxides</u>	Carbon <u>Monoxide (20⁰F)</u>	
50,000	0.25	3.4	0.4	10.0	
100,000	0.31	4.2	0.6	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen Oxides	Carbon Monoxide (20 [°] F)	
50,000	0.11	1.7	0.04	5.9	
100,000	0.11	1.9	0.04	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2nd day of July 1996.

far. B. Summerfield

Assistant Division Chief Mobile Source Division

Replace Sugrowth

199 7 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page___

Manufacturer	: VOLVO CAR COL	<u> </u>	Exh Eng Fa	ım: V vV J	2.9VJGFEL [vap Fam:VVVI	075AYPAA
	s in Eng Fam: C						
	Tier-1 <u>X</u> Tl						A Tier-1 X
	OK <u>X</u> Useful Li						
): PC <u>X</u> LDT1_						
	Std for Multi-Cla						
Fuel Type(s)	: Dedicated <u>X</u>	Flex-Fuel	Dual	-Fuel	Ri-Fuel	Gasoline X	Diesel
	CNGLNG	LPG	M85	Other (specify)	440011114	
F s Test Fi	uel(s): Indo <u>X</u>						
					FR 86.113-90		
ervice Accur	n: Std AMA <u>X</u>						
	ocedure: N/A X						
	e A B C,						
	guration: 1-6						
	vlinder: 4						
Engine: From	nt_XMid	Rear	Drive	a <u></u>	BMU X	4WD_ET	AMD_DT
Fxhaust ECS (e.g. MFI. FGR.	TC. CAC).	SEL HO	25(2) -	TWC AIR	THO - (1	THO-[1
	(e.g., MFI, EGR,		(u:	se abbr	eviations per	SAE J1930 SE	P91)
	Vehicle Models	Trans.		DPA		EGR	
(also list	(if coded see	(M5, A4	or	or	(ĔCM/PCM)	System	Converter
	attachment)	1	Test Wt.	RLHP	1	Part No.	l
V96:2 (505T)	960	L4			1270422	n/a	9161835
		AW 30-40	3875	8.6			
		710000		0.0			
		AW 30-40	3875	9.4			
					-		
ļ							
į						j	
1							
						1	

Date Issued: