State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-19-86 Relating to Certification of New Motor Vehicles

DR. ING h.c.f. PORSCHE AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Dr. Ing h.c.f. Porsche AG emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: VPR3.6V8GPFK Displacement: 3.6 Liters (220 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter Heated Oxygen Sensors (Two) Secondary Air Injection Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Mile	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	Monoxide (20°F)	
50,000	0.25	3.4	0.4	10.0	
100,000	0.31	4.2	0.6	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

<u>Mile</u>	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	<u>Monoxide (20°F)</u>	
50,000	0.14	2.3	0.1	6.6	
100,000	0.18		0.2	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," pursuant to provisions in said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model-Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to (Title 13, California Code of Regulations, Section 1968.1)(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 12 day of August 1996.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

199 7 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page__

Manufactur	er: <u>Porsche</u>		Exh Eng I	Fam: <u>VP</u>	R3.6V8GPFK	Evap Fam: V	R1098AYPAC
All Eng Co	des in Eng Fam: (:A	49S	50 S	x AB965		_
Exh Std:	CA Tier-1_X	LEV	LEV	ULE	EV ZEV	; US	EPA Tier-1_3
Evap Std:	50K <u>X</u> Useful L	ife with	R/L	In-Use	Exh Std: Full	In Use∖X	Alt In Use
Veh Class(es): PC <u>X</u> LDT1	LDT	2 MD	V1	MDV2 MDV	/3MDV4	MDV5
Single Cert	t Std for Multi-Cl	ass Eng F	am: N/A	_(speci	fy: N/A, LDT1	, MDV1, MDV2	MDV3. MD
Fuel Type(s	s): Dedicated <u>x</u>	Flex-Fue	1 Dua	l-Fuel_	Bi-Fuel	Gasoline	x Diesel
	CNG LNG	LPG	M85	Other	(specify)		
Emiss Test	Fuel(s): Indo \underline{x}	Ph2	CNG	LPG	M85 Othe	r (specify)_	
	Diesel:	13 CCR :	2282	_40	CFR 86.113-90_	40 CFR	86.113-94
Service Acc	um: Std AMA	Mod AMA_	· Mfr	ADP	Other (spec	ify) SVM-ASS	. DF
NMOG Test P	rocedure: N/A <u>X</u>	_ Std	_ Equiv		R/L Test Proc	: SHED	Pt Source
Hybrid: Ty	pe A B C	, APU Cyc	cle (e.g.	, Otto,	Diesel, Turbia	ne):	
Engine Conf	iguration: <u>B-6</u>	Displace	ement: <u> 3</u>	.6 /	Liters	220 /	_Cubic Inch
Valves per	Cylinder: <u>2</u>		Rate	ed HP:_	282	<u>@_6100</u>	R
Engine: Fr	ont Mid	Rear <u>x</u>	Driv	/e: FWD) RWD_ <u>x</u>	4WD-FT_X	4WD-PT_
Exhaust ECS	(e.g., MFI, EGR,	TC, CAC):	TWC, H029	(1) AIR,	SFI		
			((isé abbr	eviations per	SAE J1930 SI	P91)
	Vehicle Models (if coded see		ETW	DPA		EGR	Catalyt
CA/49ST/50ST	[attachment)	(M5, A4 etc.)	or Test Wt.	RIHP	(ĒCM/PCM) Part No.	System Part No.	Converte Part No
	911 Carrera 2	М6	3375	7.1	993MWDZ02	N/A	993/3-8
				-			+
							993/13-5
M64/24	911 Carrera 2	L4/S4	3375	7.1	993MWDZ02	N/A	993/3-8
						ļ	993/13-5
M64/23	011 7	1					3337.13-3
1904/23	911 Carrera 4	M6	3500	8.8	993MWDZ02	N/A	993/3-8
							+ 993/13-5
M64/23	911 Carrera 4S	M6	3500	9.7	00316/20500	37./3	
		110	3300	3.7	993MWDZ02	N/A	993/3-8
		i					993/13-5
					j		
				1			
Data Facility							
Date Issued:						·	

Revisions: