(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-218 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for light-duty trucks:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: VHN2.01JG2EK Displacement: 2.0 Liters (120 Cubic inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter Heated Oxygen Sensors (Two) Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gas (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) TLEV certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	Miles	NMOG	<u></u>	<u>NOx</u>	<u>НСНО</u>	CO (20°F)
0-3750	50,000	0.125	3.4	0.4	0.015	10.0
	100,000	0.156	4.2	0.6	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for NMOG reflect application of a 0.98 RAF for 1997 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	Miles	<u>NMOG</u>	<u></u>	<u>NOx</u>	<u> HCHO</u>	CO (20°F)
0-3750	50,000	0.067	1.5	0.1	0.001	6.1
	100,000	0.075	1.8	0.1	0.002	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ______day of December 1996.

R. B. Summerfield, Chief

Mobile Source Operations Division

			-0355	OFFICE TRADETERS T	מיחומים	CUPET
1997	ΔTR	RESOURCES	BOARD	SUPPLEMENTAL	DATA	SUPET

E.O.	#_	<u>A-2</u>	<u> 23-</u>	- <u>21</u>	8
Pa	aе	1	of	1	

Manufacturer: HONDA Exh Engine Family: VHN2.01JG2EK All Eng Codes in Eng Fam: CA X 49S 50S AB965								
Exh s	std: CA	Tier-1 TLE	v <u>x</u> :	LEV	_ ULEV _	ZEV; [[]	JS EPA Tier-1	
In-Us	e Exh	Std: Full In Use	_X_ A	lt In	Use			
		Family: VHN1077						
Fern	c+a.	FOR Y Hiseful	Life wi	th R/L				
Veh (lass(e	s):PC LDT1 _	X LDT2	M	DV1 M	DV2MDV3	MDV4 1	MDV5
a 3	- C	c+d for Multi-C	lass En	σ Fam:	N/A			
Fuel	Type (s): Dedicated X.	Flex-	Fuel _	Dual-	Fuel Bi-	Fuel Gas	oline <u>X</u>
		Diesel C	NG	LNG _	LPG _	мвь	Other	
Emiss	. Test	Fuel(s): Indo	Ph2	_X C	NG L	PG M85 _	Other	
Diese	-1:13	CCR 2282 40	_ CFR 86	.113-9	0 40	CFR 86.113-9	4	-
Comm	ice Nec	um. Std AMA	Mod AM	X A	Mfr ADP	Other		
NIMOG	Test F	Procedure: N/A	Std _	Equ	iv <u>X</u> R	/L Test Proc:	SHED Pt :	Source
Hubr	id. Tw	De A B	ر د	APU C	ycle:			
Engi:	ne Conf	iguration: L-4	Displac	ement:	2.0 Lit	ers <u>120</u> Cubic	Inches	
175 1 174	e ner	Cylinder: 4 R	ated HP	: 126/	5400 RPM			
Valves per Cylinder: 4 Rated HP: 126/5400 RPM Engine: Front X Mid Rear Drive: FWD RWD 4WD-FT X 4WD-PT								
					_			
Exhaust ECS: TWC/HO2S(2)/SFI								
г	Engine	Vehicle Model	Trans.	ETW	DPA (HP)	Ignition	EGR System	Catalytic
- 1'	Code	VCIIICIC IIIGGE		(LBS)			Part No.	Converter
}	0000					Part No.		Part No.
\- <u>-</u>	VUL3/1	CR-V	L4	3500	12.9 (MI)		EGR Valve:	AH
	, -					Distributor:	N/A	
į.						D4T94-05		
1	_				12.5 (BS)			
						ECM:		1

ISSUED: 10/22/96