State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-259-58 Relating to Certification of New Motor Vehicles

SUZUKI MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Suzuki Motor Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: VSK1.61JGKHK <u>Displacement</u>: 1.6 Liters (97 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Heated Oxygen Sensors (Two) Three Way Catalytic Converter Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight(lbs.) Miles		Non-Methane	Carbon	Nitrogen	Carbon	
		<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20⁰F)</u>	
0-3750	50,000 100,000	0.25 0.31	3.4 4.2	0.4	10.0 n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight(lbs.)	<u>Miles</u>	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Carbon <u>Monoxide (20⁰F)</u>
0-3750	50,000	0.11	1.4	0.1	3.6
	100,000	0.11	1.4	0.1	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this day of June 1996.

R. B. Summerfield
Assistant Division Chief

Mobile Source Division

1997 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT DUTY TRUCKS AND MEDIUM DUTY VEHICLES

Manufacturer: <u>SUZUKI MOTOR CORP</u> Exh Eng Fam: <u>VSK1.61JGKHK</u> EVAP Fam: <u>VSK1089BYME1</u>								
All Facing Codes in East East. CA Y 400 Y 500								
Exh Std: Tier 0 Tier 1 _X _ TLEV LEV ULEV ZEV ; US EPA Tier 1 _ X EVAP Std: 50K Useful Life with R/L X In Use Exh Std: FULL In UseX _ Alt In Use X							Alt la line	
EVAP Std : 50K	Useful Life v	vith R/L_	<u> </u>	_	In Use Exh Std: Ft	JLL In UseX_	Alt in Use	
Veh Class(es): F	PC LDT1 X	LDT2 MC)V1N	ADV2	_ MDV3 MDV4	MDV5		
Single Cert Std f	or Multi-Class Eng	Fam:	_ (specif	fy: N/A, Li	DT1, LDT2,MDV1,MDV2,	MDV3,MDV4,MD)V5)	
Fuel Type (S): D	edicated FI	ex-Fuel_	Di	ual-Fuel _	Bi-Fuel Gaso	ine <u>X</u> Diese	· I	
,, .,	CNG LNG	LPC	3	M85	Other (specify)		. <u></u> .	
Emiss Test Fuel	(s): Indo Ph2	<u>х</u> с	NG	LPG	M85 Other (spe	ecify)		
	Diesel: 13CCR 2	282	400	OFR 86.1	13-90 40CFR	86.113-94	_	
Service Accum:	Std AMA X	Mod	AMA	Mi	fr ADP Other (spec	ify)		
NMOG Test Prod	cedure : N/A	Std		Equiv	R/L Test Proc. Sh	IED _ Pt So	urce X	
Hubrid: Tyne A	B C	. ۵.۵	PU Cvc	ie (e.a. O	tto, Diesel, Turbine)			
Engine configura	tion: I.4 (in line). [isolacem	ent: 16	it (org. o	97 cubic inches			
Valves per Cyline) ISPIGOU	Rated i	<u>-</u> C.C.D D.	95 @ 5,600) RPM		
Facios: Erect	Y Mid Dear	•	Dove	EW/D	RWD X 4WD-FT_	4WD-PT	Χ.	
Engine, Front	A ROO MELTO	` <u></u>	SELVEN	29/2\ / T\	NC/EGR			
Exhaust ECS (eg., EGR, MFI, TC, CAC): SFI / HO2S(2) / TWC / EGR (per SAE J1930 SEP91)								
								
Engine Code	Vehicle Models	Trans	ETW	DPA	Ignition	EGR System	Catalytic	
(also list	(re: p.21.00)	type	ļ	or	(ECM/PCM)	Part No.	Converter Part	
CA/49ST/50ST)				RLHP	Part No.		No.	
	Sidekick 2-door		6075	40.5	22020 74 57 (04/4 74)		14250-58B70	
TCAM	Tracker 2-door	M5	2875		33920-71EK(IWATA) 33920-72E0(CAMI)		(FUTABA)	
CA,NY,MA)	Sidekick 4-door		3125	12.3	33320-72E0(CAN)	1	Or .	
CTCAA	Tracker 4-door Sidekick 2-door	L3	2875	13.2	33920-72E2(4WD)	18111-58840		
(CA,NY,MA)	Tracker 2-door		20/5	10.2	33920-72E3(2WD)	10111111111	(WALKER)	
CTCAB	Sidekick 4-door	L4	3125	12.3	33920-71ES(IWATA)			
(CA,NY,MA)	Tracker 4-door				33920-72E1(CAMI)			
	Sidekick 2-door							
FTCAM	Tracker 2-door	M5	2875	13.2	33920-71EK(IWATA)	Į.	14250-58B70	
(Federal)	Sidekick 4-door		3125	12.3	33920-72E0(CAMI)	1	(FUTABA)	
	Tracker 4-door					10444 55545	Of	
FTCAA	Sidekick 2-door	L3	2875	13.2	33920-72E2(4WD)	18111-58B40	14250-69B80 (WALKER)	
(Federal)	Tracker 2-door	L4	3125	12.3	33920-72E3(2WD) 33920-71ES(IWATA)	-	(AAVEVEL)	
FTCAB (Federal)	Sidekick 4-door Tracker 4-door	L4	3125	12.3	33920-71ES(WATA)	<u> </u>		
(1 CADIOI)	1,0000	I	L	L	, 			

Date Issued:

31MAR96

Revised: TV17AA6.58

19JUN96(R2)