Frete

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER P-10-80 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Ford Motor Company federally certified exhaust emission control systems are certified for sale in California as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: VFM5.028GFEK <u>Displacement</u>: 5.0 Liters (302 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Dual Three Way Catalytic Converters (two)
Dual Heated Oxygen Sensors (two)
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (in-use compliance standards in parentheses) for this engine family in grams per mile are:

Loaded Vehicle	Miles	Non-Methane	Carbon	Nitrogen	Carbon
Weight (1bs.)		<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20⁰F)</u>
3751-5750	50,000	0.32 (0.41)	4.4 (6.7)	0.7 (0.7)	12.5 (12.5)
	100,000	0.40 (n/a)	5.5 (n/a)	0.97 (n/a)	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle			Carbon	Nitrogen	Carbon
Weight (lbs.)			<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20⁰F)</u>
3751-5750	50,000	0.24	1.8	0.17	3.5
	100,000	0.28	2.2	0.19	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gases (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided evidence of federal certification of vehicle models listed in the attachments which are not available as California-certified models.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate that the vehicle manufacturer has sufficient emission credits for its estimated California sales of federally certified 1997 model vehicles using the "Guidelines for Certification of 1983 and Subsequent Model-Year Federally Certified Light-Duty Motor Vehicles for Sale in California" (Title 13, California Code of Regulations, Section 1960.5).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\frac{\partial 7}{\partial 1}$ day of March 1996.

R. B & Summerfield

Assistant Division Chief Mobile Source Division

Manufacturer: Ford Motor Company Exhaust	Engine Family: VFM5.028GFEK
Evap Standard: 50K Useful Life with R/L XXX	Evap Family: VFM1120AYMED
Exhaust Std: Tier 0 _ Tier 1 X TLEV _ LEV _ ULEV	ZEV; EPA Tier 0 Tier 1 _ <u>X</u>
Vehicle Class(es): PC _ LDT1 _ LDT2 X MDV1 _	MDV2 MDV3 MDV4 MDV5 _
Single Cert Std for Multi-Class Eng Fam: N/A (N/A, LE	DT1, MDV1, MDV2, MDV3, MDV4)
Exh Cert Fuel(s): Indo X Ph2 _ Diesel: 13 CCR 22 M85 _ CNG _ LPG _ Other (specify	82 or 40 CFR 86.113-90 or -94 _)
Fuel Type(s): Dedicated × Flex-Fuel _ Dual-Fuel _ CNG _ LNG _ LPG _ Other (speci	Gasoline X Diesel M85 _
Hybrid: Type A B C, APU Cycle (e.g., Otto,	Diesel, Turbine)
Engine Config: V- S Liter (CID): 5.0 (302)	
Engine: Front_X_Mid Rear Drive: FWD _	RWD X 4WD-FT 4WD-PT X
Exhaust ECS & Special Features: 2TWC(2), 2HO29 (Use abbreviations per SAE J1930, Sep 91)	S(2), EGR, SFI

Engine Code (California)	Vehicle Models	A-Automatic		DPA	Ignition (PCM)	EGR System	Catalyst
(Camornia)		M-Manual			Part No.	Part No.	Part No.
654GR11A/N 4 Door LWB	Explorer 4X2	А	4500	12.5	F67F-TD	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
654GR11A/N 4 Door LWB	Explorer 4X4	A	4750	13.3	F67F-TD	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
654GR11A/N 4 Door LWB	Mountaineer 4X2	A	4500	12.5	F67F-TD	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
654GR11A/N 4 Door LWB	Mountaineer 4X4	A	4750	13.3	F67F-TD	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM5.028GFEK
Evap Standard: 50K Useful Life with R/L XXX Evap Family: VFM1120AYMED
Exhaust Std: Tier 0 _ Tier 1 X TLEV _ LEV _ ULEV _ ZEV _ ; EPA Tier 0 Tier 1
Vehicle Class(es): PC _ LDT1 _ LDT2 <u>X</u> MDV1 _ MDV2 _ MDV3 _ MDV4 _ MDV5 _
Single Cert Std for Multi-Class Eng Fam: N/A (N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
Exh Cert Fuel(s): Indo X Ph2 _ Diesel: 13 CCR 2282 _ or 40 CFR 86.113-90 _ or -94 _ M85 _ CNG _ LPG _ Other (specify)
Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel Gasoline X Diesel M85 CNG LNG LPG Other (specify)
Hybrid: Type A B C, APU Cycle (e.g., Otto, Diesel, Turbine)
Engine Config: <u>V-6</u> Liter (CID): <u>5.0 (302)</u>
Engine: Front_X_Mid Rear Drive: FWD RWD_X_4WD-FT 4WD-PT_X
Exhaust ECS & Special Features: SFI/HO2S/EGR/TWC (Use abbreviations per SAE J1930, Sep 91)

Engine Code	Vehicle Models	Trans. Type A-Automatic		DPA	Ignition (PCM)	EGR System	Catalyst
(California)		M-Manual			Part No.	Part No.	Part No.
654GR12A/N 4 Door LWB	Explorer 4X2	Α	4500	12.5	F67F-TE	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
654GR12A/N 4 Door LWB	Explorer 4X4	Α	4750	13.3	F67F-TE	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
654GR12A/N 4 Door LWB	Mountaineer 4X2	Α	4500	12.5	F67F-TE	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
654GR12A/N 4 Door LWB	Mountaineer 4X4	A	4750	13.3	F67F-TE	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)

Manufacturer: Ford Motor Company Exhaust Engine Family: VFM5.028GFEK
Evap Standard: 50K Useful Life with R/L XXX Evap Family: VFM1120AYMED
Exhaust Std: Tier 0 _ Tier 1 X TLEV _ LEV _ ULEV _ ZEV _; EPA Tier 0 _ Tier 1 X
Vehicle Class(es): PC _ LDT1 _ LDT2 X MDV1 _ MDV2 _ MDV3 _ MDV4 _ MDV5 _
Single Cert Std for Multi-Class Eng Fam: N/A (N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
Exh Cert Fuel(s): Indo X Ph2 Diesel: 13 CCR 2282 or 40 CFR 86.113-90 or -94 M85 CNG LPG Other (specify)
Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel Gasoline X Diesel M85 CNG LNG LPG Other (specify)
Hybrid: Type A B C, APU Cycle (e.g., Otto, Diesel, Turbine)
Engine Config: V-6 Liter (CID): 5.0 (302)
Engine: Front_X_Mid Rear Drive: FWD RWD_X_4WD-FT 4WD-PT_X
Exhaust ECS & Special Features: SFI/HO2S/EGR/TWC/2) (Use abbreviations per SAE J1930, Sep 91)

Engine Code (California)	Vehicle Models	Trans. Type A-Automatic M-Manual		DPA	Ignition (PCM) Part No.	EGR System Part No.	Catalyst Part No.
							, art ito.
754GR10A/N 4 Door LWB	Explorer 4X2	Α	4500	12.5	F77F-BLA	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
754GR10A/N 4 Door LWB	Explorer 4X4	A	4750	13.3	F77F-BLA	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
754GR10A/N 4 Door LWB	Mountaineer 4X2	A	4500	12.5	F77F-BLA	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
754GR10A/N 4 Door LWB	Mountaineer 4X4	A	4750	13.3	F77F-BLA	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)

E.O.# P-10-80

Manufacturer: Ford Motor Company Exhaust E	ngine Family: VFM5.028GFEK
Evap Standard: 50K Useful Life with R/L _XXX	Evap Family: VFM1120AYMED
Exhaust Std: Tier 0 _ Tier 1 X TLEV _ LEV _ ULEV _	ZEV _ ; EPA Tier 0 Tier 1 <u>X</u>
Vehicle Class(es): PC _ LDT1 _ LDT2 X MDV1 _ M	DV2 _ MDV3 _ MDV4 _ MDV5 _
Single Cert Std for Multi-Class Eng Fam: N/A (N/A, LDT	1, MDV1, MDV2, MDV3, MDV4)
Exh Cert Fuel(s): Indo X Ph2 Diesel: 13 CCR 2282 M85 CNG LPG Other (specify)	? or 40 CFR 86.113-90 or -94 _
Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel G CNG LNG LPG Other (specify	asoline X Diesel M85 _
Hybrid: Type A B C, APU Cycle (e.g., Otto, D	iesel, Turbine)
Engine Config: V-6 Liter (CID): 5.0 (302)	
Engine: Front_X_Mid Rear Drive: FWD F	
Exhaust ECS & Special Features: SFI/HO25/EGR/TWC/2 (Use abbreviations per SAE J1930, Sep 91)	3)

Engine Code	Vehicle Models	A-Automatic		DPA	Ignition (PCM)	EGR System	Catalyst
(California)		M-Manual			Part No.	Part No. 	Part No.
754GR11A/N 4 Door LWB	Explorer 4X2	Α	4500	12.5	F77F-BLB	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
754GR11A/N 4 Door LWB	Explorer 4X4	A	4750	13.3	F77F-BLB	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
754GR11A/N 4 Door LWB	Mountaineer 4X2	A	4500	12.5	F77F-BLB	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
754GR11A/N 4 Door LWB	Mountaineer 4X4	Α	4750	13.3	F77F-BLB	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)

Manufacturer: Ford Motor Company Ex	haust Engine Family: VFM5.028GFEK
Evap Standard: 50K Useful Life with R/L	XXX Evap Family: VFM1120AYMED
Exhaust Std: Tier 0 _ Tier 1 X TLEV _ LEV _ L	JLEV _ ZEV _ ; EPA Tier 0 Tier 1
Vehicle Class(es): PC _ LDT1 _ LDT2 X MD	V1 MDV2 MDV3 MDV4 MDV5 _
Single Cert Std for Multi-Class Eng Fam: N/A (N	/A, LDT1, MDV1, MDV2, MDV3, MDV4)
Exh Cert Fuel(s): Indo X Ph2 Diesel: 13 C0 M85 CNG LPG Other (sp	CR 2282 or 40 CFR 86.113-90 or -94 _ Decify)
Fuel Type(s): Dedicated Flex-Fuel Dual-Fu CNG LNG LPG Other	
Hybrid: Type A B C, APU Cycle (e.g.,	Otto, Diesel, Turbine)
Engine Config: V-6 Liter (CID): 5.0	(302)
Engine: Front_X_Mid Rear Drive: FV	
Exhaust ECS & Special Features: SFI/HO2S/EGF (Use abbreviations per SAE J1930, Sep 91)	vTwc(2)

Engine Code	Vehicle Models	Trans. Type A-Automatic		DPA	Ignition (PCM)	EGR System	Catalyst
(California)		M-Manual			Part No.	Part No.	Part No.
754GR12A/N 4 Door LWB	Explorer 4X2	A	4500	12.5	F77F-BLC	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
754GR12A/N 4 Door LWB	Explorer 4X4	A	4750	13.3	F77F-BLC	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
754GR12A/N 4 Door LWB	Mountaineer 4X2	A	4500	12.5	F77F-BLC	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)
754GR12A/N 4 Door LWB	Mountaineer 4X4	A	4750	13.3	F77F-BLC	F67E-AC F67E-AB F67E-AA F37E-AA	F67A-RA/RB (UB1-RH) F67A-AA/AB (UB1-LH) F67A-EA (UB2 - RH/LH)