State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-61-39 Relating to Certification of New Motor Vehicles

WINNEBAGO INDUSTRIES, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Winnebago Industries, Inc. exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: VWB2.868GKGM Displacement: 2.8 Liters (170 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Three Way Catalytic Converter Heated Oxygen Sensors (two) Exhaust Gas Recirculation Secondary Air Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (in-use compliance standards in parentheses) for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Carbon <u>Monoxide (20⁰F)</u>
5751-8500	50,000	0.39 (0.49)	5.0 (6.2)	1.1 (1.4)	12.5 (12.5)
	120,000	0.56 (n/a)	7.3 (n/a)	1.53 (n/a)	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Test Weight	Miles	Non-Methane	Carbon	Nitrogen	Carbon
(lbs.)		<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	<u>Monoxide (20°F)</u>
5751-8500	50,000	0.29	2.9	0.6	9.3
	120,000	0.41	4.2	0.77	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," pursuant to provisions in said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models are permitted alternative in-use compliance as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles," pursuant to provisions in the said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ______ day of November 1996.

R. B. Summerfield, Chief

Mobile Source Operations Division

		_			
E.0	#_	A	-61	-39	

199 7 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page

ifacturer: Winnebago	Ind., Inc.	Exh Eng Fa	am: <u>VWB2</u>	.868GKGM	Evap Fam: <u>VWB</u> 1	.095BYPBT
All Eng Codes in Eng Fam	: CA	495	50S <u>x</u>	AB965		
Exh Std: CA Tier-I x	TLEV	LEV	ULEV	/ ZEV_	; US EP/	A Tier-1 <u>X</u>
Evap Std: 50K X Usef	ul Life with	R/L 1	n-Use E	xh Std: Ful	l In Use Al	it In Use <u>x</u>
Veh Class(es): PC	LDT1LDT	2 MDV	/1	MDV2 MD	V3 <u>x</u> MDV4	MDV5
Single Cert Std for Mult						
<pre>Fuel Type(s): Dedicated</pre>	x Flex-Fue	1 Dual	-Fuel	Bi-Fuel	_ Gasoline <u>x</u>	Diesel
CNG LI	NG LPG	M85	Other (specify)		
Emiss Test Fuel(s): Indo	o <u>x</u> Ph2	CNGL	.PG	M85 Oth	er (specify)	
Die	sel: 13 CCR	2282	40 C	FR 86.113-90	40 CFR 8	6.113-94
Service Accum: Std AMA_	x Mod AMA_	Mfr	ADP	Óther (spe	cify)	
NMOG Test Procedure: N/A	A <u>x</u> Std	_ Equiv_		R/L Test Pro-	c: SHED_N/A P	t Source <u>N/A</u>
Hybrid: Type AB(, APU Cy	cle (e.g.,	Otto,	Diesel, Turb	ine):	
Engine Configuration: 6V	Displace	ement:	/ 2.	8Liters _	<u>/ 170</u> C	ubic Inches
Valves per Cylinder: 2		Rate	d HP:	140	@ <u>4,500</u>	RPM
<pre>Engine: Front X Mid_</pre>						
Exhaust ECS (e.g., MFI, 8	GR, TC, CAC)	:_SFI/AIR/	EGR/TWC	/H02_S(2)/OBI) II	
		(u	se abbr	eviations per	SAE J1930 SEP	91)
ine Code Vehicle Mod			DPA		EGR	
(also list (if coded s CA/49ST/50ST attachment		or Test Wt.	or RIHP	(ECM/PCM) Part No.	System Part No.	Converter
		1000 100		1 4 5 7 10 1	7 41 0 110.	1 41 5 115.
AES Rialta	L4	6,500	16.7	021 906 2590	021 131 501E	
					or 021 131 501G	
					054 906 267	
					077 919 529A	
						·
					·	
					,	
					,	
[1					
			· ·			

Date Issued:

Revisions: