(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-220-47 Relating to Certification of New Motor Vehicles

JAGUAR CARS, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Jaguar Cars, Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: VJC4.0VJGKHK Displacement: 4.0 Liters (243 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Warm Up Oxidation Catalytic Converters
Dual Warm Up Three Way Catalytic Converters
Dual Three Way Catalytic Converters
Dual Heated Oxygen Sensors (two)
Exhaust Gas Recirculation
Secondary Air Injection
Sequential Multiport Fuel Injection
Supercharger
Charge Air Cooler

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	_Oxides	<u>Monoxide (20°F)</u>
50,000	0.19	1.1	0.4	6.9
100,000	0.24	1.5		n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," pursuant to provisions in the said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations,

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

s ___ day of October 1996.

R B. Summerfield, Chief Mobile Source Operations Division MY 1997

Engine Family VJC4.0VJGKHK 17-16

17.00.00.00 cont'd E.O. # A-220-47 Page 1 of 1

07.02.01 1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS, LIGHT-DUTY TRUCKS & MEDIUM-DUTY VEHICLES

Manufacturer: Jaguar Cars Ltd Exh Eng Fam: VJC4.0VJGKHK Evap Fam: VJC1142AYMA0

Exh Std: CA - Tier-1 X TLEV _ LEV _ ULEV _ ZEV _ ; US EPA - Tier-1 X

Evap Std: 50K X Useful Life with R/L

In-Use Exh Std: Full In-Use & Alt In-Use_ IEng Codes 5057

Veh Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5 L

Single Cert Std for Muti-Class Eng Fam: N/A

Fuel Type(s): Dedicated X Flex-Fuel _ Dual-Fuel _ Bi-Fuel _ Gasoline X Diesel _ M85 _ CNG _ LNG _ LPG _ Other _

Ind X Ph2 _ M85 _ CNG _ LPG Other Diesel: 13 CRR 2282 _ 40CFR86.113-90 _ 40CFR86.113-94 _ Emission Test Fuel(s): Ind X Ph2

Service Accum: Std AMA Mod AMA _ Mfr ADP _ Other & ADF

NMOG Test Procedure: N/A X Std _ Equiv _ R/L Test Proc: SHED _ Pt Source _

Hybrid: Type A _ B _ C _: APU Cycle _

Engine Configuration: L6 Displacement: 4.0 liters 243 cubic inches

Valves per Cylinder: 4 Rated HP: 322 @ 5000

Engine: Front X Mid Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Exhaust ECS: <u>AIR:EGR:2HO2S(2):2WUOC:2WUTWC:2TWC:SFI:CAC:SC</u>

Engine Code	Vehicle Models	Trans A- Auto M- Man	ETW	DPA	ECM Part No	EGR System Part No	Catalyst Part No.
4.0SFC-97 (50ST)	XJR	Α	4500	7.1	LNB1410DB	LHE1550AB	D/P: PCD U/F: PDB



17.00.00.00 cont'd E.O. # A-220-47

07.02.02

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS & MEDIUM-DUTY VEHICLES

Manufacturer: <u>Jaguar Cars Ltd</u> Exh Eng Fam: <u>VJC4.0VJGKHK</u> Evap Fam: VJC1142AYMA0

All Eng. Codes in Eng. Fam: CA _ 49S _ 50S X AB965 _ _

Exh Std: CA - Tier-1 X TLEV _ LEV _ ULEV _ ZEV _ ; US EPA - Tier-1 X

Evap Std: 50K X Useful Life with R/L _

in-Use Exh Std: Full In-Use X Alt In-Use _

Veh Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5 L

Single Cert Std for Muti-Class Eng Fam: N/A

Fuel Type(s): Dedicated X Flex-Fuel _ Dual-Fuel _ Bi-Fuel _ Gasoline X Diesel _ M85 _ CNG _ LNG _ LPG _ Other _

Emission Test Fuel(s): Ind X Ph2 _ M85 _ CNG

Ind X Ph2 M85 CNG LPG Other Diesel: 13 CRR 2282 40CFR86.113-90 40CFR86.113-94

Service Accum: Std AMA X Mod AMA _ Mfr ADP _ Other _

NMOG Test Procedure: N/A X Std _ Equiv _ R/L Test Proc: SHED _ Pt Source _

Hybrid: Type A _ B _ C _; APU Cycle _

Engine Configuration: <u>L6</u> Displacement: <u>4.0</u> liters <u>243</u> cubic inches

Valves per Cylinder: 4 Rated HP: 322 @ 5000

Engine: Front X Mid Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Exhaust ECS: AIR:EGR:2HO2S(2):2WUO:2WUTWC:2TWC:SFI:CAC:SC

Engine Code	Vehicle Models	Trans A- Auto M- Man	ETW	DPA	ECM Part No	EGR System Part No	Catalyst Part No.
4.0SFC-97 (50ST)	XJR	Α	4500	7.1	LNB1410DC*	LHE1550AB	D/P: PCD U/F: PDB

^{*} Introduced by RC # 4.0s/c-97/5 - see Page 21-5



Engine Family VJC4.0VJGKHK 17-17

0.128

17.07.00.00 cont'd **E.O.** # A-220-47_ Page 1 of 2

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET 02.01 PASSENGER CARS, LIGHT-DUTY TRUCKS & MEDIUM-DUTY VEHICLES

Manufacturer: Jaguar Cars Ltd Exh Eng Fam: VJC4.0VJGKHK Evap Fam: VJC1142AYMA0

Exh Std: CA - Tier-1 X TLEV _ LEV _ ULEV _ ZEV _; US EPA - Tier-1 X

Evap Std: 50K X Useful Life with R/L _

In-Use Exh Std: Full In-Use X Alt In-Use_ 15ng Code 505T

Veh Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5

Single Cert Std for Muti-Class Eng Fam: N/A

Fuel Type(s): Dedicated X Flex-Fuel _ Dual-Fuel _ Bi-Fuel _ Gasoline X Diasel _ M85 _ CNG _ LNG _ LPG _ Other _

Emission Test Fuel(s): Ind X Ph2

Ind X Ph2 _ M85 _ CNG _ LPG _ Other _ Diesel: 13 CRR 2282 _ 40CFR86.113-90 _ 40CFR86.113-94 _

Service Accum: Std AMA Mod AMA _ Mfr ADP _ Other & ADF

NMOG Test Procedure: N/A X Std _ Equiv _ R/L Test Proc: SHED _ Pt Source _

Hybrid: Type A В C : APU Cycle _

Engine Configuration: <u>L6</u> Displacement: <u>4.0</u> liters <u>243</u> cubic inches

Valves per Cylinder: 4 Rated HP: 322 @ 5000

Engine: Front X Mid Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Exhaust ECS: AIR:EGR:2HO2S(2):2WU0C:2WUTWC:2TWC:SFI:CAC:SC

		Section/page			Section/Peg
6 7 8 9 0	Evap. Control System Engine Parameters Fuel System Ignition System Exhaust Control System Projected Sales Vehicle Description Evap Bench Test Procedure P/L Temp & Press Profiles	01-1 03-1 & 3 04-1 05-1 04-1 06-2 06-1 & 2 07-3 19-1 20-21 06 01-1 20-22 20-32 17-8 19-2 n/a 20-29 17-5 Dur Data Ven 1995 XJ40/974 on request on request on request	22 23 24 26 26 27 28 29 30 31 32 33 34 35 36	Adjustable Parameters Tamper Resistance Method(s) Fill Pipe Specifications Attitude A/F Requirements OBD Sys incl Marked Rev. I/M Test Procedure & Data 50°F Compliance	20-37 & 38 17-6 17-5 08.16-1 n/a 17-1 & 3 17-5 17-10 17-11 n/a n/a 17-12 17-12 17-12 17-13 n/a