State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-212 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: VHN2.5VJGKEK <u>Displacement</u>: 2.5 Liters (150 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Warm Up Three Way Catalytic Converter Three Way Catalytic Converter Heated Oxygen Sensors (Two) Exhaust Gas Recirculation Seguential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Mile	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>	
50,000	0.25	3.4	0.4	10.0	
100,000	0.31	4.2		n/a	

The certification exhaust emission values for this engine family in grams per mile are:

<u>Mile</u>	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>	
50,000	0.10	1.0	0.1	5.5	
100,000	0.11	1.0	0.1	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\frac{26}{4}$ day

14 Sp. 1/11

R. B. Summerfield, Chief Mobile Source Operations Division

day of September 1996.

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #_	A-3	<u> 23</u>	-21	2
Page	_1	of	_1	

Manufa	icturer: HO	AUA						
Exh Er	ngine Famil	y: <u>VHN2.5VJGKE</u> R	2					
All Er	ng Codes in	Eng Fam: CA	_ 49S _	5	0S	AB965	TTO TIDE Wine 1	v
Exh st	d: CA Tier	-1 <u>X</u> TLEV	LEV		ULEV	ZEV;	OS EDA ITEL-I	
In-Use	Exh Std:	Full In Use X	_ Alt]	in Use				
EVAP E	Ingine Fami	ly: VHN1094AYME	EZ					
	FOY	Treaful Life	s with X	₹/L _X	_			MOSSE
Veh C	lass(es):PC	<u>X</u> LDT1	LDT2 _	MDV	71	_ MDV2 MDV	73 MDV4	_ KIDA2
a : 1 .	- 0	for Multi-Class	: End Fa	am : N/	A			
Fuel :	B (a) . Do	diasted Y F	lev-Fue	1	Dua	l-Fuel B:	L-Fuel Gas	oilne _A_
	Di	ecel CNG	I.NO	G	LPG	M85	Other	
Emiss	Test Fuel(s): Indo X_ I	Ph2	CNG		LPG M85	Other	
Diece	1 1 3 CCR 2	282 40 CFI	R 86.11.	3-90 _		40 CFR 86.113-	94	
	3	+ → AMA MO(AMA F	x Mf	r AD	p Other <u> </u>		
NMOG '	Test Proced	ure: N/A X St	td 1	Equiv		R/L Test Prod	: SHED X Pt	Source
NMOG Test Procedure: N/A X Std Equiv R/L Test Proc: SHED X Pt Source Hybrid: Type A B C, APU Cycle:								
Engine Configuration: L-5 Displacement: 2.5 Liters 150 Cubic Inches								
		down A Date	а ир. 1	76/630	n RP	M		
Engin	e Front X	Mid Re	ar	Drive	: FW	D X RWD	4WD-FT	4WD-PT
Engin	ct FCS: WIT	WC/TWC/HO2S(2)	/EGR/SF	I				
EAHAU	50 D05. <u>M41</u>							
						Ignition		Catalytic
l	Engine	Vehicle Models	Trans.	ETW	DPA	(ECM/PCM)		Converter
1	Code					Part No.	Part No.	
v		2.5TL	L4			EI	EGR Valve: 11B	
1 -			1	l	ł	Distributor	i	Rear : XD

D95P94-01 ECM:

37820-P1R-A61

ISSUED: 07/17/96