State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-804
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year General Motors Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: WGMXT04.3185 Displacement: 4.3 Liters (262 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter
Warm Up Three Way Catalytic Converter
Dual Heated Oxygen Sensors
Heated Oxygen Sensor
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gas (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) TLEV certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle		•				
Weight (lbs.)	<u>Miles</u>	<u>NMOG</u>		NOx	<u> HCHO</u>	CO (20°F)
3751 ~5750	50,000 1 0 0,000	0.160 0.200	4.4 5.5	0.7 0.9	0.018 0.023	12.5 n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for NMOG reflect application of a 0.98 RAF for 1998 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	_Miles_	_NMOG_	_CO_	<u>NOx</u>	<u>нсно</u>	CO (20°F)
3751-5750	50,000 100,000	0.085 0.088	1.2	0.1 0.1	0.002 0.002	4.7 n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

R. B. Summerfield, Chief

day of May 1995

Mobile Source operations Division

LIGHT DUTY TRUCK MODEL NUMBER DEFINITION

(Includes California Medium Duty Trucks)

E.O. #A-6-804

Example, Pattern A: CC10703+E62 Example, Pattern B: 1UM05

Digit 1 = Marketing Division

 Pattern A
 Pattern B

 C = Chevrolet
 1 = Chevrolet

 T = GMC
 2 = Pontiac

 H = Oldsmobile
 3 = Oldsmobile

Note: Digit 1 is only used for Pattern A models on engine family pages or California Supplemental Data-Sheets when necessary to discriminate by division model.

Digit 2 = Chassis Type (all)

U = Conventional 4x2 Front Wheel Drive
C, S, M = Conventional 4x2 Rear Wheel Drive
G = Forward Control 4x2 Rear Wheel Drive

K, T, L = Conventional 4x4 Four Wheel Drive, All Wheel Drive

Digit 3 = Series/GVWR

Pattern A

J = Isuzu

1 = 11,15,1500/3500-7300 2 = 21,25,2500/6400-8600 3 = 31,35,3500/7100-14500

Digits 4 & 5

Pattern A = Dimensional Grouping

05 = Utility: Tahoe (2Dr), Yukon (2Dr), Blazer, Jimmy, Bravada

06 = S/T Short Box

07 = C/K Short Box, Tahoe (4Dr), Yukon (4Dr)

08 = S/T Long Box & Cab-Chassis

09 = C/K Long Box, Suburban

10 = M/L Long Body

14 = G Short Wheelbase

17 = G Long Wheelbase

Digits 6 & 7 = Body/Cab Codes (Pattern A Only)

03 = Conventional Cab, Cab-Chassis

05 = Cargo Van

06 = Passenger Van, 4 Door Special Purpose Vehicle

16 = 2 Door Special Purpose Vehicle

43 = Crew Cab

53 = Extended Cab

Pickup Body Codes (Optional, Used with Pattern A Only)

+E62 = Stepside, Fenderside +E63 = Fleetside, Wideside

ISSUED: ML-WP089

REVISED:

Pattern B

Letter code designates trim level rather than series/GVWR.

Pattern B = Body Style

O6 = Passenger (Venture, Trans Sport, Silhouette)
 16 = Passenger (Venture, Trans Sport, Silhouette)
 Dual Sliding Doors

17-WGMXT04.3185-1 (1998)

FR: GENERAL MOTOR						
ALL ENGINE CODES IN E	ENGINE FAMIL	Y: CA(X)	49S() 50S() AB965 ()	ORVR: YES () NO(X)
EXH STD: CA TIER-1 () TLEV(X)	LEV()	ULEV() SUL	.EV(); L	I.S. EPA TIE R -1 (,
VEH CLASS(ES): PC						
SINGLE CERT STANDAR						
FUEL TYPE(S): DEDICA	TED(X) GAS	SOLINE (X);	EXH EMIS TE	ST FUEL(S):	INDOLENE ()	CBG(X)
EVAP EMIS TEST PROCE	EDURE: CALI	F() FE	D(X)	•		
SERVICE ACCUMULATIO	ON: STD AMA	() MFR AD	P(X); NMO	G TEST PROC	EDURE: NA()	EQUIV (X)
R/L TEST PROCEDURE:						
ENGINE CONFIGURATIO	DN: I4 () V	6(X) V8() DIS	PLACEMENT:	4.3 LITERS / 262	CU. IN.
	VALVES /	CYLINDER: 2	2(X) 4()	RA'	TED HP: 190 @	4400 RPM
ENGINE LOCATION: FR	RONT (X)		DRIVE: FWD () RWD(X	4WD-FT()	4WD-PT()
EXHAUST EMISSION CO	NTROL SYSTE	M: LEGR, W	/UTWC+TWC, SF	1, 2HO2S-HO2	S	
RLHP / DPA VALUES: S	ECTION 08.13.	02.00				
ENONE CORE				EQUIV.	EGR	CATALYTIC
ENGINE CODE & LETTER L	OC VE	H MODELS	TRANS	TEST	SYSTEM	CONVERTER
DERIVATIVES*1 (C/F.	<u>/NW) (SE</u>	E PAGE 1)	(M5,A4,ETC.)	WEIGHT	PART NO.	PART NO.
51	С	S10516	A4	4000	17096309,	25175248-
		S10 5 06		4250	25312788	4DR 25173 633 -
		()				Warm-Up
						25175 247 - 2DR
52		S10516		4000		dipp band" F 🔍
		S10506		4250		
	\ /					
*1 Base engine codes are	e the same as le	etter derivative	s unless otherwis	se noted. Refe	r to PCM/VCM par	t number page
for additional engine co	ode letter deriva	itive informatio	ιП.			
			CARLINE	CODE		
CARLINE CHEVROLET BLAZER 29			CARLINE 0309			•
GMC JIMMY 2WD			0407			

SSUED: ML-WP089

GMC JIMMY 2WD

REVISED: ML-WR007, ML-WP145

17-WGMXT04.3185-2 (1998)

FR: GENERAL MOTORS CORP.	ENGINE FAMILY: WGMXT04.31	85 EVAP F	AMILY: WGM	XE0095904
ALL ENGINE CODES IN ENGINE FAMI	HLY: CA(X) 49S() 50S()	AB965 ()	ORVR: YES () NO(X)
EXH STD: CA TIER-1 () TLEV (X	() LEV() ULEV() SULE	EV (); U.S.	EPA TIER-1 (7
VEH CLASS(ES): PC() LDT1() LDT2(X) MDV1() MDV	2() MDV3() MDV4()	MDV5()
SINGLE CERT STANDARD FOR MULT	TI-CLASS ENGINE FAMILY: NA			
FUEL TYPE(S): DEDICATED (X) G/	ASOLINE (X); EXH EMIS TES	ST FUEL(S): INC	OOLENE()	CBG (X)
EVAP EMIS TEST PROCEDURE: CA	LIF() FED(X)			
SERVICE ACCUMULATION: STD AMA	A() MFR ADP(X); NMOG	TEST PROCED	URE: NA()	EQUIV(X)
R/L TEST PROCEDURE: PT SOURCE	CE(X)			
ENGINE CONFIGURATION: 14 ()	V6(X) V8() DISP	LACEMENT: 4.3	3 LITERS / 262	CU. IN.
VALVES	/ CYLINDER: 2(X) 4()	RATE	HP: 190@4	4400 RPM
ENGINE LOCATION: FRONT (X)	DRIVE: FWD()	RWD(X)	4WD-FT()	4WD-PT(X)
EXHAUST EMISSION CONTROL SYST	TEM: LEGR, WUTWC+TWC, SFI,	2HO2S-HO2S		
RLHP / DPA VALUES: SECTION 08.13	3.02.00			
	EH MODELS TRANS EE PAGE 1) (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
51 C	T10516 T10 5 06	4250 4500	17096309, 25312788	25175248- 4DR 25173633- Warm-Up 25175247- 2DR
52	T10516 T10506	4250 4500		
*1 Base engine codes are the same as		noted. Refer to I	PCM/VCM part	number page
for additional engine code letter deriv	rative information.			
CARLINE NAME	CARLINE C	ODE		
CHEVROLET BLAZER 4WD GMC JIMMY 4WD	03070 04060			

~ ISSUED: ML-WP089 REVISED: ML-WR007, ML-WP145

'FR: GENERAL M	OTORS CORP.	ENGINE FAMIL	Y: WGMXT04.318	5 EVAP F	FAMILY: WGM	XE0095904	
ALL ENGINE CODE	S IN ENGINE FAM	ILY: CA(X) 4	98() 508()	AB965 ()	ORVR: YES () NO(X)	
EXH STD: CA TIE	R-1() TLEV()	() LEV() U	JLEV() SULE\	/(); U.S	. EPA TIER-1 ()	
VEH CLASS(ES):	PC() LDT1() LDT2(X)	MDV1() MDV2	() MDV3 () MDV4()	MDV5()	
SINGLE CERT STA	NDARD FOR MUL	TI-CLASS ENGIN	E FAMILY: NA		\wedge		
FUEL TYPE(S): DE	EDICATED (X) G	ASOLINE (X);	EXH EMIS TEST	FUEL(S): IN	DOLENE()	CBG(X)	
EVAP EMIS TEST F	ROCEDURE: CA	ALIF() FED)(X)				
SERVICE ACCUMU	LATION: STD AM	IA () MFR ADI	P(X); NMOGT	EST PROCED	URE: NA()	EQUIV(X)	
R/L TEST PROCED	URE: PT SOUR	CE(X)					
ENGINE CONFIGUR	RATION: I4()	V6 (X) V8 () DISPL	ACEMENT: 4.	3 LITER S / 262	CU. IN.	
	VALVES	/ CYLINDER: 2	(X) 4()	RATE	O HP: 190 @ 4	1400 RPM	
ENGINE LOCATION	: FRONT(X)	[DRIVE: FWD()	RWD()	4WD-FT(X)	4WD-PT()	
EXHAUST EMISSIC	N CONTROL SYS	TEM: LEGR, WU	JTWC+TWC, SFI, 2	2H02S-H02S			
RLHP / DPA VALUE	S: SECTION 08.1	3.02.00					
ENGINE CODE				EQUIV.			
& LETTER DERIVATIVES*1		EH MODELS EE PAGE 1)	TRANS (M5,A4,ETC.)	TEST WEIGHT	SYSTEM PART NO.	CONVERTER PART NO.	
		$\overline{\wedge}$,				
51,52	С	HT10506 T10506	A4	4500	17096309, 25312788		
						25173633-	
		\	•			Warm-Up 25175 247-	
(2DR)							
*1 Base engine cod	es are the same as	letter derivatives	unless otherwise n	oted. Refer to	PCM/VCM part	number page	

CARLINE NAME	CARLINE CODE
CHEVROLET BLAZER AWD	03072
GMC JIMMY AWD	04062
OLDSMOBILE BRAVADA AWD	06520

for additional engine code letter derivative information.

ISSUED: ML-WP089 REVISED: ML-WR007, ML-WP145

17-WGMXT04.3185-4 (1998)

*1	Base engine codes are the same as letter derivatives uni	ess otherwise noted.	Refer to PCM/VCM part number page
	for additional engine code letter derivative information.		

A4

CARLINE NAME	CARLINE CODE
GMC SONOMA PU 2WD	04072
CHEVROLET S10 PU 2WD	03082
HOMBRE PU 2WD	11520

ISSUED: ML-WR090

21,22

REVISED: ML-WR104

J\$10653

25312788

3875

25179076,

25173633-

Warm-Up

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: WGMXT04.3185 EVAP FAMILY: WGMXE0095904 ALL ENGINE CODES IN ENGINE FAMILY: CA(X) 49S() 50S() AB965() ORVR: YES() NO(X) EXH STD: CA TIER-1() TLEV(X) LEV() ULEV() SULEV(); U.S. EPA TIER-1 () VEH CLASS(ES): PC() LDT1() LDT2(X) MDV1() MDV2() MDV3() MDV4() MDV5() SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLENE () CBG (X) EVAP EMIS TEST PROCEDURE: CALIF () FED (X) SERVICE ACCUMULATION: STD AMA() MFR ADP(X); NMOG TEST PROCEDURE: NA() EQUIV(X) R/L TEST PROCEDURE: PT SOURCE (X) ENGINE CONFIGURATION: I4() V6(X) V8() DISPLACEMENT: 4.3 LITERS / 262 CU. IN. VALVES / CYLINDER: 2(X) 4(RATED HP: 180 @ 4400 RPM ENGINE LOCATION: FRONT (X) DRIVE: FWD() RWD(X) 4WD-FT() 4WD-PT(X) EXHAUST EMISSION CONTROL SYSTEM: LEGR, WUTWC+TWC, SFI, 2HO2S-HO2S RLHP / DPA VALUES: SECTION 08.13.02.00

ENGINE CODE				EQUIV.	EGR	CATALYTIC
& LETTER	LOC	VEH MODELS	TRANS	TEST	SYSTEM	CONVERTER
DERIVATIVES*1	(C/F/NW)	(SEE PAGE 1)	(M5,A4,ETC.)	<u>WEIGHT</u>	PART NO.	PART NO.
31	С	S10653	M5	3875	25312788	2517 524 9
		T 10603		4000		(T-PU),
		J T1 0603				25179076
		T10653		4250		(S-PU),
		T108 0 3		4000		25173633-
						Warm-Up
22		0.0000				
32		S10653		3875		
		T10603		4000		
		JT10603				
		T10653		4250		
		T10803		4000		

^{*1} Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

CARLINE NAME	CARLINE CODE
GMC SONOMA PU 2WD	04072
GMC SONOMA PU 4WD	04027
CHEVROLET \$10 PU 2WD	03082
CHEVROLET S10 PU 4WD	03037
HOMBRE PU 4WD	11550

ASSUED: ML-WR090

REVISED: ML-WR104

					-	
MFR: GENERAL N	MOTORS COR	P. ENGINE FA	MILY: WGMXT04.	3185 EVAF	FAMILY: WGN	AXE0095904
ALL ENGINE COD	ES IN ENGINE	FAMILY: CA(X)	498() 508() AB965()	ORVR: YES	() NO(X)
EXH STD: CA TII	ER-1() TL	EV(X) LEV()	ULEV() SU	LEV(); U.	S. EPA TIER-1	
VEH CLASS(ES):	PC() L	DT1() LDT2(X) MDV1() ME)V2() MDV3	() MDV4 () MDV5()
SINGLE CERT STA	ANDARD FOR	MULTI-CLASS EN	GINE FAMILY: NA			
FUEL TYPE(S): D	EDICATED (X	() GASOLINE(X); EXH EMIS TE	ST FUEL(S): I	NDOLENE ()	CBG(X)
EVAP EMIS TEST	PROCEDURE:	CALIF()	FED(X)			
SERVICE ACCUM	ULATION: ST	DAMA() MFR	ADP(X); NMO	G TEST PROCE	DURE: NA()	EQUIV(X)
R/L TEST PROCE	DURE: PT S	OURCE(X)				
ENGINE CONFIGU	JRATION: 14 () V6(X) V8	() DIS	PLACEMENT:	4.3 LITERS / 26:	2 CU. IN.
	VAI	VES / CYLINDER:	2(X) 4()	RATI	ED HP: 190 @	4400 RPM
ENGINE LOCATIO	N: FRONT (X	()	DRIVE: FWD () RWD(X)	4WD-FT ()	4WD-PT()
EXHAUST EMISSION	ON CONTROL	SYSTEM: LEGR,	WUTWC+TWC, SF	1, 2HO2 S-HO2S		
RLHP / DPA VALUI	ES: SECTION	08.13.02.00				
ENGINE CODE & LETTER	LOC	VEH MODELS	TRANS	EQUIV. TEST	EGR SYSTEM	CATALYTIC CONVERTER
DERIVATIVES*1	(C/F/NW)	(SEE PAGE 1)	(M5,A4,ETC.)	WEIGHT	PART NO.	PART NO.
71,72	С	\$10653	A4	3875	25312788	25179076,
·				0010	20012700	25173633-
						Warm-Up
		/ /				
1 Base engine cod	les are the sam	ne as letter derivativ	es unless otherwise	e noted. Refer to	PCM/VCM part	number page

for additional engine code letter derivative information.

CARLINE NAME CHEVROLET \$10 PU 2WD GMC SONOMA PU 2WD

CARLINE CODE 03082 04072

SSUED: ML-WR090 REVISED: ML-WR104

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: WGMXT04.3185 EVAP FAMILY: WGMXE0095904 ALL ENGINE CODES IN ENGINE FAMILY: CA(X) 49S() 50S() AB965() ORVR: YES() NO(X) EXH STD: CA TIER-1() TLEV(X) LEV() ULEV() SULEV(); U.S. EPA TIER-1 () VEH CLASS(ES): PC() LDT1() LDT2(X) MDV1() MDV2() MDV3() MDV4() MDV5() SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLENE () CBG (X) EVAP EMIS TEST PROCEDURE: CALIF () FED (X) SERVICE ACCUMULATION: STD AMA() MFR ADP(X); NMQG TEST PROCEDURE: NA() EQUIV(X) R/L TEST PROCEDURE: PT SOURCE (X) ENGINE CONFIGURATION: 14() V6(X) V8() DISPLACEMENT: 4.3 LITERS / 262 CU. IN. VALVES / CYLINDER: 2(X) 4(RATED HP: 190 @ 4400 RPM ENGINE LOCATION: FRONT(X) DRIVE: FWD() RWD(X) 4WD-FT() 4WD-PT(X) EXHAUST EMISSION CONTROL SYSTEM: LEGR, WUTWC+TWC, SFI, 2HO2S-HO2S RLHP / DPA VALUES: SECTION 08.13.02.00

& LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST <u>WEIGHT</u>	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
81	C	\$10653 T10603 T10653 T10803	M5	3875 4000 4250 4000	25312788	25175249 (T-PU), 25179076 (S-PU), 25173633- Warm-Up
82		S10653 T10603 T10653 T10803		3875 4000 4250 4000		

^{*1} Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

CARLINE NAME	CARLINE CODE
GMC SONOMA PU 2WD	04072
GMC SONOMA PU 4WD	04027
CHEVROLET S10 PU 2WD	03082
CHEVROLET S10 PU 4WD	03037

ISSUED: ML-WR090

REVISED: ML-WR104

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PCM AND CALIBRATION PART NUMBERS

MFR: GENERAL MOTORS CORP.

ENGINE FAMILY: WGMXT04.3185

EVAP FAMILY: WGMXE0095904 WGMXE0095905

WGMXE0095905

ENGINE CODE	PCM/VCM PART NUMBER	ENGINE CALIB	OPER CALIB	TRANS CALIB
1,2	16251685	16240955	09360505PA	16241025, 16241026, 16241027
11,12		16240940		16241028, 16241029, 16241030
21,22		16240948		16241025, 16241026, 16241027
31,32		16240949		16232746
51,52	16249 36 5	16216021	16215972PB	16216134, 16216135, 16216136
51A,52A	1624 93 65		16258745PC	
51B,52B	16258 815, 16 266 635	16267654	16263425PD	
51C,52C		16249446		
71,72	16 2 51685	16240964	09360505PA	16241028, 16241029, 16241030
81,82		16240934		16232746

ISSUED: ML-WP089

REVISED: ML-WR007, ML-WP145, ML-WP152, ML-WR070, ML-WR073, ML-WR090,

ML-WR093

(FOR CARB USE ONLY)

E.O. #A-6-804

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PCM AND CALIBRATION PART NUMBERS

MFR: GENERAL MOTORS CORP.

ENGINE FAMILY: WGMXT04.3185

EVAP FAMILY: WGMXE0095904

WGMXE0095905

EN	GINE CODE	PCM/VCM PART NUMBER	ENGINE CALIB	OPER CALIB	TRANS CALIB
	21,22	16251685	16240948	093605 05 PA	16241025, 16241026, 16241027
	31,32		162409 49		16232746
	51,52	16249365	16216021	1 62 15972PB	1621613 4, 1621613 5, 16216136
	51A,52A	16249365		16258745PC	
4	51B,52B	16258815, 1626663 5	16267654	16263425PD	
	51C,52C		162 49446		
	71,72	16251665	16240964	09360505PA	16241028, 16241029, 16241030
	81,82		16240934		16232746

'SSUED: ML-WR090A

REVISED:

EMISSION DATA RATIOS TO BE USED FOR ASSEMBLY LINE TESTING

	43T7T009 (Config 001)	43T7T009 (Config 002)
NMHC* (G/MI)	0.080	0.080
NMOG (G/MI)	0.082	0.083
HCHO (G/MI)	0.001	0 .001
NMOG:NMHC	1.025	1.038
HCHO:NMHC	0.012	0.012

Average NMOG:NMHC = 1.032

Average HCHO:NMHC = 0.012

Ratio established using Phase 2 emission certification fuel.

ISSUED: ML-WP089

REVISED: ML-WP176

17-WGMXT04.3185-12 (1998)

^{*} NMHC includes methane response factor.