State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-375 Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Chrysler Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: WCRXT0242120 Displacement: 4.0 Liters (242 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Warm Up Oxidation Catalytic Converter Three Way Catalytic Converter Heated Oxygen Sensors (two) Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gas (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) TLEV certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle <u>Weight (lbs.)</u>	Miles	NMOG	<u></u>	<u>NOx</u>	<u>НСНО</u>	CO (20°F)
0-3750	50,000 100,000	0.125 0.156	3.4	0.4 0.6	0.015 0.018	10.0 n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for NMOG reflect application of a 0.98 RAF for 1998 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle <u>Weight (lbs.)</u>	Miles	NMOG	_CO_	<u>NOx</u>	_нсно	CO (20°F)
0-3750	50,000 100,000	0.074 0.080	1.7 2.0	0.2	0.002 0.003	3.3 n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26 day of June 1997.

R.\B. Summerfield, Chief

Mobile Source Operations Division

, Konstolii /-

E.O.	#	A-9-	37	5	
		Page	٦	of	1

1998 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS. LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

PASSENG	ER CARS, LIGHT-I	OUTY TRUCKS A	AND MEDIUM	I-DUTY V	/EHICLES		
Manufacturer: _	Chrysler Corpora	tion Exh	Eng Fam:_	WCRXT02	242120 Eva	ip Fam: WCR	E0101G2S
All Eng Codes in	n Eng Fam: CA}	49S	50 <i>s</i>	AB96	55C	RVR: YES	NOX
Exh Std: CA Tie:	r-1TLEV_	X LEV_	ULEV	st	JLEV;	US EPA Tier	-1
Veh Class(es):	PCLDT1	LDT2	MDV1	MDV2_	MDV3	MDV4	MDV5
Single Cert Std	for Multi-Class	Eng Fam: N	/A(Spec	ify: N,	'A, LDT1, MD	V1, MDV2, N	(DV3, MDV4)
Fuel Type(s): De	edicated <u>X</u> Fle	ex-Fuelf	Dual-Fuel_	Bi	LevelG	asoline <u>X</u>	Diesel
	CNGLNG	LPG N	185	Other (specify)		·
Exh. Emis Test	Fuel(s): Indo	CBGX_ CN	IGLF	'G1	185 Othe	r(specify)	
	Diesel: 13	CCR 2282	or 40 CF	'R 86.13	or	40 CFR 86.	113-94
Evaporative Emi	ssion Test Proce	edure: Calif	ornia		Federal	Х	
Service Accum:	Std AMA	Mod AMAX	Mfr A	.DP	_ Other (Specify)	
NMOG Test Proce	dure: N/A S	Std Equi	Lv <u>X</u> R	L/L Test	Proce: SHE	D Pt	Source X
Engine Configura	ation: <u>I-6</u> Disp	olacement:		.0 L:	ters	<u>/ 242</u> C	ubic Inches
Valves per Cylis	nder: <u>2</u>	Rat	ed HP:		190 @	4600	RPM
Engine: Front	X Mid Re	ear	Drive:	FWD	RWDX_	4WD-FT	4WD-PT X
Exhaust ECS (eg	., EGR, MFI, TC,	CAC): WUC	OC, TWC, H	02S (2	, OBD II, S	FI	
		(us	se abbrevi	ations	per SAE J19	30 JUN93)	
Engine Code	Vehicle Models	Trans. Type	ETW	DPA	Ignition	EGR	Catalyst
(also list CA/49ST/50ST)	(if coded see	м5	or	or	(ECM/PCM)	System	Converter
	attachment)	A4	Test Wt.	RLHP	Part No.	Part No.	Part No.
CA-100 (CA)	XJBL74 XJTL72	A4	3625	S E	56041537AB	None	52019435 52101401AB
,,	XJTL74			E			
CA-500	XJTL74		3625	A	:		
(CA)				T			
CM-100	XJTL72		3625	T A	56041532AB		•
(CA)	XJTL74	1.5	3023	Ĉ	30041332KB		
	X.T.TL.7.2		3750	H			
	AU011/2		3/50	D			
							İ
							i
			-				
]		
			ļ				
1							

Date Issued: 4-8-97

Revisions:

ATTACHMENT TO SDS PAGE 1 0F EXECUTIVE ORDER A-9-375

VEHICLE MODELS/CARLINE

Engine Family:

WCRXT0242120

Evaporative Family:

WCRXE0101G2S

Exhaust Control System:

WUOC, TWC, HO2S(2), OBD II, SFI

Evap. Control System:

Canister

Engine Displacement:

4.0L

Carline	Model Code
Jeep® Cherokee 4WD	XJJL72
Jeep® Cherokee 2WD	XJBL74, XJTL72, XJTL74

ATTACHMENT TO SDS PAGE 1 0F EXECUTIVE ORDER A-9-375

1998 WCRXT0242120

Chrysler Corporation Family Tire Usage

LOADED VEHICLE WEIGHT

MODEL	ENG	TRAN		A C		MKT TYPE					PTION MPG OPT			YNO HP	TII PRI F	E\$		RGET NE 1	A	1	3	ELECTRIC C COEFFS, LI	SE	T A	В		C NEEDED)
XJBL74	ERH	DGS	RW	Y	4600	c	3625	STD	98 :	M6	TZA	13.08	 1	2.9	33	33						• •••••					
								OPT	98 :	RL	TZA	13.13	1	2.6	33	33											
XJJL72	ERH	DDQ	4A	Y	4850	C		STD				12.51	1	3.6	33	33											
V TO						_		OPT						3.5			47	. 61				0.03873	31.	15	-0.64	24	0.04272
XJTL72	ERH	DDQ	RA	Y	4550	С	3625	STD				13.63		2.8													
XJTL72	FRU	mag	.		4550	_	3625	OPT				13.69			33												
	D4441	D00	N.M	•	1330			OPT				13.08		2.9	_												
XJTL74	ERH	DDQ	RA '	Y.	4600	¢.		STD				13.63			33												
								OPT	98 3	RL	TZA	13.69															
XJTL74	ERH	DGS	RP '	Y.	4600	C	3625	STD	98 7	RC	TZA	12.63	1	2.9	33	33											
								OPT	98 7	RL	TZA	13.13	1	2.6	33	33											
XJTL74	ERH	DGS	RW '	Y	4600	C		STD				13.08	1	2.9	33	33											
								OPT				13.13	1	2.6	33	33											
								OPT	98 7	RV	TZA	12.69	1	2.7	33	33											

REPORT DATE: 4-8-97