(Page. 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-165-A-1 Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: WMBXV02.3GSU <u>Displacement</u>: 2.3 Liters (140 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Dual Three Way Catalytic Converters Heated Oxygen Sensors (two) Secondary Air Injection Supercharger Charge Air Cooler Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	<u>Monoxide (20°F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>
50,000	0.07	1.3	0.1	3.1
100,000	0.08	1.4	0.1	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executive Order A-3-165-A dated October 3, 1997, is superseded and replaced by Executive Order A-3-165-A-1.

Executed at El Monte, California this 30th day of June 1998.

Bammer hield

R. B. Summerfield, Chief Mobile Source Operations Division

E. 0. # <u>A-3-165-A-1</u>

Page 1 of __1_ 1998 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Dain	nier-Be	1Z	EX	th. Eng Family	WMBXV	02.3G5U	Evap. F	amily: W M	BXR0115N	IYY
All Eng Codes in Er										
Exh Std:		CA	Tier-1_	X_TLEV	LEV	ULEV	SULEV	US E	PA Tier-1	<u> </u>
Veh Class(es):	PC X	ID.	T1	LDT2	MDV1	MDV2	MDV3	MDV4	MDV	5
Single Cert Std for N	Aulti-Cla	ss Eng	Fam:	N/A	(specify:	N/A, I	LDT1, MDV1,	MDV2,	MDV3,	MDV4)
Fuel Type(s):	Dedicate	edX_	Flex	-Fuel	Dual-Fuel		Bi-FuelG	asoline X	Diese	sl
(CNG	_	LNG	i	LPG	_ M85 _	Othe	r (specify) _.		
Exh. Emiss Test Fu	el(s): In	do <u>X</u>	_ CBG	CNG	LP0	· i	M85Other	(specify)		
	D	iesel: '	3 CCR	2282		40 CFF	R 86.113-90	40 CFI	R 86.113-94	!
Evaporative Emissio										
Service Accum:	S	ld AMA	X	Mod AMA	Mfr	ADP	Other	(specify)		
NMOG Test Procedu	ле: N	/A <u>X</u>	Std	Equiv	R/L	Test Proc	SHED_	<u> </u>	Pt Source	
Engine Configuration	1: <u>L</u> .	4	Disp	lacement:	2.3		Liters	140	Cubic	Inches
Valves per Cylinder:	4				Rate	ed HP: _1	185 / 5300			RPM
Engine: Front_	<u>х</u> м	id	Rear		Driv	e: FWD	RWD _	4WD-F	T 4WD	PT
Exhaust ECS (eg., f	MFI, E	GR, TÇ	, CAC):	SFI /	SC / CAC /	AIR / HO	2S (2) / 2 TWC			
					(use abbre	viations p	er SAE J1930 J	UN93)		•

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type (A 4, M 5 etc)	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
M 111 SC	SLK 230	A 5	3 375	5.8	022 545 26 32 or 023 545 22 32		210 490 12 14 or 210 490 13 14
					į		

Date Issued: 200723geu2.pm5-b8

Revisions: