State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-173-1 Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: WMBXV04.3GNB Displacement: 4.3 Liters (260 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Secondary Air Injection Exhaust Gas Recirculation Dual Three Way Catalytic Converters Dual Warm Up Three Way Catalytic Converters Dual Heated Oxygen Sensors (two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane Organic Gases	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.075	3.4	0.2	0.015	10.0
100,000	0.090	4.2	0.3	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for non-methane organic gases (NMOG) reflect application of a 0.94 RAF for 1998 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gases	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.020	0.4	0.05	0.0002	3.6
100,000	0.020	0.4	0.1	0.0002	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executive Order A-3-173 dated December 17, 1997, is superseded and replaced by Executive Order A-3-173-1.

Executed at El Monte, California this 30 day of June 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

mmerfield)

E. 0. # <u>A-3-1</u>

Page 1 of __1_ 1998 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Daimler-E	Benz Ex	h. Eng Family:	WMBXV04	I.3GNB	vap. Fami	ily: WMBXR	0155MYN
All Eng Codes in Eng Fa	m: CA		50S X				es X No
Exh Std:	CA Tier-1_	TLEV	_ LEV _X				Tier-1 X
Veh Class(es): PC	X LDT1			MDV2			MDV5
Single Cert Std for Multi-C	Class Eng Fam:	N/A	(specify:	N/A, LDT1,	MDV1,	MDV2. ME	DV3. MDV4
Fuel Type(s): Dedicate	ated X Flex-	Fuel	Dual-Fuel _	Bi-Fue	I Gas	oline X	Diesel
CNG	LNG		LPG	M85	Other (s	specify)	<u> </u>
Exh. Emiss Test Fuel(s):	Indo CBG	X CNG	LPG	M85	Other (s	specify)	
	Diesel: 13 CCR	2282		40 CFR 86.1	13-90	40 CFR 86	113-94
Evaporative Emission Tes	st Procedure:	California		Federal	x	_	
Service Accum:	Std AMA X	Mod AMA	Mfr A)P	Other (s	specify)	
NMOG Test Procedure:	N/A Std	X Equiv	R/L Te	st Proc.	SHED	Pt Se	ource
Engine Configuration:	V-8 Displa	acement:	4,3	Liters	260		Cubic Inches
Valves per Cylinder.	3		Rated	HP: 27	5 / 5750		RPM
Engine: Front X			Dríve:	FWD I	RWD X	4WD-FT	4WD-PT
Exhaust ECS (eg., MFI,	EGR, TC, CAC):	SFI / AIR /	EGR / 2 HO2	!S(2) / 2 WU-	TWC / 2 TO	wc	
				(use abbrevia			

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type (A 4, M 5 etc)	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
M 113	E 430	L 5	4 000	6.5	A 020 545 07 32		A 210 490 25 14 (underfloor) A 210 490 42 14 (underhood righ A 210 490 43 14 (underhood left
ate issued:			Revision				

Revisions:

zet/43gnb2.pm5-ba