State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-7-197 Relating to Certification of New Motor Vehicles

VOLKSWAGEN AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Volkswagen AG exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: WVWXV02.0223 Displacement: 2.0 Liters (121 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Secondary Air Injection Three Way Catalytic Converter Heated Oxygen Sensors (Two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.125	3.4	0.4	_0.015	10.0
100,000	0.156	4.2	0.6	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.98 RAF for 1998 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000			0.1	0.001	5.8
100,000			0.1	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _______ day of September 1997.

R. B. Summerfield Chief

(Mobile Source Operations Division

PAGE NO. 17.05. -01 E.O.# A-7-197 ATA SHEET Page 1 of 1

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 1 of PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDUM-DUTY VEHICLES

Manufacturer:	VOLKSWAGEN	, E	xh Eng	Fam:	WVWXV02.0223	_ Evap Fam:	WVWXE0090233
_		T T.	405	- 51	IS X ADVOS	OTIATIVE +	
	ー・1 でだり	rt Y	LEV	UI		, 00 =	
	DO V IDM1	2 ביות ז	M	DV1	MDV2		·*···
	ned for MoltinCl	aee End P	am: N/	A (SDE	SCIIA: M/W' PD	TI' LIDAT' MIDA	27 115157
Single Cert S	Dedicated X	Flev-Fuel	D	ual-F	uel Bi-Fuel	Gasoline	X Diesel
Fuel Type(s):	Dedicated A	I.DG	- <u></u> - M85	Othe	er (specify)		
	1 / - V . Trada	CBG X (ING	LPG	M85 Other	(specity)	
Emiss Test 1	iel(s): Indo	13 CCR 3	2282	41	 0 CFR 86.113-9	0 40 CF	R 86.113-94
	Diesel. Emission Test Pr	ocedure.	Cali	- forni	a X Federa	.1	·
Evaporative I	m: Std AMA_X	Mod AM	7	Mfr A	DP Other	(specify)	
Service Accur	m: Std AMA <u>x</u> ocedure: N/A	C+A V		1177	R/L Test F	Proc: SHED_	Pt Source X
NMOG Test Pro	g. <u>4 / in line</u>	Dienlago		^ - '	0 Liters	 ; 121	Cubic Inches
Engine Confi	g. <u>4 / in line</u>	Disprace	merre		Rated HP:	115 @	5,400 RPM
Valves per C	ylinder: <u>2</u> nt <u>X</u> Mid		ī	oritto.	השח א RWI	4WD-FT	4WD-PT
Engine: Fro	nt <u>X</u> Mid	Rear _	 , ,'	orive:	CET / ATR / Th	IC / HO25 (2	
Exhaust ECS	(eg., EGR, MFI,	TC, CAC,	etc.)	(u	se abbreviation	ons per SAE 1	930 JUN93)
							Cotolytic
Engine Code	Vehicles Models	Trans.	ETW	DPA	Ignition (ECM/PCM)	System	Converter
(also list	(if codded see	Type (M5, A4,	Test	or RLHP		Part No.	Part No.
CA/49ST/50ST	attachment)	ect.)	WI				
ļ')/C	3,000	6 9	037 906 259E	-	1HM 131 701 Q
ABA-T	Jetta	M5	3,000	0.5	037 906 259N 037 906 259AA		
50ST							
ABA-T	Golf	M5	2,875	6.9	037 906 259E 037 906 259N	-	1HM 131 701 Q
50ST					037 906 259AA		
		M5	3 125	8.0	037 906 259Q	_	1HM 131 701 Q
ABA-T 50ST	Cabrio		3,123	,,,	037 906 259T		
. 5031			3 000	63	037 906 259E	-	1HM 131 701 Q
ABA-T 50ST	Golf	A4	3,000	0.3	031 906 259N		
3031					037 906 259AA		121 701 0
ABA-T	Jetta	A4	3,125	6.3	037 906 259E 037 906 259N	-	1HM 131 701 Q
50ST					037 906 259AA	į	
		A4	3,125	7.6	037 906 2590	-	1HM 131 701 Q
ABA-T 50ST	Cabrio	A4	3,123	'	037 906 259T		
15051							
							1
•							1
	1		-			İ	
		1					

Date Issued: 04-10-97

Revisions: