### State of California AIR RESOURCES BOARD

### EXECUTIVE ORDER A-10-779 Relating to Certification of New Motor Vehicles

#### FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Ford Motor Company exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine\_Family: WFMXA04.2ABA Displacement: 4.2 Liters (255 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Dual Three Way Catalytic Converters (two) Dual Heated Oxygen Sensors (two) Exhaust Gas Recirculation Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Test Weight	Non-Methane		Carbon	Nitrogen	Carbon	
(lbs.)	Miles Hydrocarbons		<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>	
5751-8500	50,000	0.39	5.0	1.1	12.5	
	120,000	0.56	7.3	1.53	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Test Weight	Miles	Non-Methane	Carbon	Nitrogen	Carbon	
(1bs.)		<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>	
5751-8500	50,000	0.13	2.3	0.2	2.2	
	120,000	0.17	2.8	0.32	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the medium-duty vehicle phase-in requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles" (Title 13, California Code of Regulations, Section 1960.1(h)(2)).

BE IT FURTHER RESOLVED: That under the submitted medium-duty vehicle phase-in compliance plan, if the manufacturer incurs "Vehicle Equivalent Debits" for the aforementioned model year due to the manufacturer's failure to produce and deliver for sale in California the equivalent quantity of medium-duty vehicles certified to low-emission vehicle and/or ultra-low-emission vehicle exhaust emission standards required by the above-referenced standards and test procedures, all "Vehicle Equivalent Debits" incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations,

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 4 day of August 1997.

R. B. Summerfield, Chief

Mobile Source Operations Division

# 1998 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 1 PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. <u>FORD</u>	MOTOR COMPANY I	Exh Eng Fam: W	FMXA04.27	BA	Evap Fam: WE	MXE0155B0G	<u></u>
All Engine Co	des in Engine Far	nily: CA <u>X</u> 49	S 50S_	AB9	55ORVR:	Yesl	NoX
Exh Std: CA T	ier-1_X_ , TLEV	, LEV , U	LEV,	SULEV_	_ ,	EPA TIER-1	
Veh Class(es)	: PC LDT1	LDT2 MDV	1 MDV	72	MDV3_X_ MDV	/4 MDV5	i
Single Cert S	td for Multi-Clas	ss Eng Fam: <u>N</u>	<u>/A</u> (sp	ecify:	N/A, LDT1,M	OV1,MDV2,MI	V3,MDV4)
Fuel Type(s):	Dedicated_X					specify)	
Exh Emiss Tes	t Fuel(s): Indo Dies	X CBG CNG el: 13 CCR 228					
Evaporative E	mission Test Pro	cedure: Cal	ifornia_	<del></del>	Federal_X		
Service Accum	ulation: Std AMA	AMA boM	Mfr. AD	oth	er (Specify)	_ADF	<del></del>
NMOG Test Pro	ocedure: N/A <u>X</u> S	td Equiv	R/L Te	st Proc	edure: SHED_	Pt Sou	rce <u>X</u>
Valves/Cyl: _	ruration: <u>V-6</u> 2 ut_X Mid Re	Rat	ed HP: _	205 @ 4	400_ RPM		
Exhaust Contr	ol System and Sp	ecial Features					<u>.</u>
			(Use a	bbrevia	tions per SA	E J1930 JU	N93)
Engine Code	•		-	•	Ignition	•	Catalytic
(also list CA/49ST/50ST	(if coded see attachment)			•	(ECM/PCM) Part No.		Converte Part No
844TROOA/N		A4	٠.		F8UF-GA		RH) F8UA-CB H) F8UA-AB
•	E150 CWL E150 RVL			16.5/17.9 16.5/17.9			
844MR00A/N					F8UF-FA		
	E250 CHASSIS CAB		7000	26.5/27.			
	E250 RVL		7000	16.4/17.			
	E250 SVL		7000	15.5/16.	<b>7₩</b>		

@ WITH AIR CONDITIONING

# 1998 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 2 PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. FORD	MOTOR COMPANY	Exh Eng Fam: W	FMXA04.2A	BA	Evap Fam: WI	FMXE0155B0G	<u> </u>
All Engine Co	des in Engine Far	nily: CA <u>X</u> 49	S 50S_	AB96	55ORVR:	Yes1	VоX
Exh Std: CA T	ier-l <u>X</u> , TLEV_	, LEV , U	LEV,	SULEV	_ ,	EPA TIER-1	
Veh Class(es)	: PC LDT1	LDT2MDV	1 MDV	72	MDV3_X_ MDV	V4MDV5	<u>;</u>
Single Cert S	td for Multi-Clas	ss Eng Fam: <u>N</u>	<u>/A</u> (sp	ecify:	N/A, LDT1,M	OV1,MDV2,MD	V3,MDV4)
Fuel Type(s):	Dedicated X Gasoline X D					specify)	
Exh Emiss Tes	t Fuel(s): Indo Dies	_X_ CBG CNG el: 13 CCR 228					
Evaporative E	mission Test Pro	cedure: Cal	ifornia_		Federal <u>X</u>	<u> </u>	
Service Accum	ulation: Std AMA	AMA boM	Mfr. ADF	Oth	er (Specify)	_ADF	
NMOG Test Pro	cedure: N/A_X_S	td Equiv	R/L Tes	st Proce	edure: SHED_	Pt Sour	rce <u>X</u>
Valves/Cyl: _	uration: <u>V-6</u> 2 t_X_ Mid Rea	Rat	ed HP: _	205 @ 44	100 RPM		
Exhaust Contr	ol System and Sp	ecial Features					<del></del>
			(Use al	breviat	cions per SA	E J1930 JU	793)
_	Vehicle Models	,	•	DPA	-		Catalytic
	(if coded see	:	:	: :	(ECM/PCM)	: - :	
CA/49ST/50ST	attachment)	M5-Manual	Test Wt	I RLHPI	Part No.	Part No.  	Part No.
844UR00A/N		A4	٠,		F8UF-HA		RH) F8UA-CB H) F8UA-AB
•	E250 RVL		6000	15.8/17.2	2@		
	E250 SVL E250 SVL		6000 6500	15.1 16.5@			
844LR00A/N					F8UF-EA		
	E250 STRIP CHASSIS		7000	26.5/27	. 9@		

@ WITH AIR CONDITIONING

ENGINE FAMILY: WFMXA04.2ABA ISSUED: JUL 2 3 1997 REVISED:

## 1998 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 1 PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. FORD MOTOR C	COMPANY Exh Eng Fam:	WFMXA04.2ABA	Evap Fam:	WFMXE0155B0G	
All Engine Codes in	Engine Family: CA_X 4	9S 50S	AB965ORVE	: Yes1	NoX
Exh Std: CA Tier-1_X		ULEV , SU	LEV,	EPA TIER-1	<u>.</u>
Veh Class(es): PC	LDT1LDT2MD	V1 MDV2_	MDV3 <u>X</u> M	DV4 MDV5	i
Single Cert Std for	Multi-Class Eng Fam: _	N/A (spec	rify: N/A, LDT1,	MDV1,MDV2,MI	V3,MDV4)
	cated_X Flex Fuel line_X Diesel M85			(specify)	<del></del>
Exh Emiss Test Fuel(	(s): Indo <u>X</u> CBG CN Diesel: 13 CCR 22				
Evaporative Emission	Test Procedure: Ca	lifornia	Federal	<u>x</u>	
Service Accumulation	: Std AMA Mod AMA	_ Mfr. ADP	Other (Specif	y) ADF	<del></del>
NMOG Test Procedure:	N/A_X_ Std Equiv	_ R/L Test	Procedure: SHEL	Pt Sou	rce <u>X</u>
Valves/Cyl: _2_	n: <u>V-6</u> Displac Ra Mid Rear Dr	ted HP: 20	5 @ 4400 RPM		
Exhaust Control Syst	em and Special Feature		2HO2S(2), EGR, reviations per S		 N93)
(also list   (if o	cle Models   Trans. Type coded see   A4-Automatic achment)   M5-Manual	· · · · · · · · · · · · · · · · · · ·	DPA   Ignition or   (ECM/PCM) RLHP   Part No.	EGR System Part No.	Catalytic Converter Part No.
844TR05A/N	A4		F8UF-GB		RH) F8UA-CB H) F8UA-AB
E150 CWI E150 RVI			5/17.90 5/17.90		
844MR05A/N E250 CH3 E250 RVI	ASSIS CAB		F8UF-FB 5/27.9@ 4/17.8@		
E250 RVI			.5/16.90		

@ WITH AIR CONDITIONING

ENGINE FAMILY: WFMXA04.2ABA ISSUED: AUG 0 8 1997

R/C 104

## 1998 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 2 PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. FORD N	MOTOR COMPANY F	xh Eng Fam: WI	MXA04.2A	BA	Evap Fam: WF	MXE0155B0G	<del></del>
All Engine Cod	des in Engine Fam	nily: CA <u>X</u> 498	50 <b>S_</b>	AB96	55 ORVR:	Yes N	10 <u>X</u>
Exh Std: CA T	ier-1 <u>X</u> , TLEV_	,LEV , UI	LEV , S	SULEV	_ ,	EPA TIER-1	<u>.</u>
Veh Class(es)	: PCLDT1	LDT2 MDV	l MDV:	2	MDV3 <u>X</u> MDV	74 MDV5	
Single Cert S	td for Multi-Clas	ss Eng Fam: <u>N</u>	/A (spe	ecify:	N/A, LDT1,MI	V1,MDV2,MD	V3,MDV4)
Fuel Type(s):	Dedicated X D	Flex Fuel I iesel M85_	Dual-Fuel CNG	Bi- _ LPG_	Fuel Other (s	specify)	
Exh Emiss Tes	t Fuel(s): Indo Dies	X CBG CNG	LPG 2 or	_ M85 40CFR	_Other (spec 86.113-90	cify) or -94_	
Evaporative E	mission Test Pro	cedure: Cal	ifornia	<del></del>	Federal <u>X</u>	<del></del>	
Service Accum	ulation: Std AMA	Mod AMA	Mfr. ADP	Oth	er (Specify)	ADF	
NMOG Test Pro	cedure: N/A <u>X</u> S	cdEquiv	R/L Tes	t Proce	edure: SHED_	Pt Sour	cce <u>X</u>
Valves/Cvl:	uration: <u>V-6</u> 2 t <u>X</u> Mid_ Re	Rat	ed HP: _2	05 @ 44	<u>100</u> RPM		
Exhaust Contr	ol System and Sp	ecial Features	: <u>2TWC(2)</u> (Use ab	<u>, 2HO29</u> brevia	(2). EGR. SI tions per SA	FI E J1930 JU	
	Vehicle Models			DPA	-J ·	•	Catalytic
	(if coded see attachment)	A4-Automatic   M5-Manual	or		(ECM/PCM)		
CA/49ST/50ST	accaenment)	l PID-PIAITUAL	Teat Nt				
844UR05A/N		A4	••		F8UF-HB		RH) FBUA-CB H) F8UA-AB
	E250 RVL		6000 6000	15.8/17. 15.1	2@		
	E250 SVL E250 SVL			16.5@			
844LR05A/N					F8UF-EB		
	E250 STRIP CHASSIS		7000	26.5/27	.9@		

@ WITH AIR CONDITIONING

ENGINE FAMILY: WFMXA04.2ABA

ISSUED:
REVISED: AUG 0 8 1997