

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-259-65  
Relating to Certification of New Motor Vehicles

SUZUKI MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Suzuki Motor Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: WSKXT1.84CHC Displacement: 1.8 Liters (112 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter  
Heated Oxygen Sensors (two)  
Exhaust Gas Recirculation  
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
0-3750	50,000	0.25	3.4	0.4	10.0
	100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
0-3750	50,000	0.11	1.3	0.2	6.1
	100,000	0.11	1.5	0.2	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gases (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).


SUZUKI MOTOR CORPORATION

EXECUTIVE ORDER A-259-65  
(Page 3 of 3)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations,

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 29<sup>th</sup> day of May 1997.

A handwritten signature in cursive script, appearing to read "R. B. Summerfield". The signature is written in black ink and is positioned above the typed name and title.

R. B. Summerfield, Chief  
Mobile Source Operations Division

**1998** MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
PASSENGER CARS, LIGHT DUTY TRUCKS AND MEDIUM DUTY VEHICLES

Manufacturer: SUZUKI MOTOR CORP Exh Eng Fam: WSKXT1.84CHC EVAP Fam: WSKXE00892JA

All Engine Codes in Eng Fam: CA X 49S X 50S      AB965      ORVR: YES      NO X  
Exh Std: Tier 0      Tier 1 X TLEV      LEV      ULEV      ZEV     ; US EPA      Tier 1 X

Veh Class(es): PC      LDT1 X LDT2      MDV1      MDV2      MDV3      MDV4      MDV5     

Single Cert Std for Multi-Class Eng Fam:      (specify: N/A, LDT1, LDT2, MDV1, MDV2, MDV3, MDV4, MDV5)

Fuel Type (s): Dedicated      Flex-Fuel      Dual-Fuel      Bi-Fuel      Gasoline X Diesel       
CNG      LNG      LPG      M85      Other (specify)     

Emiss Test Fuel (s): Indo      Ph2 X CNG      LPG      M85      Other (specify)       
Diesel: 13CCR 2282      40CFR 86.113-90      40CFR 86.113-94     

EVAP Emission Test Procedure: California       Federal X

Service Accum: Std AMA X Mod AMA      Mfr ADP      Other (specify)     

NMOG Test Procedure: N/A      Std      Equip      R/L Test Proc: SHED      Pt Source X

Hybrid: Type A      B      C     , APU Cycle (e.g. Otto, Diesel, Turbine)     

Engine configuration: L4 (in line) Displacement: 1.8 Liters or 112 cubic inches

Valves per Cylinder: 4 Rated HP 120 @ 6,500 RPM

Engine: Front X Mid      Rear      Drive: FWD      RWD X 4WD-FT      4WD-PT X

Exhaust ECS (eg., EGR, MFI, TC, CAC): SFI / HO2S(2) / TWC / EGR  
(per SAE J1930 SEP91)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (re: p.21.00)	Trans type	ETW	<u>DPA</u> or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
CTCFM (CA,NY,MA)	Sidekick Sport	M5	3250	13.3	33920-77EJ	18111-77E00	14250-58B70
CTCFB (CA,NY,MA)	Sidekick Sport	A4	3250	13.3	33920-77EK		
<del>FTCFM (Federal)</del>	<del>Sidekick Sport</del>	<del>M5</del>	<del>3250</del>	<del>13.3</del>	<del>33920-77EJ</del>	<del>18111-77E00</del>	<del>14250-58B70</del>
<del>FTCFB (Federal)</del>	<del>Sidekick Sport</del>	<del>A4</del>	<del>3250</del>	<del>13.3</del>	<del>33920-77EK</del>		

Date Issued: 31MAR97  
Revised: